



CAMPBELL RESEARCH & CONSULTING

# **An Evaluation of the Public Access Defibrillation (PAD) PAD Demonstration**

## **Final Report**

Prepared for

Department of Health and Ageing  
**GPO Box 9848**  
**CANBERRA ACT 2601**

AUGUST 2008

## Table of Contents

<b>Executive Summary</b> .....	<b>i</b>
Background, planning and implementation.....	i
Outcome of activations.....	i
Key findings from the evaluation.....	ii
<b>Future Considerations</b> .....	<b>iv</b>
<b>Glossary</b> .....	<b>1</b>
<b>1. Introduction</b> .....	<b>2</b>
1.1 Background to the PAD Demonstration.....	2
1.2 The PAD Demonstration evaluation.....	4
1.3 Methodology .....	4
1.4 Reading this report .....	6
<b>2. Overview of Key findings</b> .....	<b>8</b>
<b>3. Literature Review and Desktop Research</b> .....	<b>11</b>
3.1 The evidence for PAD.....	11
3.2 PAD locations.....	12
3.3 Implementation: recruitment, training and implementation issues.....	13
3.4 Risks.....	14
3.5 Cost benefits.....	14
3.6 Other models in other countries .....	15
3.7 Desktop research – cost analysis.....	19
<b>4. Stakeholder Consultations</b> .....	<b>20</b>
4.1 St John as the program’s community partner.....	20
4.2 Appropriateness of the current model of PAD .....	20
4.3 Effectiveness of the PAD Demonstration .....	23
4.4 Efficiency of the PAD Demonstration .....	24
4.5 Issues and lessons identified by Stakeholders .....	25
<b>5. Qualitative Consultations</b> .....	<b>27</b>
5.1 Experiences under the current PAD Demonstration .....	27
5.2 Commitment of host organisations to PAD .....	31
5.3 Outcomes and lessons for host organisations.....	33
<b>6. Quantitative CATI Survey</b> .....	<b>36</b>
6.1 Findings from the CATI quantitative survey .....	36
6.2 Selection of participating host organisations.....	36
6.3 Training of personnel in the use of the AED .....	38
6.4 Capability of staff within the organisation to follow procedures .....	45
6.5 Appropriateness of response procedures in organisations.....	46
6.6 Procedures for the sustainability of the arrangements.....	48
6.7 Lay person use of the AED .....	50
6.8 Support for the Pad Demonstration.....	51

6.9 Drivers for self-funding AED(s).....	55
6.10 Suggested improvements to the Pad Demonstration.....	56
6.11 Summary table of responses for overall opinion of the Pad Demonstration.....	59
<b>Appendix A: Table of US PAD legislation and funding arrangements .....</b>	<b>62</b>
<b>Appendix B: List of Research Participants .....</b>	<b>66</b>
<b>Appendix C: Research Instruments .....</b>	<b>67</b>
<b>Appendix D: Profile of CATI Survey Organisations .....</b>	<b>86</b>

## Index of Figures

Figure 1: Length of time had AED.....	36
Figure 2: Number of AEDs installed in organisations.....	36
Figure 3: Selection of organisations in Pad Demonstration .....	37
Figure 4: Selection of staff in Pad Demonstration.....	37
Figure 5: Total staff trained to use AED.....	38
Figure 6: Staff involvement in training .....	39
Figure 7: Importance of the role of ‘first responder’.....	40
Figure 8: Confidence in using AED by if attended/not attended training .....	41
Figure 9: Ratings of St John’s training programme .....	43
Figure 10: Familiarity of first-aid procedures .....	43
Figure 11: Skills gained from St John’s training.....	44
Figure 12: Awareness of an AED on-site by untrained staff .....	45
Figure 13: Awareness of AED implementation materials by staff.....	45
Figure 14: Awareness of AED implementation materials by staff.....	46
Figure 15: Ratings of AED implementation materials by staff.....	46
Figure 16: Display of action and emergency plan on-site.....	47
Figure 17: Frequency of maintenance check .....	49
Figure 18: Personnel responsible for maintenance check.....	49
Figure 19: Likelihood of untrained staff using the AED (manager and staff) .....	50
Figure 20: Rating of investments for AED implementation.....	51
Figure 21: Ratings of organisation’s involvement in Pad Demonstration .....	52
Figure 22: Likelihood of recommending others to participate in Pad Demonstration.....	52
Figure 23: Likelihood of buying AED(s) without funding.....	54
Figure 24: Drivers for self-funding AED(s).....	55
Figure 25: Management of self-funded AED.....	55
Figure 26: Ranking of key elements in Pad Demonstration.....	56
Figure 27: Organisation by states and territories .....	86

Figure 28: Organisation type..... 86

## Index of Tables

Table 1: Acronyms and abbreviations used in this Report..... 1  
Table 2: Terminology used in this Report ..... 1  
Table 3: Overall opinion of the Pad Demonstration ..... 59  
Table 4: US Legislation and Funding Arrangements by State ..... 62

## Disclaimer

Please note that, in accordance with our Company’s policy, we are obliged to advise that neither the Company nor any member nor employee undertakes responsibility in any way whatsoever to any person or organisation (**other than the Australian Department of Health and Ageing**) in respect of information set out in this report, including any errors or omissions therein, arising through negligence or otherwise however caused

