

References

1. Lovibond PF, Lovibond SH. The structure of negative emotional states: Comparison of the Depression Anxiety Stress Scales with the Beck Depression and Anxiety Inventories. *Behaviour Research and Therapy*. 1995;33:335-343.
2. Kessler RC, Andrews G, Colpe LJ, et al. Short screening scales to monitor population prevalences and trends in non-specific psychological distress. *Psychological Medicine*. 2002;32(6):959-976.
3. Teesson M, Slade T, Mills K. Comorbidity in Australia: Findings of the 2007 National Survey of Mental Health and Wellbeing. *Australian and New Zealand Journal of Psychiatry*. 2009;43(7):606-614.
4. Slade T, Grove R, Burgess P. The Kessler Psychological Distress Scale: Normative data from the 2007 Australian National Survey of Mental Health and Wellbeing. *Australian and New Zealand Journal of Psychiatry*. In press.
5. Pirkis J, Bassilios B, Fletcher J, et al. Clinical improvement after treatment provided through the Better Outcomes in Mental Health Care (BOiMHC) program: Do some patients show greater improvement than others? *Australian and New Zealand Journal of Psychiatry*. In press.
6. Andrews G. Personal communication; 2010.
7. Richards D, Suckling R. Improving access to psychological therapies: Phase IV prospective cohort study. *British Journal of Clinical Psychology*. 2009;48(4):377-396.
8. Bassilios B. Personal communication; 2010.
9. Dear B, Andrews G. Personal communication. 2010.
10. Prytys M, Harman K, Lee R, Brown J. Who attends and who benefits from CBT 'self-confidence' workshops run in routine practice? A pilot study. *Behavioural and Cognitive Psychotherapy*. 2009;37:585-593.
11. Hamilton K, Dobson K. Cognitive therapy of depression: Pretreatment patient predictors of outcome. *Clinical Psychology Review*. 2002;22:875-893.
12. Pirkis J, Headey A, Burgess P, Whiteford H, White J, Francis C. Remunerating private psychiatrists for participating in case conferences. *Australia and New Zealand Health Policy*. 2005;2(33).