


Re: Fenthion ready for PR. [SEC=UNCLASSIFIED] 
Stephen Batt to: Robert Wood

20/08/2013 14:35

UNCLASSIFIED

[REDACTED]
I may be taken off the PR for this, pending a decision [REDACTED]
[REDACTED]
[REDACTED]

Steve

Stephen C Batt | Assistant Director, Product Safety & Regulation | AgVet Chemicals Assessment Team | Office of Chemical Safety | Office of Health Protection | Department of Health and Ageing | ☎ 02 6289 3818 | 📠 02 6289 2650 | ✉ MDP 71 GPO Box 9848 CANBERRA ACT 2601 |

Please consider the environment before printing this email.

PLEASE NOTE: This email may contain confidential or legally privileged information. If you are not the intended recipient, any use, disclosure or copying of this email is unauthorised. If you have received this email in error, please advise the sender by telephone immediately and delete this email.

Robert Wood

[Hey Steve, I know you are swamped at the mome...](#)

20/08/2013 13:29:34

From: Robert Wood/OHP/Health
To: Stephen Batt/OHP/Health@Health_gov_au,
Date: 20/08/2013 13:29
Subject: Fenthion ready for PR. [SEC=UNCLASSIFIED]

Hey Steve,

I know you are swamped at the moment but just thought I would give you a heads up that I have finished this report. Below is a link to the file. All the PHED scenarios are included in the one file in the same folder. I have used roughly 27 hours of the 50 hour work order to get this bad boy into shape.

Cheers
Rob

[attachment "2013-08-13 CR351-1 fenthion OHS.doc - Shortcut.lnk" deleted by Stephen Batt/OHP/Health]

[attachment "Fenthion PHED for all scenarios.xls - Shortcut.lnk" deleted by Stephen Batt/OHP/Health]

[Dr Robert Wood](#) | Senior Regulatory Scientist/Toxicologist | AgVet Chemicals Assessment Team | Office of Chemical Safety | Office of Health Protection | Department of Health and Ageing | ☎ 02 6289 3274 | 📠 02 6289 2650 | ✉ MDP 71 GPO Box 9848 CANBERRA ACT 2601 |

Please consider the environment before printing this email.

UNCLASSIFIED

