



Stoma Product Assessment Panel Public Summary Documents Omnigon – May 2023

Contents

Omnigon Support Briefs for Her – OGX#01MAY2023	2
Omnigon Diamond Plus – OGX#02MAY2023	4
Omnigon Support Pants for Him – OGX#03MAY2023.....	6
Omnigon Diamond Plus – OGX#04MAY2023	8
Omnigon Stoma Support Belt – OGX#05MAY2023	10
Omnigon Kool-Knit – OGX#06MAY2023	12
Omnigon Diamond Plus – OGX#07MAY2023	15
Omnigon Total Control – OGX#08MAY2023.....	17
Omnigon KomfortLite Support Belt – OGX#09MAY2023	19



Omnigon Support Briefs for Her – OGX#01MAY2023

Deletion on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should increase to 4 and that prices should be standardised to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.¹

The Panel recommended deleting 13 support garments SAS codes from subgroup 9(h). The costs of the products to be deleted are all above the benchmark price for products in subgroup 9(h) and provided no additional clinical benefit to products listed at the benchmark price.

Recommendation

The Panel considered the listing on the SAS Schedule of Omnigon Support Briefs for Her (SAS Code 9752G) in subgroup 9(h) and recommended deleting the entire product range of the current listing. The product, including 7 variants, is currently listed at a unit price of \$60.00 and a maximum annual quantity of 6 units.

Stoma associations, ostomates, stomal therapy nurses and the Australian Council of Stoma Associations will be advised of the deletion with sufficient time to allow users of the product to seek a suitable alternative and to enable stoma associations to manage their stock levels.

Financial Analysis

It is expected the deletion will have a budgetary impact with an estimated save for the SAS which has been agreed by the Department of Finance. Substitute products are currently listed in subgroup 9(h) of the SAS Schedule.

¹ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Background

This product was first listed on the SAS Schedule on 1 April 2011.

Variants to be deleted

Product Code	Description
SPH201N	hernia support garment, breathable fabric with 15cm wide Isoflex waistband, women's brief style pant, beige, fits waist size 70-80cm, R2
SPH202N	hernia support garment, breathable fabric with 15cm wide Isoflex waistband, women's brief style pant, beige, fits waist size 75-88cm, R2
SPH203N	hernia support garment, breathable fabric with 15cm wide Isoflex waistband, women's brief style pant, beige, fits waist size 80-95cm, R2
SPH204N	hernia support garment, breathable fabric with 20cm wide Isoflex waistband, women's brief style pant, beige, fits waist size 80-95cm, R2
SPH205N	hernia support garment, breathable fabric with 20cm wide Isoflex waistband, women's brief style pant, beige, fits waist size 90-110cm, R2
SPH206N	hernia support garment, breathable fabric with 20cm wide Isoflex waistband, women's brief style pant, beige, fits waist size 105-120cm, R2
SPH207N	hernia support garment, breathable fabric with 20cm wide Isoflex waistband, women's brief style pant, beige, fits waist size 115-130cm, R2

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon Diamond Plus – OGX#02MAY2023

Deletion on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should increase to 4 and that prices should be standardised to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.²

The Panel recommended deleting 13 support garments SAS codes from subgroup 9(h). The costs of the products to be deleted are all above the benchmark price for products in subgroup 9(h) and provided no additional clinical benefit to products listed at the benchmark price.

Recommendation

The Panel considered the listing on the SAS Schedule of Omnigon Diamond Plus (SAS Code 9794L) in subgroup 9(h) and recommended deleting the entire product range of the current listing. The product, including 5 variants, is currently listed at a unit price of \$60.00 and a maximum annual quantity of 6 units.

Stoma associations, ostomates, stomal therapy nurses and the Australian Council of Stoma Associations will be advised of the deletion with sufficient time to allow users of the product to seek a suitable alternative and to enable stoma associations to manage their stock levels.

² [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Variants to be deleted

Product Code	Description
P-MD15-1S-B	Men's Boxer Support Pants Firm hernia support garment, with 15cm wide waistband, black, seamless panel function independent of body shape, boxer short to fit waist size 70-80cm, R2
P-MD15-2M-B	Men's Boxer Support Pants Firm hernia support garment, with 15cm wide waistband, black, seamless panel function independent of body shape, boxer short to fit waist size 85-95cm, R2
P-MD15-3L-B	Men's Boxer Support Pants Firm hernia support garment, with 15cm wide waistband, black, seamless panel function independent of body shape, boxer short to fit waist size 100-110cm, R2
P-MD20-4X-B	Men's Boxer Support Pants Firm hernia support garment, with 20cm wide waistband, black, seamless panel function independent of body shape, boxer short to fit waist size 115-125cm, R2
P-MD20-5XX-B	Men's Boxer Support Pants Firm hernia support garment, with 20cm wide waistband, black, seamless panel function independent of body shape, boxer short to fit waist size 130-140cm, R2

Financial Analysis

It is expected the deletion will have a budgetary impact with an estimated save for the SAS which has been agreed by the Department of Finance. Substitute products are currently listed in subgroup 9(h) of the SAS Schedule.

Background

This product was first listed on the SAS Schedule on 1 April 2011.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon Support Pants for Him – OGX#03MAY2023

Deletion on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should increase to 4 and that prices should be standardised to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.³

The Panel recommended deleting 13 support garments SAS codes from subgroup 9(h). The costs of the products to be deleted are all above the benchmark price for products in subgroup 9(h) and provided no additional clinical benefit to products listed at the benchmark price.

Recommendation

The Panel considered the listing on the SAS Schedule of Omnigon Support Pants for Him (SAS Code 9835P) in subgroup 9(h) and recommended deleting the entire product range of the current listing. The product, including 8 variants, is currently listed at a unit price of \$60.00 and a maximum annual quantity of 6 units.

Stoma associations, ostomates, stomal therapy nurses and the Australian Council of Stoma Associations will be advised of the deletion with sufficient time to allow users of the product to seek a suitable alternative and to enable stoma associations to manage their stock levels.

³ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Variants to be deleted

Product Code	Description
MSP801	hernia support garment, breathable fabric, opening for crotch, men's brief style pant, black, fits waist size 80-90cm, R2
MSP802	hernia support garment, breathable fabric, opening for crotch, men's brief style pant, black, fits waist size 85-100cm, R2
MSP803	hernia support garment, breathable fabric, opening for crotch, men's brief style pant, black, fits waist size 95-115cm, R2
MSP803HW	hernia support garment, breathable fabric, opening for crotch, men's brief style pant with high waist, black, fits waist size 95-115cm, R2
MSP804	hernia support garment, breathable fabric, opening for crotch, men's brief style pant, black, fits waist size 110-130cm, R2
MSP804HW	hernia support garment, breathable fabric, opening for crotch, men's brief style pant with high waist, black, fits waist size 110-130cm, R2
MSP805	hernia support garment, breathable fabric, opening for crotch, men's brief style pant, black, fits waist size 120-140cm, R2
MSP805HW	hernia support garment, breathable fabric, opening for crotch, men's brief style pant with high waist, black, fits waist size 120-140cm, R2

Financial Analysis

It is expected the deletion will have a budgetary impact with an estimated save for the SAS which has been agreed by the Department of Finance. Substitute products are currently listed in subgroup 9(h) of the SAS Schedule.

Background

This product was first listed on the SAS Schedule on 1 April 2011.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon Diamond Plus – OGX#04MAY2023

Deletion on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should increase to 4 and that prices should be standardised to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.⁴

The Panel recommended deleting 13 support garments SAS codes from subgroup 9(h). The costs of the products to be deleted are all above the benchmark price for products in subgroup 9(h) and provided no additional clinical benefit to products listed at the benchmark price.

Recommendation

The Panel considered the listing on the SAS Schedule of Omnigon Diamond Plus (SAS Code 9795M) in subgroup 9(h) and recommended deleting the entire product range of the current listing. The product, including 10 variants, is currently listed at a unit price of \$60.00 and a maximum annual quantity of 6 units.

Stoma associations, ostomates, stomal therapy nurses and the Australian Council of Stoma Associations will be advised of the deletion with sufficient time to allow users of the product to seek a suitable alternative and to enable stoma associations to manage their stock levels.

⁴ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Variants to be deleted

Product Code	Description
P-FD15-1S-B	Female Support Pants Firm hernia support garment, with 15cm wide waistband, black, seamless panel function independent of body shape, pant to fit waist size 70-80cm, R2
P-FD15-1S-N	Female Support Pants Firm hernia support garment, with 15cm wide waistband, neutral, seamless panel function independent of body shape, pant to fit waist size 70-80cm, R2
P-FD15-2M-B	Female Support Pants Firm hernia support garment, with 15cm wide waistband, black, seamless panel function independent of body shape, pant to fit waist size 85-95cm, R2
P-FD15-2M-N	Female Support Pants Firm hernia support garment, with 15cm wide waistband, neutral, seamless panel function independent of body shape, pant to fit waist size 85-95cm, R2
P-FD15-3L-B	Female Support Pants Firm hernia support garment, with 15cm wide waistband, black, seamless panel function independent of body shape, pant to fit waist size 100-110cm, R2
P-FD15-3L-N	Female Support Pants Firm hernia support garment, with 15cm wide waistband, neutral, seamless panel function independent of body shape, pant to fit waist size 100-110cm, R2
P-FD20-4X-B	Female Support Pants Firm hernia support garment, with 20cm wide waistband, black, seamless panel function independent of body shape, pant to fit waist size 115-125cm, R2
P-FD20-4X-N	Female Support Pants Firm hernia support garment, with 20cm wide waistband, neutral, seamless panel function independent of body shape, pant to fit waist 115-125cm, R2
P-FD20-5XX-B	Female Support Pants Firm hernia support garment, with 20cm wide waistband, black, seamless panel function independent of body shape, pant to fit waist size 130-140cm, R2
P-FD20-5XX-N	Female Support Pants Firm hernia support garment, with 20cm wide waistband, neutral, seamless panel function independent of body shape, pant to fit waist size 130-140cm, R2

Financial Analysis

It is expected the deletion will have a budgetary impact with an estimated save for the SAS which has been agreed by the Department of Finance. Substitute products are currently listed in subgroup 9(h) of the SAS Schedule.

Background

This product was first listed on the SAS Schedule on 1 July 2014.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon Stoma Support Belt – OGX#05MAY2023

Variation on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should be increased to 4 and that the prices should be standardised the price to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.⁵

Recommendation

The Panel considered the listing on the SAS Schedule of Omnigon Stoma Support Belt (SAS Code 3858C) in subgroup 9(h) and recommended changing the maximum quantity to 4 per year and standardising the price to the benchmark price of \$45.15. The product, including 12 variants, is currently listed at a unit price of \$71.01 and a maximum annual quantity of 3 units.

Variants to be amended

Product Code	Description
BOM101	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 20cm width fits waist size 75-90cm, R2
BOM102	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 20cm width fits waist size 90-105cm, R2
BOM103	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 20cm width fits waist size 105-120cm, R2
BOM104	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 20cm width fits waist size 120-135cm, R2
BOM105	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 20cm width fits waist size 135-150cm, R2

⁵ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Product Code	Description
BOM110	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 20cm width, made to measure, R2
BOM201	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 26cm width fits waist size 75-90cm, R2
BOM202	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 26cm width fits waist size 90-105cm, R2
BOM203	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 26cm width fits waist size 105-120cm, R2
BOM204	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 26cm width fits waist size 120-135cm, R2
BOM205	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 26cm width fits waist size 135-150cm, R2
BOM210	stoma support belt, specially knitted Isoflex breathable fabric, no latex allergy, adjustable 15cm velcro closure width, 26cm width, made to measure, R2

Financial Analysis

It is expected the variation will have a budgetary impact with an estimated save for the SAS which has been agreed by the Department of Finance.

Background

This product was first listed on the SAS Schedule on 1 April 2011.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon Kool-Knit – OGX#06MAY2023

Variation on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should be increased to 4 and that the prices should be standardised the price to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.⁶

Panel Recommendation

The Panel considered the listing on the Stoma Appliance Scheme (SAS) Schedule of Omnigon Kool-Knit (SAS Code 9753H) in subgroup 9(h) and recommended changing the maximum quantity to 4 per year. The product, including 33 variants, is currently listed at a unit price of \$45.15 and a maximum annual quantity of 3 units.

Variants to be amended

Product Code	Description
KKB401B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 75-90cm, R2
KKB401N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 17cm width fits waist size 75-90cm, R2
KKB402B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 90-105cm, R2
KKB402N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 17cm width fits waist size 90-105cm, R2
KKB403B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 105-120cm, R2
KKB403N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 17cm width fits waist size 105-120cm, R2

⁶ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Product Code	Description
KKB404B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 120-135cm, R2
KKB404N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 17cm width fits waist size 120-135cm, R2
KKB405B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 135-150cm, R2
KKB405N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 17cm width fits waist size 135-150cm, R2
KKB410N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 17cm width, made to measure, R2
KKB501B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 75-90cm, R2
KKB501N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 75-90cm, R2
KKB502B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 90-105cm, R2
KKB502N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 90-105cm, R2
KKB503B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 105-120cm, R2
KKB503N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 105-120cm, R2
KKB504B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 120-135cm, R2
KKB504N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 120-135cm, R2
KKB505B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 135-150cm, R2
KKB505N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 135-150cm, R2
KKB510N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 21.5cm width, made to measure, R2
KKB601B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 26cm width fits waist size 75-90cm, R2
KKB601N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 26cm width fits waist size 75-90cm, R2
KKB602B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 26cm width fits waist size 90-105cm, R2
KKB602N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 26cm width fits waist size 90-105cm, R2
KKB603B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 26cm width fits waist size 105-120cm, R2
KKB603N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 26cm width fits waist size 105-120cm, R2
KKB604B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 26cm width fits waist size 120-135cm, R2
KKB604N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 26cm width fits waist size 120-135cm, R2
KKB605B	Stoma and Hernia Support Belt, discreet specially designed for hot weather, black breathable fabric, adjustable velcro closure width, 26cm width fits waist size 135-150cm, R2



Product Code	Description
KKB605N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 26cm width fits waist size 135-150cm, R2
KKB610N	Stoma and Hernia Support Belt, discreet specially designed for hot weather, beige breathable fabric, adjustable velcro closure width, 26cm width, made to measure, R2

Financial Analysis

It is expected the variation will have a budgetary impact with an estimated cost for the SAS which has been agreed by the Department of Finance.

Background

This product was first listed on the SAS Schedule on 1 April 2011.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon Diamond Plus – OGX#07MAY2023

Variation on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should be increased to 4 and that the prices should be standardised the price to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.⁷

Recommendation

The Panel considered the listing on the SAS Schedule of Omnigon Diamond Plus (SAS Code 9796N) in subgroup 9(h) and recommended changing the maximum quantity to 4 per year. The product, including 7 variants, is currently listed at a unit price of \$45.15 and a maximum annual quantity of 3 units.

Variants to be amended

Product Code	Description
B-WBDP-1S-N	Firm hernia support garment, neutral, seamless panel function independent of body shape, waistband to fit waist size 75-85cm, R2
B-WBDP-2M-B	Firm hernia support garment, black, seamless panel function independent of body shape, waistband to fit waist size 85-95cm, R2
B-WBDP-2M-N	Firm hernia support garment, neutral, seamless panel function independent of body shape, waistband to fit waist size 85-95cm, R2
B-WBDP-3L-B	Firm hernia support garment, black, seamless panel function independent of body shape, waistband to fit waist size 100-110cm, R2
B-WBDP-3L-N	Firm hernia support garment, neutral, seamless panel function independent of body shape, waistband to fit waist size 100-110cm, R2

⁷ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Product Code	Description
B-WBDP-4X-N	Firm hernia support garment, neutral, seamless panel function independent of body shape, waistband to fit waist size 115cm-125cm, Extra Large, R2
B-WBDP-5XX-N	Firm hernia support garment, neutral, seamless panel function independent of body shape, waistband to fit waist size 130-140cm, R2

Financial Analysis

It is expected the variation will have a budgetary impact with an estimated cost for the SAS which has been agreed by the Department of Finance.

Background

This product was first listed on the SAS Schedule on 1 April 2011.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon Total Control – OGX#08MAY2023

Variation on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should be increased to 4 and that the prices should be standardised the price to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.⁸

Recommendation

The Panel considered the listing on the SAS Schedule of Omnigon Total Control (SAS Code 9883E) in subgroup 9(h) and recommended changing the maximum quantity to 4 per year and standardising the price to the benchmark price of \$45.15. The product, including 18 variants, is currently listed at a unit price of \$71.01 and a maximum annual quantity of 3 units.

Variants to be amended

Product Code	Description
TCB701	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 15cm width to fit waist 60-90cm, R2
TCB702	Stoma and Hernia Support Belt stoma support belt, universal velcro adjustment, independent panel function, 15cm width to fit waist 80-110cm, R2
TCB703	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 15cm width to fit waist 90-120cm, R2
TCB704	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 15cm width to fit waist 110-140cm, R2
TCB705	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 15cm width to fit waist 130-160cm, R2

⁸ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Product Code	Description
TCB710	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 15cm width, made to measure two panel, R2
TCB801	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 22.5cm width to fit waist 60-90cm, R2
TCB802	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 22.5cm width to fit waist 80-110cm, R2
TCB803	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 22.5cm width to fit waist 90-120cm, R2
TCB804	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 22.5cm width to fit waist 110-140cm, R2
TCB805	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 22.5cm width to fit waist 130-160cm, R2
TCB810	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 22.5cm width, made to measure three panel, R2
TCB901	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 30cm width to fit waist 60-90cm, R2
TCB902	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 30cm width to fit waist 80-110cm, R2
TCB903	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 30cm width to fit waist 90-120cm, R2
TCB904	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 30cm width to fit waist 110-140cm, R2
TCB905	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 30cm width to fit waist 130-160cm, R2
TCB910	Stoma and Hernia Support Belt, universal velcro adjustment, independent panel function, 30cm width, made to measure four panel, R2

Financial Analysis

It is expected the variation will have a budgetary impact with an estimated save for the SAS which has been agreed by the Department of Finance.

Background

This product was first listed on the SAS Schedule on 1 April 2011.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.



Omnigon KomfortLite Support Belt – OGX#09MAY2023

Variation on the Stoma Appliance Scheme

In 2019 and 2020, the Stoma Product Assessment Panel (Panel) reviewed support garment products listed in subgroup 9(h) of the Stoma Appliance Scheme (SAS) Schedule for clinical effectiveness. All suppliers of these products were provided the opportunity to provide clinical evidence to support their inclusion on the SAS Schedule. The evidence could include reports, clinical trials and studies regarding the use of support belts, abdominal binders and support garments in stoma management.

Following consideration of the evidence, the Panel recommended that support wear products in subgroup 9(h) should be removed from the SAS Schedule. The Panel also recommended that the maximum annual quantity of support belts in subgroup 9(h) should be increased to 4 and that the prices should be standardised the price to the benchmark price of \$45.15. These Panel considerations and recommendations are available publicly.⁹

Recommendation

The Panel’s recommendations from the subgroup 9h review were applied to the listing on the SAS Schedule of Omnigon KomfortLite Support Belt (SAS Code 80232R), which was added to subgroup 9(h) of the SAS Schedule following the review. The recommendations applied were to change the maximum quantity to 4 per year and standardise the price to the benchmark price of \$45.15. The product, including 10 variants, is currently listed at a unit price of \$71.01 and a maximum annual quantity of 3 units.

Variants to be amended

Product Code	Description
KLB101	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 75-90cm
KLB102	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 90-105cm
KLB103	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 17cm width fits waste size 105-120cm
KLB104	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 17cm width fits waste 120-135cm
KLB105	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 17cm width fits waist size 135-150cm

⁹ [Stoma Product Assessment Panel public summary documents – October 2019 | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – May 2020 – review of support garments | Australian Government Department of Health and Aged Care](#)

[Stoma Product Assessment Panel public summary documents – October 2020 meeting | Australian Government Department of Health and Aged Care](#)



Product Code	Description
KLB201	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 75-90cm
KLB202	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 90-105cm
KLB203	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 105-120cm
KLB204	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 120-135cm
KLB205	Stoma and Hernia Support Belt, black breathable fabric, adjustable velcro closure width, 21.5cm width fits waist size 135-150cm

Financial Analysis

It is expected the variation will have a budgetary impact with an estimated save for the SAS which has been agreed by the Department of Finance.

Background

This product was first listed on the SAS Schedule on 1 October 2022.

Context for Recommendation

The Minister for Health and Aged Care has agreed to the recommendation, with changes to take effect from 1 October 2023.

Supplier Comment

The Stoma Industry Association, on behalf of Omnigon, wrote to the Department separately in relation to the Group 9 outcomes.