



Australian Government

Department of Health and Aged Care

Prescribed List XML Schema

Department of Health and Aged Care

Version 1.4

TABLE OF CONTENTS

1	DOCUMENT CONTROL	4
1.1	DOCUMENT HISTORY	4
1.2	DOCUMENT REVIEW	4
1.3	RELATED DOCUMENTS	4
1.4	GLOSSARY OF TERMS	4
1.5	INTENDED AUDIENCE FOR THIS DOCUMENT:	5
1.6	STAKEHOLDERS	5
2	DOH PROSTHESES FILE BUSINESS RULES	6
2.1	OVERVIEW OF THE DOH PROSTHESES XML FILE	6
2.1.1	Prosthesis XML File Structure	6
3	PROSTHESIS ELEMENT	8
3.1	SUPPLIERS	8
3.2	CATEGORIES	8
3.3	SUBCATEGORIES	8
3.4	GROUPS	9
3.5	SUB GROUPS	9
3.6	PROSTHESIS ITEMS	9
3.7	CREATION DATE	10
3.8	PROSTHESIS ITEM COUNT	10
3.9	SUPPLIER	10
3.9.1	Supplier Code	10
3.9.2	Supplier Name	11
3.10	CATEGORY	11
3.10.1	Category ID	11
3.10.2	Category Description	11
3.11	SUBCATEGORY	12
3.11.1	SubCategory ID	12
3.11.2	SubCategory Description	12
3.12	GROUP	12
3.12.1	Group ID	13
3.12.2	Group Description	13
3.13	SUB GROUP	13
3.13.1	Sub Group ID	13
3.13.2	Sub Group Description	14
3.14	PROSTHESIS ITEMS	14
3.14.1	ProsthesisItem Element	14
3.15	PROSTHESIS ITEM	14
3.15.1	Item Type	14
3.15.2	Billing Code	15
3.15.3	Prior Billing Codes	15

3.15.4	Name	16
3.15.5	Description	16
3.16	SIZE	16
3.17	SUPPLIER CODE	16
3.18	CATEGORY ID	17
3.19	SUBCATEGORY ID	17
3.20	GROUP ID	17
3.21	SUB GROUP ID	17
3.22	SUFFIX	18
3.23	ARTGS	18
3.24	NOTE	18
3.25	CHANGE EXPLANATION	19
3.26	MINIMUM BENEFIT	19
3.27	MAXIMUM BENEFIT	19
3.28	HUMAN TISSUE AMOUNT	20
3.29	ACTION FLAG	20
3.30	CYCLE START DATE	21
3.31	CYCLE END DATE	21
4	PROSTHESIS XML SCHEMA	23
4.1	TECHNICAL NOTE	26

1 DOCUMENT CONTROL

1.1 Document History

The following table contains a history of released versions.

Version number	Version date	Author/s	Summary of changes & comments
1.0	08/06/2018	Department of Health	Initial Draft
1.1	29/08/2018	Department of Health	SubCategoryID made optional, changed data type of CreationDate, changed ARTGType minimum length
1.2	07/02/2019	Department of Health	BillingCode and Cycle End Date made mandatory, corrected some element names, and updated descriptions for Minimum Benefit, Maximum Benefit, Human Tissue Amount, Action Flags and Cycle End Date
1.3	21/06/2024	Department of Health and Aged Care	Supplier code changed to text field maximum 50 characters
1.4	14/02/2025	Department of Health and Aged Care	<p>Billing code Format change (BillingCodeType) For Prosthesis Item, this pattern allows:</p> <ul style="list-style-type: none"> • Two letters followed by three digits (e.g., AA678 where AA is the Supplier Code) • One letter followed by four digits (e.g., A1678 where A1 is the Supplier Code) <p>For Human tissue, this pattern allows:</p> <ul style="list-style-type: none"> • Three letters followed by two digits (e.g., AAA67 where AAA is the supplier code) <p>Supplier code (SupplierCodeType) changed to text field maximum 3 characters</p>

1.2 Document Review

This document has been reviewed by:

Version number	Review Date	Name	Project Role

1.3 Related Documents

The following documents should be read in conjunction with this document:

Version number	Name	Owner	Relevance	Trim Ref.

1.4 Glossary of Terms

Term	Description

Term	Description

1.5 Intended Audience for this document:

Audience (project role)	Purpose

1.6 Stakeholders

Stakeholder	Interest	Influence

2 DOH Prostheses File Business Rules

2.1 Overview of the DOH Prostheses XML File

The Department of Health and Aged Care publishes the current Prescribed List of Medical Devices and Human Tissue Products (Prescribed List) for the use of stakeholders to update their claims and payments systems. The current published list is available from Department of Health's website (www.health.gov.au) in MS-Excel, PDF and XML format.

This document is the schema definition document that goes with the Prescribed list in XML format to help the external stakeholders to update their claims and payments systems.

2.1.1 Prosthesis XML File Structure

The proposed XML schema contains all the applicable fields that are supplied in the Prosthesis XML file. The *Suppliers*, *Categories*, *Groups* and *Sub-Groups* are supplied under their own elements and only the *Supplier Code*, *Category ID*, *Group ID* and *Sub Group ID* are listed under each *Prosthesis Item* element.

The structure of the XML schema is as follows:

- Prosthesis is the root element which contains:
 - one creationDate attribute
 - one prosthesisItemCount attribute
 - one Suppliers element which contains:
 - many Supplier elements which contains
 - one SupplierCode element
 - one SupplierName element
 - one Categories element
 - many Category elements which contain:
 - one CategoryID element
 - one CategoryDescription element
 - one SubCategories element
 - many SubCategory elements which contain:
 - one SubCategoryID element
 - one SubCategoryDescription element
 - one Groups element
 - many Group elements which contain:
 - one GroupID element
 - one GroupDescription element
 - one SubGroups element
 - many SubGroup elements which contain:
 - one SubGroupID element
 - one SubGroupDescription element
 - one ProsthesisItems elements which contain:
 - many ProsthesisItem elements which contain:
 - one ItemType element

- one BillingCode element
- one optional PriorBillingCodes element
 - many PriorBillingCode elements
- one Name element
- one optional Description element
- one optional Size element
- one SupplierCode element
- one CategoryID element
- one optional SubCategoryID element
- one optional GroupID element
- one optional SubGroupID element
- one optional Suffix element
- one optional ARTGs element which may contain:
 - many ARTG elements
- one optional Note element
- one optional ChangeExplanation element
- one MinimumBenefit element
- one MaximumBenefit element
- one HumanTissueAmount element
- one ActionFlag element
- one CycleStartDate element
- one CycleEndDate element

3 Prosthesis Element

3.1 Suppliers

The `Suppliers` element contains multiple `Supplier` elements, with each `Supplier` element containing a `SupplierCode` element and a `SupplierName` element. Every mandatory `SupplierCode` element contained in a `ProsthesisItem` element will also be contained in the `Suppliers` element.

Suppliers	XML Path	/Prosthesis/Suppliers
Type		Complex
Disposition		Required
Details		Suppliers is a child element of the root Prosthesis element. It contains many Supplier elements.
Example		<pre><Suppliers> <Supplier> : </Supplier> : <Supplier> : </Supplier> </Suppliers></pre>

3.2 Categories

The `Categories` element contains multiple `Category` elements, with each `Category` element containing a `CategoryID` element and a `CategoryDescription` element. Every mandatory `CategoryID` element contained in a `ProsthesisItem` element will also be contained in the `Categories` element.

Categories	XML Path	/Prosthesis/Categories
Type		Complex
Disposition		Required
Details		Categories is a child element of the root Prosthesis element. It contains many Category elements.
Example		<pre><Categories> <Category> : </Category> : <Category> : </Category> </Categories></pre>

3.3 SubCategories

The `SubCategories` element contains multiple `SubCategory` elements, with each `SubCategory` element containing a `SubCategoryID` element and a `SubCategoryDescription` element. Every optional `SubCategoryID` element contained in a `ProsthesisItem` element will also be contained in the `SubCategories` element.

Categories	XML Path	/Prosthesis/SubCategories
Type		Complex
Disposition		Required
Details		SubCategories is a child element of the root Prosthesis element. It contains many SubCategory elements.


```

Example
    <SubCategories>
      <SubCategory>
        :
      </SubCategory>
      :
      <SubCategory>
        :
      </SubCategory>
    </SubCategories>
  
```

3.4 Groups

The `Groups` element contains multiple `Group` elements, with each `Group` element containing a `GroupID` element and a `GroupDescription` element. Every optional `GroupID` element contained in a `ProsthesisItem` element will also be contained in the `Groups` element.

Groups	XML Path	/Prosthesis/Groups
Type		Complex
Disposition		Required
Details		Groups is a child element of the root Prosthesis element. It contains many Group elements.
Example		<pre> <Groups> <Group> : </Group> : <Group> : </Group> </Groups> </pre>

3.5 Sub Groups

The `SubGroups` element contains multiple `SubGroup` elements, with each `SubGroup` element containing a `SubGroupID` element and a `SubGroupDescription` element. Every optional `SubGroupID` element contained in a `ProsthesisItem` element will also be contained in the `SubGroups` element.

Subgroups	XML Path	/Prosthesis/SubGroups
Type		Complex
Disposition		Required
Details		SubGroups is a child element of the root Prosthesis element. It contains many SubGroup elements.
Example		<pre> <SubGroups> <SubGroup> : </SubGroup> : <SubGroup> : </SubGroup> </SubGroups> </pre>

3.6 Prosthesis Items

The `ProsthesisItems` element contains multiple `ProsthesisItem` elements. It is each `ProsthesisItem` element which contains all data elements as supplied by the Department regarding each specific prosthesis item.

Prosthesis Items	XML Path	/Prosthesis/ProsthesisItems
Type		Complex
Disposition		Required
Details		ProsthesisItems is a child element of the root Prosthesis element. It contains many Prosthesis elements.

Example	<pre> <ProsthesisItems> <ProsthesisItem> : </ProsthesisItem> : <ProsthesisItem> : </ProsthesisItem> </ProsthesisItems> </pre>
----------------	---

3.7 Creation Date

The creationDate is an attribute of the Prosthesis element and is the date that the Prosthesis File was created. The date is supplied in 'YYYY-MM-DDThh:mm:ss' format.

Creation Date	XML Path	/Prosthesis/@creationDate
Type		Date
Disposition		Required
Details		Denotes the date/time the XML file was created in YYYY-MM-DDThh:mm:ss format: <ul style="list-style-type: none"> • YYYY - year • MM - month • DD - day • hh - hour • mm - minute • ss - second
Example		creationDate="2018-02-28T11:30:45"

3.8 Prosthesis Item Count

Prosthesis Item Count	XML Path	/Prosthesis/@prosthesisItemCount
Type		Non-Negative Integer
Disposition		Required
Details		Denotes the number of child ProsthesisItem elements of the parent ProsthesisItems element.
Example		prosthesisItemCount="3873"

3.9 Supplier

Each Supplier element contains a SupplierCode element and a SupplierName element.

Supplier	XML Path	/Prosthesis/Suppliers/Supplier
Type		Complex
Disposition		Required
Details		The child element of the Suppliers element.
Example		<pre> <Supplier> : </Supplier> </pre>

3.9.1 Supplier Code

The SupplierCode element contains a unique code for the supplier, sponsor, manufacturer or facility that produces the prosthesis item. For (surgically-implanted or other medical devices) prosthesis items (Item Type = 'Prosthesis' or 'Other'), the supplier code is a text field of maximum 50 characters.

Supplier Code	XML Path	/Prosthesis/Suppliers/Supplier/SupplierCode
Type		String <ul style="list-style-type: none"> • maxLength value="3"
Disposition		Required
Details		Denotes the code used to represent the supplier,

Example	sponsor, manufacturer or facility that produces the prosthesis item. <SupplierCode>AA</SupplierCode>
----------------	---

3.9.2 Supplier Name

The `SupplierName` element contains the name of the supplier, sponsor, manufacturer or facility that produces the prosthesis item. The maximum length of `SupplierName` is 255 characters.

Supplier Name Type	XML Path	/Prosthesis/Suppliers/Supplier/SupplierName
Disposition		String
Details		• maxLength value="255" Required
Example		Denotes the name of the supplier, sponsor, manufacturer or facility that produces the prosthesis item. <SupplierName>Alliance Surgical</SupplierName>

3.10 Category

Each `Category` element contains a `CategoryID` element and a `CategoryDescription` element.

Category Type	XML Path	/Prosthesis/Categories/Category
Disposition		Complex
Details		Required
Example		The child element of the Categories element. <Category> : </Category>

3.10.1 Category ID

The `CategoryID` element contains a unique code for the category of the prosthesis item which is a description of the surgical specialty that uses the respective prosthesis item. The `CategoryID` is as a non-negative integer.

Category ID Type	XML Path	/Prosthesis/Categories/Category/CategoryID
Disposition		Non-negative integer
Details		Required
Example		Denotes the ID number used to represent the category of the prosthesis item. <CategoryID>1</CategoryID>

3.10.2 Category Description

The `CategoryDescription` element is a description of the surgical specialty that uses the respective prosthesis item. The maximum length of `CategoryDescription` is 255 characters.

Category Description Type	XML Path	/Prosthesis/Categories/Category/CategoryDescription
Disposition		String
Details		• maxLength value="255"
Example		Required Denotes the description of the surgical specialty that uses the prosthesis item. <CategoryDescription>01 - Ophthalmic</CategoryDescription>

3.11 SubCategory

Each SubCategory element contains a SubCategoryID element and a SubCategoryDescription element.

SubCategory	XML Path	/Prosthesis/SubCategories/SubCategory
Type		Complex
Disposition		Required
Details		The child element of the SubCategories element.
Example		<SubCategory> : </SubCategory>

3.11.1 SubCategory ID

The SubCategoryID element contains a unique code for the category of the prosthesis item which is a description of the surgical specialty that uses the respective prosthesis item. The SubCategoryID is as a non-negative integer.

SubCategory ID	XML Path	/Prosthesis/SubCategories/SubCategory/SubCategoryID
Type		Non-negative integer
Disposition		Required
Details		Denotes the ID number used to represent the category of the prosthesis item.
Example		<SubCategoryID>1</SubCategoryID>

3.11.2 SubCategory Description

The SubCategoryDescription element is a description of the surgical specialty that uses the respective prosthesis item. The maximum length of SubCategoryDescription is 255 characters.

SubCategory Description	XML Path	/Prosthesis/SubCategories/SubCategory/SubCategoryDescription
Type		String • maxLength value="255"
Disposition		Required
Details		Denotes the description of the surgical specialty that uses the prosthesis item.
Example		<SubCategoryDescription>03-INTRAOCULAR FLUIDS</SubCategoryDescription>

3.12 Group

Each Group element contains a GroupID element and a GroupDescription element.

Group	XML Path	/Prosthesis/Groups/Group
Type		Complex
Disposition		Required
Details		The child element of the Groups element.
Example		<Group> : </Group>

3.12.1 Group ID

The `GroupID` element contains a unique code for the group of the prosthesis item which is a description of the primary clinical classification of the prosthesis item as defined by the Clinical Advisory Group. The `GroupID` is as a non-negative integer.

Group ID	XML Path	/Prosthesis/Groups/Group/GroupID
Type		Non-negative integer
Disposition		Required
Details		Denotes the ID number used to represent the group of the prosthesis item.
Example		<GroupID>1231</GroupID>

3.12.2 Group Description

The `GroupDescription` element contains the description of the primary clinical classification of the prosthesis item as defined by the Clinical Advisory Group of the respective prosthesis item. The maximum length of `GroupDescription` is 255 characters.

Group Description	XML Path	/Prosthesis/Groups/Group/GroupDescription
Type		String •maxLength value="255"
Disposition		Required
Details		Denotes the description of the group of the prosthesis item.
Example		<GroupDescription>06.03.04 - Screws</GroupDescription>

3.13 Sub Group

Each `SubGroup` element contains a `SubGroupID` element and a `SubGroupDescription` element.

Sub Group	XML Path	/Prosthesis/SubGroups/SubGroup
Type		Complex
Disposition		Required
Details		The child element of the <code>SubGroups</code> element.
Example		<SubGroup> : </SubGroup>

3.13.1 Sub Group ID

The `SubGroupID` contains a unique code for the sub-group of the prosthesis item which is a description of the secondary clinical classification of the prosthesis item as defined by the Clinical Advisory Group. The `SubGroupID` is as a non-negative integer.

Sub Group 1 ID	XML Path	/Prosthesis/SubGroups/SubGroup/SubGroupID
Type		Non-negative integer
Disposition		Required
Details		Denotes the ID number used to represent the sub-group of the prosthesis item.
Example		<SubGroupID>3369</SubGroupID>

3.13.2 Sub Group Description

The `SubGroupDescription` element contains the description of the secondary clinical classification of the prosthesis item as defined by the Clinical Advisory Group of the respective prosthesis item. The maximum length of `SubGroupDescription` is 255 characters.

Sub Group Description Type	XML Path	/Prosthesis/SubGroups/SubGroup/SubGroupDescription
		String • maxLength value="255"
Disposition Details		Required Denotes the description of the sub-group of the prosthesis item.
Example		<SubGroupDescription>06.03.04.01 - Standard (=4.5mm)</SubGroupDescription>

3.14 Prosthesis Items

The `ProsthesisItems` element contains many `ProsthesisItem` elements.

3.14.1 ProsthesisItem Element

The `ProsthesisItem` element is a *complexType* element which contains the data fields which define all the properties of a prosthesis item.

Prosthesis Item Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem
		Complex
Disposition Details		Required ProsthesisItem is a child element of the ProsthesisItems element. It contains the data which defines the properties of a prosthesis item.
Example		<ProsthesisItem> : </ProsthesisItem>

3.15 Prosthesis Item

The `ProsthesisItem` element contains the data elements related to a prosthesis item. In this specification, surgically-implanted prostheses, human tissue, and other medical devices are generically referred to as 'prostheses'. However, they are all differentiated by the inclusion of an 'Item Type' data element which identifies which category the item falls into.

3.15.1 Item Type

The `ItemType` element denotes whether the prosthesis item is defined as a:

- **surgically-implanted prosthesis** item (`ItemType = 'Prosthesis'`);
- **human tissue** item (`ItemType = 'Human Tissue'`); or
- **other medical devices** item (`ItemType = 'Other'`).

Item Type Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/ItemType
		String • enumeration value="Prosthesis" • enumeration value="Human Tissue" • enumeration value="Other"
Disposition Details		Required ItemType denotes whether the prosthesis item is a prosthesis, human tissue, or other item.
Example		<ItemType>Prosthesis</ItemType>

3.15.2 Billing Code

The `BillingCode` element is the code supplied by the Commonwealth which identifies the prosthesis item. This code is used for all billing purposes by the hospital and fund. This code should also be used for all HCP data submissions.

Billing Code Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/BillingCode String • minLength value="5" • maxLength value="5" • pattern value="[A-Za-z]{1}[0-9]{4} [A-Za-z]{2}[0-9]{3} [A-Za-z]{3}[0-9]{2}"
Disposition Details		Required BillingCode is the code to be used for all billing purposes for the prosthesis item.
Example		<BillingCode>A1003</BillingCode>

3.15.3 Prior Billing Codes

The `PriorBillingCodes` element is a complex element that contains many `PriorBillingCode` elements. This element is optional.

PriorBillingCodes	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/PriorBillingCodes
Type		Complex
Disposition Details		Optional PriorBillingCode is a child element of the ProsthesisItem element and contains many PriorBillingCode elements.
Example		< PriorBillingCodes > <PriorBillingCode>...</PriorBillingCode> : < PriorBillingCode >...</ PriorBillingCode> </PriorBillingCodes >

3.15.3.1 Prior Billing Code

The `PriorBillingCode` element is the former Billing Code that used to be associated with the prosthesis item. It is provided in instances where the prosthesis item now has a new billing code.

PriorBillingCode	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/PriorBillingCodes/PriorBillingCode
Type		String • minLength value="5" • maxLength value="7" • pattern value="[A-Za-z][A-Za-z0-9][0-9]{3} [A-Za-z]{3}[0-9]{2} [A-Za-z]{3}[0-9]{4}"
Disposition Details		Optional PriorBillingCode is a former Billing code associated with the Prostheses item.
Example		< PriorBillingCode >AE252</PriorBillingCode>

3.15.4 Name

The `Name` element contains the name of the prosthesis item. The maximum length of `Name` is 1,024 characters.

Name Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/Name String • maxLength value="1024"
Disposition		Required
Details		Name is the name of the prosthesis item.
Example		<Name>TyPEEK Interbody System - Lumbar PLIF/TLIF (Paired)</Name>

3.15.5 Description

The `Description` element is a text field that contains a description of the prosthesis item, and is necessary as many prosthesis items may have similar product names. This element is optional. The maximum length of `Description` is 4,000 characters.

Description Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/Description String • maxLength value="4000"
Disposition		Optional
Details		Description is an additional description of the prosthesis item.
Example		<Description>TyPEEK Interbody System - Lumbar PLIF/TLIF (Paired)</Description>

3.16 Size

The `Size` is a text field that contains information regarding to size or quantities of the prosthesis item. This element is optional. The maximum length of `Size` is 4,000 characters.

Size Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/Size String • maxLength value="4000"
Disposition		Optional
Details		Size is a description that defines the size of the prosthesis item.
Example		<Size>Width 8-12mm: Length 22-34mm: Height 7-17mm: Lordosis Angle 0-8 degrees</Size>

3.17 Supplier Code

The `SupplierCode` element contains a code which denotes the supplier, sponsor, manufacturer or facility that produces the prosthesis item. For (surgically-implanted or other medical devices) prosthesis items (`ItemType` = 'Prosthesis' or 'Other'), the supplier code is a text field of maximum 50 characters.

Supplier Code Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/SupplierCode String • maxLength value="3"
Disposition		Required

Details	SupplierCode is a code that denotes the supplier of the prosthesis item.
Example	<SupplierCode>BP</SupplierCode>

3.18 Category ID

The CategoryID element contains a code which denotes the category of the prosthesis item which is a description of the surgical specialty that uses the respective prosthesis item. The CategoryID is a non-negative integer.

Category ID	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/CategoryID
Type		Non-negative integer
Disposition		Required
Details		CategoryID is an ID number that denotes the category of the prosthesis item.
Example		<CategoryID>19</CategoryID>

3.19 SubCategory ID

The SubCategoryID element contains a code denoting the sub category of the prosthesis item which is a description of the primary clinical classification of the prosthesis item as defined by the Clinical Advisory Group. The SubCategoryID is a non-negative integer and is optional.

Category ID	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/SubCategoryID
Type		Non-negative integer
Disposition		Optional
Details		SubCategoryID is an ID number that denotes the subcategory of the prosthesis item.
Example		<SubCategoryID>19</SubCategoryID>

3.20 Group ID

The GroupID element contains a code denoting the group of the prosthesis item which is a description of the primary clinical classification of the prosthesis item as defined by the Clinical Advisory Group. The GroupID is a non-negative integer and is optional.

Group ID	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/GroupID
Type		Non-negative integer
Disposition		Optional
Details		GroupID is an ID number that denotes the group of the prosthesis item.
Example		<GroupID>1486</GroupID>

3.21 Sub Group ID

The SubGroupID contains a code which denotes the sub-group of the prosthesis item which is a description of the secondary clinical classification of the prosthesis item as defined by the Clinical Advisory Group. The SubGroupID is a non-negative integer and is optional.

Sub Group ID	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/SubGroupID
Type		Non-negative integer
Disposition		Optional
Details		SubGroupID is an ID number that denotes the sub-group of the prosthesis item.
Example		<SubGroupID>4135</SubGroupID>

3.22 Suffix

The `Suffix` element contains a text description in addition to the Grouping and Sub-Groupings of the prosthesis item (if required) by the Clinical Advisory Group. The `Suffix` element is optional. The maximum length of `Suffix` is 255 characters.

Suffix Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/Suffix String • maxLength value="255"
Disposition Details		Optional Suffix is text description of an additional sub-grouping to further differentiate the sub-group of the prosthesis item.
Example		<Suffix>Paired</Suffix>

3.23 ARTGs

The `ARTGs` element is a complex element that contains many `ARTG` elements. This element contains all the *Australian Register of Therapeutic Goods* information related to this prosthesis item. This element is optional.

ARTGs Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/ARTGs Complex
Disposition Details		Optional ARTGs is a child element of the <code>ProsthesisItem</code> element and contains many <code>ARTG</code> elements.
Example		<ARTGs> <ARTG>...</ARTG> : <ARTG>...</ARTG> </ARTGs>

8.12.1 ARTG

The `ARTG` element contains the six digit `ARTG` number associated with the prosthesis item. Each prosthesis item may have many `ARTG` numbers.

ARTG Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/ARTGs/ARTG String • minLength value="5" • maxLength value="6" • pattern value="[0-9]{5,6}"
Disposition		Required
Details		ARTG is a child element of the <code>ARTGs</code> element and contains an Australian Register of Therapeutic Goods number.
Example		<ARTG>163167</ARTG>

3.24 Note

The `Note` element is a text field supplied by the Commonwealth providing additional information regarding the prosthesis item usually regarding under what conditions a benefit is payable or informing that a prosthesis item has been temporarily approved. The `Note` element is optional. The maximum length of `Notations` is 4,000 characters.

Note Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/Note String • maxLength value="4000"
Disposition Details		Optional Note contains additional text usually regarding under what conditions a benefit is payable for the respective

	prosthesis item.
Example	<Note>That an Artificial Ligament should only be funded for intra-articular cases where no non-synthetic graft sources (allografts and autografts) are available.</Note>

3.25 Change Explanation

The `ChangeExplanation` element is a text field supplied by the Commonwealth documenting any changes that have occurred. The `ChangeExplanation` element is optional. The maximum length of `ChangeExplanation` is 4,000 characters.

Change Explanation Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/ChangeExplanation
		String • maxLength value="4000"
Disposition Details		Optional ChangeExplanation defines if and how the prosthesis item has changed.
Example		<ChangeExplanation>New Listing</ChangeExplanation>

3.26 Minimum Benefit

The `MinimumBenefit` element contains the benefit that has been set by the Minister. This is the benefit that a fund must pay for the respective prosthesis item. As the prosthesis supplier is entitled to charge above the amount stipulated by the Minimum Benefit, any difference is the out-of-pocket amount that must be paid by the fund member unless the fund agrees to pay above the Minimum Benefit amount. Whether funds pay above the Minimum Benefit amount is a fund decision and something that each fund must decide for themselves independently.

The `MinimumBenefit` element is a decimal number with up to two decimal places.

Minimum Benefit Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/MinimumBenefit
		Decimal • minInclusive value="0.0"
Disposition Details		Required MinimumBenefit is the minimum benefit that a health fund must pay for the prosthesis item used for one of its members (assuming the charge is not less than the minimum benefit).
Example		<MinimumBenefit>4439</MinimumBenefit>

3.27 Maximum Benefit

The `MaximumBenefit` element contains the benefit that has been set by the Minister (if a maximum benefit has been set). This is the maximum benefit that a fund must pay for the respective prosthesis item if the fund provides gap cover for prostheses. As the prosthesis supplier is entitled to charge above the amount stipulated by the Minimum Benefit, any difference is the out-of-pocket amount that must be paid by the fund member unless the fund agrees to pay above the Minimum Benefit amount. Whether funds pay above the Minimum Benefit amount is a fund decision and something that each fund must decide for themselves independently.

The `MaximumBenefit` element is a decimal number with up to two decimal places.

Note that this field is not in use as of February 2019 so the default value supplied for this field is 0.

Maximum Benefit Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/MaximumBenefit Decimal • minInclusive value="0.0"
Disposition Details		Required MaximumBenefit is the maximum benefit that a health fund must pay for the prosthesis item used for one of its members
Example		< MaximumBenefit >4439</ MaximumBenefit>

3.28 Human Tissue Amount

The `HumanTissueAmount` element is the charge that has been stipulated by the Commonwealth for the respective human tissue item. This is the minimum amount that that a private health insurer must pay in respect of the listed human tissue item.

When `ItemType` is 'Prosthesis' or 'Other', the Human Tissue Amount will always be zero. Otherwise, when `ItemType` is 'Human Tissue', the Human Tissue Amount will be greater than or equal to zero.

The `HumanTissueAmount` element is a decimal number with up to two decimal places.

Human Tissue Amount Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/HumanTissueAmount Decimal • minInclusive value="0.0"
Disposition Details		Required HumanTissueAmount is the amount that a health fund must pay for the human tissue item used for one of its members.
Example		<HumanTissueAmount>374</HumanTissueAmount>

3.29 Action Flag

The `ActionFlag` element identifies whether the prosthesis item is an addition, update, deletion or unchanged.

Action Flag Type	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/ActionFlag String • enumeration value="Insert" • enumeration value="Update" • enumeration value="Delete" • enumeration value="No Change"
Disposition Details		Required ActionFlag indicates if the elements within this ProsthesisItem element are being inserted, updated, deleted or remain unchanged.
Example		<ActionFlag>Update</ActionFlag>

1. When the `ActionFlag` has a value of 'Insert', the prosthesis item is being added to the prosthesis list which takes effect on the Cycle Start Date and Cycle End Date.
2. When the `ActionFlag` has a value of 'Update', then the details of the prosthesis item are being updated, and the update takes effect from the Cycle End Date.

3. 8.17.3 When the `ActionFlag` has a value of 'Delete', the prosthesis item is being deleted from the prosthesis list with the date of deletion being the Cycle End Date. No charge for the prosthesis item can be made from this date onwards. Hospitals may continue to use the prosthesis item after deletion from the prosthesis list, but no charge to the fund can be raised.
4. 8.17.4 When the `ActionFlag` has a value of 'No Change', then the details of the prosthesis item are unchanged since the previously supplied prosthesis file.

The `ActionFlag` element is mandatory and can only take the value 'Insert', 'Update', 'Delete' or 'No Change'.

3.30 Cycle Start Date

The `CycleStartDate` element is the date that the prosthesis item was first added to the Prosthesis List by the Commonwealth.

The `CycleStartDate` element is mandatory and is supplied in 'yyyy-mm-dd' format.

Start Date	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/ CycleStartDate
Type		Date
Disposition		Required
Details		CycleStartDate is the date the prosthesis item was first added onto the prosthesis list.
Example		< CycleStartDate >2001-02-28</ CycleStartDate >

3.31 Cycle End Date

The `CycleEndDate` element is the effective date for items listed in the current cycle. For items that are being deleted this cycle, it is the date that the prosthesis item is deleted from the Prosthesis List by the Commonwealth.

The `CycleEndDate` element is mandatory and is supplied in 'yyyy-mm-dd' format.

End Date	XML Path	/Prosthesis/ProsthesisItems/ProsthesisItem/CycleEndDate
Type		Date
Disposition		Optional
Details		CycleEndDate is the effective date of the current cycle or the date the prosthesis item was deleted from the prosthesis list.
Example		< CycleEndDate >2017-02-28</ CycleEndDate >

4 Prosthesis XML Schema

```

<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns="http://health.gov.au/plms/schema/V1.1"
  targetNamespace="http://health.gov.au/plms/schema/V1.1"
  elementFormDefault="qualified">
  <!-- elements -->
  <xs:element name="Prosthesis" type="ProsthesisType" />

  <!-- complexTypes -->
  <xs:complexType name="ARTGsType">
    <xs:sequence>
      <xs:element name="ARTG" type="ARTGType" maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="CategoriesType">
    <xs:sequence>
      <xs:element name="Category" type="CategoryType"
maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="CategoryType">
    <xs:sequence>
      <xs:element name="CategoryID" type="IDType" />
      <xs:element name="CategoryDescription" type="StringType255" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="SubCategoriesType">
    <xs:sequence>
      <xs:element name="SubCategory" type="SubCategoryType"
maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="SubCategoryType">
    <xs:sequence>
      <xs:element name="SubCategoryID" type="IDType" />
      <xs:element name="SubCategoryDescription" type="StringType255"
/ >
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="GroupsType">
    <xs:sequence>
      <xs:element name="Group" type="GroupType" maxOccurs="unbounded"
/ >
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="GroupType">
    <xs:sequence>
      <xs:element name="GroupID" type="IDType" />
      <xs:element name="GroupDescription" type="StringType255" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="ProsthesisItemsType">
    <xs:sequence>
      <xs:element name="ProsthesisItem" type="ProsthesisItemType"
maxOccurs="unbounded" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="ProsthesisItemType">
    <xs:sequence>
      <xs:element name="ItemType" type="ItemTypeType" />
      <xs:element name="BillingCode" type="BillingCodeType" />
      <xs:element name="PriorBillingCodes" type="PriorBillingCodeType"
minOccurs="0" />
      <xs:element name="Name" type="NameType" />
      <xs:element name="Description" type="StringType4000"
minOccurs="0" />
      <xs:element name="Size" type="StringType4000" minOccurs="0" />
      <xs:element name="SupplierCode" type="SupplierCodeType" />
      <xs:element name="CategoryID" type="IDType" />
      <xs:element name="SubCategoryID" type="IDType" minOccurs="0" />

```

```

        <xs:element name="GroupID" type="IDType" minOccurs="0" />
        <xs:element name="SubGroupID" type="IDType" minOccurs="0" />
        <xs:element name="Suffix" type="StringType255" minOccurs="0" />
        <xs:element name="ARTGs" type="ARTGsType" minOccurs="0" />
        <xs:element name="Note" type="StringType4000" minOccurs="0" />
        <xs:element name="ChangeExplanation" type="StringType4000"
minOccurs="0" />
        <xs:element name="MinimumBenefit" type="DecimalType"/>
        <xs:element name="MaximumBenefit" type="DecimalType"/>
        <xs:element name="HumanTissueAmount" type="DecimalType" />
        <xs:element name="ActionFlag" type="ActionFlagType" />
        <xs:element name="CycleStartDate" type="DateType" />
        <xs:element name="CycleEndDate" type="DateType" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="ProsthesisType">
    <xs:sequence>
        <xs:element name="Suppliers" type="SuppliersType" />
        <xs:element name="Categories" type="CategoriesType" />
        <xs:element name="SubCategories" type="SubCategoriesType" />
        <xs:element name="Groups" type="GroupsType" />
        <xs:element name="SubGroups" type="SubGroupsType" />
        <xs:element name="ProsthesisItems" type="ProsthesisItemsType" />
    </xs:sequence>
    <xs:attribute name="creationDate" type="xs:dateTime" use="required" />
    <xs:attribute name="prosthesisItemCount" type="IntegerTypeN"
        use="required" />
</xs:complexType>
<xs:complexType name="SubGroupsType">
    <xs:sequence>
        <xs:element name="SubGroup" type="SubGroupType"
maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="SubGroupType">
    <xs:sequence>
        <xs:element name="SubGroupID" type="IDType" />
        <xs:element name="SubGroupDescription" type="StringType255" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="SuppliersType">
    <xs:sequence>
        <xs:element name="Supplier" type="SupplierType"
maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="SupplierType">
    <xs:sequence>
        <xs:element name="SupplierCode" type="SupplierCodeType" />
        <xs:element name="SupplierName" type="StringType255" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="PriorBillingCodeType">
    <xs:sequence>
        <xs:element name="PriorBillingCode" type="BillingCodeType"
            maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
<!-- simpleTypes -->
<xs:simpleType name="ActionFlagType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="Insert" />
        <xs:enumeration value="Update" />
        <xs:enumeration value="Delete" />
        <xs:enumeration value="No Change" />
    </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ARTGType">
    <xs:restriction base="xs:string">
        <xs:minLength value="5" />
        <xs:maxLength value="6" />
        <xs:pattern value="[0-9]{5,6}" />
    </xs:restriction>
</xs:simpleType>

```



```

        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="BillingCodeType">
        <xs:restriction base="xs:string">
            <xs:minLength value="5" />
            <xs:maxLength value="5" />
            <xs:pattern value="[A-Za-z]{1}[0-9]{4}|[A-Za-z]{2}[0-9]{3}|[A-
Za-z]{3}[0-9]{2}" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="BooleanType">
        <xs:restriction base="xs:string">
            <xs:pattern value="Yes" />
            <xs:pattern value="No" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="DateType">
        <xs:restriction base="xs:date">
            <xs:minInclusive value="2000-01-01" />
            <xs:maxInclusive value="2100-12-31" />
            <xs:pattern value=".{10}" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="DecimalType">
        <xs:restriction base="xs:decimal">
            <xs:minInclusive value="0.0" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="IDType">
        <xs:restriction base="xs:nonNegativeInteger" />
    </xs:simpleType>
    <xs:simpleType name="IntegerTypeN">
        <xs:restriction base="xs:nonNegativeInteger" />
    </xs:simpleType>
    <xs:simpleType name="IntegerTypeP">
        <xs:restriction base="xs:positiveInteger" />
    </xs:simpleType>
    <xs:simpleType name="ItemTypeType">
        <xs:restriction base="xs:string">
            <xs:enumeration value="Prosthesis" />
            <xs:enumeration value="Human Tissue" />
            <xs:enumeration value="Other" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="NameType">
        <xs:restriction base="xs:string">
            <xs:maxLength value="1024" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="StringType255">
        <xs:restriction base="xs:string">
            <xs:maxLength value="255" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="StringType4000">
        <xs:restriction base="xs:string">
            <xs:maxLength value="4000" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="StringType50">
        <xs:restriction base="xs:string">
            <xs:maxLength value="50" />
        </xs:restriction>
    </xs:simpleType>
    <xs:simpleType name="SupplierCodeType">
        <xs:restriction base="xs:string">
            <xs:maxLength value="3" />
        </xs:restriction>
    </xs:simpleType>
</xs:schema>

```

4.1 Technical Note

In line with W3C XML standards special and whitespace characters will be substituted in text fields.

For example "&" will be substituted by "&" and CR(Carriage Return) will be substituted by "".