## **Updates - Paul Kelly**

- s22 increases in Japan (Diamond Princess aside), HK, Korea
- Apparent drop in case growth in mainland China outside Hubei

## AUS - 21 cases

• s47F

s33

## **Howard Springs**

- 170 arrived
  - o incl 6 NZ
  - 6 cases and 3 escorts (9 have gone to home states)
  - 155 remain
- Letters from states to returnees use same/similar letter used for Christmas Is for the Howard Springs
- s47C

## NT/AUSMAT - Di Stephens

- Everyone is being 'screened' twice daily
- 8 being tested today isolated
- Di will share information with AHPPC (numbers and states); more detail on specific cases for individual states
- Paul asked for data on cases, suspected cases, testing, isolated people to be provided daily
- Tomorrow will release today's information (i.e. testing outcomes) later in the day to allow time for the Wuhan 2nd flight cohort to be released from quarantine.
- High workload on the AUSMAT team
  - Difficult to deliver lots of data as requested
  - Epi data

s47C

Public health advice for HS returnees - s47C

- Close contacts of cases should self-isolate for 14 days
- Cases mild symptoms; recovery -s47C
- s47F otherwise healthy, mild symptoms admitted to s47F able to arrange for her to be self-isolated at home alone, with sample collection

FOI 1560 1 of 3 Document 26

from her at home able to be implemented. No plans to discharge until the national position is agreed.

- s47F consider the best way to manage cases is to hospitalise in the first instance before sending home
- s47F
- s47F
- NIR draft discussion paper re messaging for AHPPC to consider on Monday (and release a statement)
- Clinical considerations close contact asymptomatic; recovering cases become well (asymptomatic),
- Social considerations specific case circumstances own home; alone
- This cohort or those cases arriving in the coming weeks
- Cases and close contacts returned to home states and hospitalised, then discharged to home Pandemic Preparedness - data collection and sharing

  • s47

  B isolation

- s47B
  - Jodie has developed a model indicated the required surge capacity in terms of 'doubling' and sustaining increases over a projected period.
- AHPPC to reconsider the best way of considering the appropriate surge capacity to aim for; gaps and challenges to achieving this surge capacity; timeframes to achieve; sustainability over the anticipated surge period; risks and shortfalls PPE.

o s47C

s47C

Other business:

s47C