



Australian Government
Operation COVID Shield

LGA Vaccination Rates (AIR Indigenous Population)

12 January 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
11 Jan. 2022

Australian Capital Territory

Medicare Address ASGS State Name	LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Australian Capital Territory	Unincorporated ACT	5,582	90.7%	88.0%

Data as at:
11 Jan. 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
New South Wales	Albury (C)	1,298	82.0%	76.9%
New South Wales	Armidale Regional (A)	1,770	84.1%	79.9%
New South Wales	Ballina (A)	1,191	80.3%	77.7%
New South Wales	Balranald (A)	<200	91.5%	88.5%
New South Wales	Bathurst Regional (A)	1,569	87.3%	83.3%
New South Wales	Bayside (A)	1,206	88.2%	86.7%
New South Wales	Bega Valley (A)	982	85.7%	82.2%
New South Wales	Bellingen (A)	316	84.5%	83.2%
New South Wales	Berrigan (A)	<200	89.7%	89.0%
New South Wales	Blacktown (C)	7,286	86.7%	83.6%
New South Wales	Bland (A)	235	94.0%	92.8%
New South Wales	Blayney (A)	<200	89.4%	86.2%
New South Wales	Blue Mountains (C)	967	88.2%	87.1%
New South Wales	Bogan (A)	291	88.3%	84.9%
New South Wales	Bourke (A)	828	79.6%	74.9%
New South Wales	Brewarrina (A)	738	87.1%	83.5%
New South Wales	Broken Hill (C)	1,383	87.9%	85.0%
New South Wales	Burwood (A)	<200	89.5%	87.5%
New South Wales	Byron (A)	413	75.5%	72.4%
New South Wales	Cabonne (A)	367	92.6%	90.7%
New South Wales	Camden (A)	1,621	91.5%	90.6%
New South Wales	Campbelltown (C) (NSW)	4,371	87.8%	85.3%
New South Wales	Canada Bay (A)	309	89.6%	88.3%
New South Wales	Canterbury-Bankstown (A)	2,145	87.0%	85.0%
New South Wales	Carrathool (A)	<200	91.4%	88.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
New South Wales	Central Coast (C) (NSW)	8,540	86.0%	84.0%
New South Wales	Central Darling (A)	522	87.9%	86.0%
New South Wales	Cessnock (C)	3,000	89.1%	87.4%
New South Wales	Clarence Valley (A)	2,451	78.0%	75.1%
New South Wales	Cobar (A)	391	83.9%	81.3%
New South Wales	Coffs Harbour (C)	3,018	82.7%	80.2%
New South Wales	Coolamon (A)	<200	83.9%	83.9%
New South Wales	Coonamble (A)	1,153	88.3%	85.7%
New South Wales	Cootamundra-Gundagai Regional (A)	361	91.4%	90.0%
New South Wales	Cowra (A)	716	88.7%	84.4%
New South Wales	Cumberland (A)	1,197	85.2%	83.5%
New South Wales	Dubbo Regional (A)	5,881	85.0%	82.4%
New South Wales	Dungog (A)	334	91.9%	90.4%
New South Wales	Edward River (A)	277	92.4%	89.2%
New South Wales	Eurobodalla (A)	1,770	90.2%	88.2%
New South Wales	Fairfield (C)	1,312	84.5%	82.2%
New South Wales	Federation (A)	<200	86.2%	83.8%
New South Wales	Forbes (A)	827	91.9%	89.8%
New South Wales	Georges River (A)	718	89.4%	87.5%
New South Wales	Gilgandra (A)	479	81.6%	78.9%
New South Wales	Glen Innes Severn (A)	496	81.0%	77.4%
New South Wales	Goulburn Mulwaree (A)	712	88.9%	87.2%
New South Wales	Greater Hume Shire (A)	<200	84.0%	82.8%
New South Wales	Griffith (C)	1,013	84.1%	81.5%
New South Wales	Gunnedah (A)	1,286	87.2%	84.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
New South Wales	Gwydir (A)	<200	94.3%	92.2%
New South Wales	Hawkesbury (C)	1,582	88.9%	87.6%
New South Wales	Hay (A)	<200	94.2%	92.4%
New South Wales	Hilltops (A)	451	90.0%	86.9%
New South Wales	Hornsby (A)	461	90.7%	89.6%
New South Wales	Hunters Hill (A)	<200	81.5%	77.8%
New South Wales	Inner West (A)	1,699	86.1%	83.6%
New South Wales	Inverell (A)	993	80.9%	76.9%
New South Wales	Junee (A)	276	85.9%	84.4%
New South Wales	Kempsey (A)	2,633	78.4%	74.9%
New South Wales	Kiama (A)	253	91.3%	90.5%
New South Wales	Ku-ring-gai (A)	206	89.8%	89.8%
New South Wales	Kyogle (A)	356	68.8%	63.2%
New South Wales	Lachlan (A)	932	87.4%	85.0%
New South Wales	Lake Macquarie (C)	5,764	88.1%	86.4%
New South Wales	Lane Cove (A)	<200	86.0%	81.7%
New South Wales	Leeton (A)	413	84.0%	81.6%
New South Wales	Lismore (C)	1,785	76.0%	72.6%
New South Wales	Lithgow (C)	844	89.6%	87.4%
New South Wales	Liverpool (C)	2,499	86.2%	83.1%
New South Wales	Liverpool Plains (A)	751	90.1%	88.3%
New South Wales	Lockhart (A)	<200	90.2%	89.0%
New South Wales	Maitland (C)	3,086	88.6%	86.9%
New South Wales	Mid-Coast (A)	4,114	80.5%	77.9%
New South Wales	Mid-Western Regional (A)	909	87.2%	85.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
New South Wales	Moree Plains (A)	2,457	81.3%	76.4%
New South Wales	Mosman (A)	<200	81.3%	79.2%
New South Wales	Murray River (A)	326	89.6%	87.7%
New South Wales	Murrumbidgee (A)	<200	91.4%	87.3%
New South Wales	Muswellbrook (A)	909	87.3%	84.9%
New South Wales	Nambucca (A)	1,296	79.9%	76.6%
New South Wales	Narrabri (A)	1,303	87.9%	84.1%
New South Wales	Narrandera (A)	433	85.2%	82.4%
New South Wales	Narromine (A)	727	85.7%	82.7%
New South Wales	Newcastle (C)	4,115	88.8%	86.7%
New South Wales	North Sydney (A)	<200	89.4%	89.4%
New South Wales	Northern Beaches (A)	869	86.8%	86.1%
New South Wales	Oberon (A)	<200	85.8%	84.0%
New South Wales	Orange (C)	2,062	85.4%	82.3%
New South Wales	Parkes (A)	1,174	88.2%	86.6%
New South Wales	Parramatta (C)	1,261	85.6%	83.0%
New South Wales	Penrith (C)	5,235	90.0%	87.9%
New South Wales	Port Macquarie-Hastings (A)	2,421	83.0%	81.5%
New South Wales	Port Stephens (A)	2,565	86.8%	84.7%
New South Wales	Queanbeyan-Palerang Regional (A)	1,310	89.5%	87.4%
New South Wales	Randwick (C)	1,519	85.5%	82.8%
New South Wales	Richmond Valley (A)	1,460	72.5%	69.0%
New South Wales	Ryde (C)	358	88.8%	87.4%
New South Wales	Shellharbour (C)	1,867	86.5%	84.3%
New South Wales	Shoalhaven (C)	4,143	86.2%	83.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
New South Wales	Singleton (A)	956	87.0%	85.0%
New South Wales	Snowy Monaro Regional (A)	393	90.3%	87.0%
New South Wales	Snowy Valleys (A)	399	86.7%	84.7%
New South Wales	Strathfield (A)	<200	88.1%	83.8%
New South Wales	Sutherland Shire (A)	1,740	91.7%	91.0%
New South Wales	Sydney (C)	2,763	84.7%	81.3%
New South Wales	Tamworth Regional (A)	4,634	87.7%	85.1%
New South Wales	Temora (A)	<200	91.1%	87.4%
New South Wales	Tenterfield (A)	336	73.8%	70.2%
New South Wales	The Hills Shire (A)	627	91.2%	90.9%
New South Wales	Tweed (A)	2,699	78.8%	76.7%
New South Wales	Unincorporated NSW	<200	86.3%	80.8%
New South Wales	Upper Hunter Shire (A)	453	88.5%	87.2%
New South Wales	Upper Lachlan Shire (A)	<200	92.5%	90.1%
New South Wales	Uralla (A)	310	89.0%	87.4%
New South Wales	Wagga Wagga (C)	2,698	87.6%	85.1%
New South Wales	Walcha (A)	<200	89.1%	84.4%
New South Wales	Walgett (A)	1,513	82.5%	78.8%
New South Wales	Warren (A)	337	86.6%	84.3%
New South Wales	Warrumbungle Shire (A)	703	83.8%	79.9%
New South Wales	Waverley (A)	242	80.6%	79.3%
New South Wales	Weddin (A)	<200	93.2%	91.9%
New South Wales	Wentworth (A)	558	86.2%	81.5%
New South Wales	Willoughby (C)	<200	83.9%	81.9%
New South Wales	Wingecarribee (A)	662	86.1%	84.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
New South Wales	Wollondilly (A)	1,109	91.0%	89.4%
New South Wales	Wollongong (C)	3,911	87.4%	85.5%
New South Wales	Woollahra (A)	<200	87.5%	86.7%
New South Wales	Yass Valley (A)	287	91.6%	90.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Northern Territory	Alice Springs (T)	7,083	82.0%	71.6%
Northern Territory	Barkly (R)	2,875	73.3%	56.9%
Northern Territory	Belyuen (S)	<200	83.3%	78.1%
Northern Territory	Central Desert (R)	1,633	80.2%	64.3%
Northern Territory	Coomalie (S)	266	80.1%	69.2%
Northern Territory	Darwin (C)	8,631	86.4%	78.9%
Northern Territory	East Arnhem (R)	4,005	83.8%	72.7%
Northern Territory	Katherine (T)	3,922	84.5%	75.2%
Northern Territory	Litchfield (M)	1,571	88.7%	83.9%
Northern Territory	MacDonnell (R)	2,698	85.7%	74.2%
Northern Territory	Palmerston (C)	4,539	85.0%	77.9%
Northern Territory	Roper Gulf (R)	2,513	87.9%	77.5%
Northern Territory	Tiwi Islands (R)	1,342	94.2%	88.1%
Northern Territory	Unincorporated NT	2,690	91.5%	85.6%
Northern Territory	Victoria Daly (R)	720	86.0%	74.2%
Northern Territory	Wagait (S)	<200	92.0%	88.0%
Northern Territory	West Arnhem (R)	2,510	88.4%	78.1%
Northern Territory	West Daly (R)	1,263	94.4%	86.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Other Territories	Unincorp. Other Territories	<200	92.9%	90.0%

Data as at:
11 Jan. 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Queensland	Aurukun (S)	640	85.3%	74.1%
Queensland	Balonne (S)	581	81.1%	74.7%
Queensland	Banana (S)	469	75.9%	67.8%
Queensland	Barcaldine (R)	<200	80.8%	74.4%
Queensland	Barcoo (S)	<200	77.8%	77.8%
Queensland	Blackall-Tambo (R)	<200	90.5%	88.4%
Queensland	Boulia (S)	<200	74.7%	58.7%
Queensland	Brisbane (C)	14,117	80.6%	74.7%
Queensland	Bulloo (S)	<200	**	**
Queensland	Bundaberg (R)	2,945	74.5%	67.3%
Queensland	Burdekin (S)	800	66.1%	57.5%
Queensland	Burke (S)	<200	83.6%	73.1%
Queensland	Cairns (R)	12,817	73.9%	63.8%
Queensland	Carpentaria (S)	627	81.5%	68.3%
Queensland	Cassowary Coast (R)	2,413	65.7%	56.9%
Queensland	Central Highlands (R) (Qld)	832	66.5%	59.0%
Queensland	Charters Towers (R)	767	74.6%	60.9%
Queensland	Cherbourg (S)	720	73.3%	63.7%
Queensland	Cloncurry (S)	520	75.8%	65.6%
Queensland	Cook (S)	741	81.8%	72.3%
Queensland	Croydon (S)	<200	85.2%	78.7%
Queensland	Diamantina (S)	<200	91.3%	89.1%
Queensland	Doomadgee (S)	729	76.4%	58.3%
Queensland	Douglas (S)	658	66.9%	59.7%
Queensland	Etheridge (S)	<200	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Queensland	Flinders (S) (Qld)	<200	74.3%	58.3%
Queensland	Fraser Coast (R)	3,370	76.3%	69.4%
Queensland	Gladstone (R)	2,433	73.4%	66.4%
Queensland	Gold Coast (C)	7,076	79.3%	75.2%
Queensland	Goondiwindi (R)	473	80.3%	74.0%
Queensland	Gympie (R)	1,252	68.6%	62.6%
Queensland	Hinchinbrook (S)	506	73.1%	66.0%
Queensland	Hope Vale (S)	485	81.9%	73.6%
Queensland	Ipswich (C)	7,429	78.9%	71.9%
Queensland	Isaac (R)	473	77.0%	68.5%
Queensland	Kowanyama (S)	693	86.4%	77.6%
Queensland	Livingstone (S)	889	77.6%	72.3%
Queensland	Lockhart River (S)	343	84.3%	78.1%
Queensland	Lockyer Valley (R)	1,167	81.1%	75.1%
Queensland	Logan (C)	8,125	76.0%	68.8%
Queensland	Longreach (R)	<200	83.3%	78.3%
Queensland	Mackay (R)	4,668	76.2%	68.9%
Queensland	Mapoon (S)	<200	76.8%	74.7%
Queensland	Maranoa (R)	868	84.7%	78.8%
Queensland	Mareeba (S)	2,415	68.3%	56.0%
Queensland	McKinlay (S)	<200	**	**
Queensland	Moreton Bay (R)	10,615	81.2%	75.5%
Queensland	Mornington (S)	503	82.5%	67.6%
Queensland	Mount Isa (C)	3,436	71.1%	58.0%
Queensland	Murweh (S)	367	85.8%	79.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Queensland	Napranum (S)	410	79.0%	65.6%
Queensland	Noosa (S)	444	74.5%	70.0%
Queensland	North Burnett (R)	491	79.4%	73.5%
Queensland	Northern Peninsula Area (R)	1,400	73.4%	56.2%
Queensland	Palm Island (S)	1,273	77.8%	65.0%
Queensland	Paroo (S)	438	79.7%	74.2%
Queensland	Pormpuraaw (S)	388	94.3%	91.5%
Queensland	Quilpie (S)	<200	90.6%	83.5%
Queensland	Redland (C)	2,644	81.6%	77.2%
Queensland	Richmond (S)	<200	88.6%	84.1%
Queensland	Rockhampton (R)	4,685	71.7%	63.8%
Queensland	Scenic Rim (R)	844	79.5%	74.4%
Queensland	Somerset (R)	615	79.5%	73.7%
Queensland	South Burnett (R)	1,317	74.2%	68.0%
Queensland	Southern Downs (R)	1,078	77.0%	71.2%
Queensland	Sunshine Coast (R)	4,243	75.8%	71.2%
Queensland	Tablelands (R)	1,425	60.1%	51.4%
Queensland	Toowoomba (R)	4,979	79.9%	73.1%
Queensland	Torres (S)	2,232	85.4%	76.8%
Queensland	Torres Strait Island (R)	1,909	85.3%	75.6%
Queensland	Townsville (C)	12,015	73.4%	63.2%
Queensland	Weipa (T)	759	79.8%	70.0%
Queensland	Western Downs (R)	1,439	74.1%	66.6%
Queensland	Whitsunday (R)	1,036	66.5%	60.5%
Queensland	Winton (S)	<200	91.4%	85.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Queensland	Woorabinda (S)	676	68.0%	52.1%
Queensland	Wujal Wujal (S)	<200	92.0%	87.2%
Queensland	Yarrabah (S)	1,884	74.5%	64.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
South Australia	Adelaide (C)	416	77.4%	70.4%
South Australia	Adelaide Hills (DC)	<200	91.5%	87.3%
South Australia	Adelaide Plains (DC)	<200	72.4%	69.9%
South Australia	Alexandrina (DC)	242	78.1%	71.1%
South Australia	Anangu Pitjantjatjara (AC)	662	82.9%	77.2%
South Australia	Barossa (DC)	<200	81.8%	77.7%
South Australia	Barunga West (DC)	<200	**	**
South Australia	Berri and Barmera (DC)	355	71.8%	66.5%
South Australia	Burnside (C)	<200	84.5%	80.6%
South Australia	Campbelltown (C) (SA)	285	75.8%	69.5%
South Australia	Ceduna (DC)	833	70.8%	57.3%
South Australia	Charles Sturt (C)	1,353	74.9%	66.4%
South Australia	Clare and Gilbert Valleys (DC)	<200	78.6%	74.3%
South Australia	Cleve (DC)	<200	**	**
South Australia	Cooper Pedy (DC)	270	75.6%	65.6%
South Australia	Copper Coast (DC)	327	76.1%	71.6%
South Australia	Elliston (DC)	<200	**	**
South Australia	Flinders Ranges (DC)	<200	87.5%	77.3%
South Australia	Franklin Harbour (DC)	<200	96.8%	93.5%
South Australia	Gawler (T)	349	76.5%	71.9%
South Australia	Goyder (DC)	<200	75.0%	75.0%
South Australia	Grant (DC)	<200	90.0%	90.0%
South Australia	Holdfast Bay (C)	<200	78.6%	75.1%
South Australia	Kangaroo Island (DC)	<200	85.3%	79.4%
South Australia	Karoonda East Murray (DC)	<200	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
South Australia	Kimba (DC)	<200	**	**
South Australia	Kingston (DC) (SA)	<200	80.6%	80.6%
South Australia	Light (RegC)	<200	71.8%	66.7%
South Australia	Lower Eyre Peninsula (DC)	<200	76.2%	64.3%
South Australia	Loxton Waikerie (DC)	<200	74.9%	66.7%
South Australia	Maralinga Tjarutja (AC)	<200	**	**
South Australia	Marion (C)	744	71.1%	64.0%
South Australia	Mid Murray (DC)	<200	73.0%	68.3%
South Australia	Mitcham (C)	257	83.3%	77.0%
South Australia	Mount Barker (DC)	<200	79.0%	74.4%
South Australia	Mount Gambier (C)	525	78.9%	70.1%
South Australia	Mount Remarkable (DC)	<200	92.7%	87.8%
South Australia	Murray Bridge (RC)	761	67.5%	60.1%
South Australia	Naracoorte and Lucindale (DC)	<200	71.4%	64.3%
South Australia	Northern Areas (DC)	<200	80.6%	77.6%
South Australia	Norwood Payneham St Peters (C)	<200	78.7%	72.0%
South Australia	Onkaparinga (C)	1,845	74.2%	66.7%
South Australia	Orroroo/Carrieton (DC)	<200	**	**
South Australia	Peterborough (DC)	<200	84.7%	78.0%
South Australia	Playford (C)	2,276	69.4%	60.6%
South Australia	Port Adelaide Enfield (C)	2,332	71.1%	61.7%
South Australia	Port Augusta (C)	2,324	77.6%	64.4%
South Australia	Port Lincoln (C)	840	67.0%	54.0%
South Australia	Port Pirie City and Dists (M)	502	63.3%	57.2%
South Australia	Prospect (C)	<200	76.8%	70.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
South Australia	Renmark Paringa (DC)	<200	78.6%	69.8%
South Australia	Robe (DC)	<200	**	**
South Australia	Roxby Downs (M)	<200	83.7%	77.9%
South Australia	Salisbury (C)	2,077	73.2%	65.5%
South Australia	Southern Mallee (DC)	<200	**	**
South Australia	Streaky Bay (DC)	<200	85.7%	82.1%
South Australia	Tatiara (DC)	<200	73.3%	70.0%
South Australia	Tea Tree Gully (C)	653	76.9%	70.4%
South Australia	The Coorong (DC)	239	79.1%	66.9%
South Australia	Tumby Bay (DC)	<200	85.7%	85.7%
South Australia	Unincorporated SA	349	80.2%	65.6%
South Australia	Unley (C)	<200	79.7%	75.8%
South Australia	Victor Harbor (C)	<200	75.6%	68.6%
South Australia	Wakefield (DC)	<200	75.0%	68.4%
South Australia	Walkerville (M)	<200	82.5%	67.5%
South Australia	Wattle Range (DC)	<200	75.2%	65.9%
South Australia	West Torrens (C)	509	76.2%	68.2%
South Australia	Whyalla (C)	1,258	73.1%	60.6%
South Australia	Wudinna (DC)	<200	**	**
South Australia	Yankalilla (DC)	<200	75.8%	75.8%
South Australia	Yorke Peninsula (DC)	264	75.8%	67.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
11 Jan. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Tasmania	Break O'Day (M)	<200	82.9%	80.5%
Tasmania	Brighton (M)	1,315	82.3%	77.6%
Tasmania	Burnie (C)	1,016	83.3%	77.3%
Tasmania	Central Coast (M) (Tas.)	1,025	87.4%	82.2%
Tasmania	Central Highlands (M) (Tas.)	<200	83.1%	77.5%
Tasmania	Circular Head (M)	631	85.4%	79.9%
Tasmania	Clarence (C)	1,503	85.2%	80.2%
Tasmania	Derwent Valley (M)	343	83.1%	77.6%
Tasmania	Devonport (C)	1,070	81.8%	73.8%
Tasmania	Dorset (M)	<200	82.5%	78.9%
Tasmania	Flinders (M) (Tas.)	<200	94.4%	92.7%
Tasmania	George Town (M)	250	82.8%	75.6%
Tasmania	Glamorgan/Spring Bay (M)	<200	86.9%	81.1%
Tasmania	Glenorchy (C)	1,785	87.5%	82.6%
Tasmania	Hobart (C)	667	90.9%	88.0%
Tasmania	Huon Valley (M)	1,051	86.3%	81.2%
Tasmania	Kentish (M)	225	80.9%	74.7%
Tasmania	King Island (M)	<200	**	**
Tasmania	Kingborough (M)	889	90.4%	87.4%
Tasmania	Latrobe (M) (Tas.)	387	84.5%	77.0%
Tasmania	Launceston (C)	1,687	84.5%	77.7%
Tasmania	Meander Valley (M)	484	82.6%	78.9%
Tasmania	Northern Midlands (M)	237	88.2%	83.5%
Tasmania	Sorell (M)	463	87.9%	83.8%
Tasmania	Southern Midlands (M)	239	85.4%	80.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Tasmania	Tasman (M)	<200	94.2%	90.3%
Tasmania	Waratah/Wynyard (M)	718	81.9%	77.2%
Tasmania	West Coast (M)	208	87.5%	77.9%
Tasmania	West Tamar (M)	366	90.7%	86.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
11 Jan. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Victoria	Alpine (S)	<200	83.0%	80.7%
Victoria	Ararat (RC)	<200	84.5%	81.0%
Victoria	Ballarat (C)	1,095	92.7%	90.1%
Victoria	Banyule (C)	751	87.9%	86.0%
Victoria	Bass Coast (S)	279	87.5%	85.7%
Victoria	Baw Baw (S)	421	85.0%	80.8%
Victoria	Bayside (C)	230	86.5%	84.3%
Victoria	Benalla (RC)	<200	92.1%	89.0%
Victoria	Boroondara (C)	318	94.7%	92.5%
Victoria	Brimbank (C)	854	85.0%	81.1%
Victoria	Buloke (S)	<200	83.3%	79.2%
Victoria	Campaspe (S)	777	85.3%	81.6%
Victoria	Cardinia (S)	567	89.4%	87.5%
Victoria	Casey (C)	1,531	87.9%	86.1%
Victoria	Central Goldfields (S)	<200	91.0%	88.8%
Victoria	Colac-Otway (S)	<200	90.3%	87.6%
Victoria	Corangamite (S)	<200	89.9%	86.5%
Victoria	Darebin (C)	1,245	87.0%	82.6%
Victoria	East Gippsland (S)	1,311	89.0%	85.7%
Victoria	Frankston (C)	934	87.8%	85.1%
Victoria	Gannawarra (S)	<200	92.4%	90.4%
Victoria	Glen Eira (C)	309	89.3%	88.3%
Victoria	Glenelg (S)	389	92.0%	89.2%
Victoria	Golden Plains (S)	<200	88.1%	86.9%
Victoria	Greater Bendigo (C)	1,506	90.7%	89.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Victoria	Greater Dandenong (C)	667	85.0%	81.0%
Victoria	Greater Geelong (C)	1,840	89.8%	87.1%
Victoria	Greater Shepparton (C)	1,993	85.0%	81.5%
Victoria	Hepburn (S)	<200	90.8%	88.5%
Victoria	Hindmarsh (S)	<200	94.0%	91.0%
Victoria	Hobsons Bay (C)	409	87.3%	85.1%
Victoria	Horsham (RC)	<200	88.2%	83.1%
Victoria	Hume (C)	1,262	87.8%	85.7%
Victoria	Indigo (S)	<200	91.7%	90.1%
Victoria	Kingston (C) (Vic.)	458	91.7%	90.0%
Victoria	Knox (C)	609	91.6%	89.5%
Victoria	Latrobe (C) (Vic.)	1,038	84.5%	80.0%
Victoria	Loddon (S)	<200	91.0%	91.0%
Victoria	Macedon Ranges (S)	<200	91.4%	88.3%
Victoria	Manningham (C)	290	88.6%	86.9%
Victoria	Mansfield (S)	<200	86.0%	86.0%
Victoria	Maribyrnong (C)	405	87.4%	84.2%
Victoria	Maroondah (C)	455	90.3%	89.0%
Victoria	Melbourne (C)	720	87.8%	83.9%
Victoria	Melton (C)	969	88.4%	86.0%
Victoria	Mildura (RC)	1,863	87.1%	82.7%
Victoria	Mitchell (S)	468	92.3%	90.2%
Victoria	Moira (S)	412	90.5%	89.6%
Victoria	Monash (C)	450	88.7%	87.3%
Victoria	Moonee Valley (C)	390	90.0%	88.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Victoria	Moorabool (S)	251	88.8%	86.1%
Victoria	Moreland (C)	796	91.8%	88.6%
Victoria	Mornington Peninsula (S)	939	88.9%	87.1%
Victoria	Mount Alexander (S)	<200	89.7%	87.5%
Victoria	Moyne (S)	<200	92.6%	89.8%
Victoria	Murrindindi (S)	<200	89.7%	88.9%
Victoria	Nillumbik (S)	229	92.1%	91.7%
Victoria	Northern Grampians (S)	<200	87.0%	84.3%
Victoria	Port Phillip (C)	437	87.9%	85.1%
Victoria	Pyrenees (S)	<200	87.1%	87.1%
Victoria	Queenscliffe (B)	<200	**	**
Victoria	South Gippsland (S)	226	86.3%	85.4%
Victoria	Southern Grampians (S)	241	91.7%	88.4%
Victoria	Stonnington (C)	299	85.3%	83.6%
Victoria	Strathbogie (S)	<200	91.7%	89.8%
Victoria	Surf Coast (S)	<200	93.0%	91.3%
Victoria	Swan Hill (RC)	806	87.2%	83.6%
Victoria	Towong (S)	<200	86.5%	83.8%
Victoria	Unincorporated Vic	<200	**	**
Victoria	Wangaratta (RC)	295	90.8%	88.5%
Victoria	Warrnambool (C)	499	90.8%	87.2%
Victoria	Wellington (S)	637	86.7%	81.8%
Victoria	West Wimmera (S)	<200	96.2%	92.3%
Victoria	Whitehorse (C)	422	91.0%	88.9%
Victoria	Whittlesea (C)	1,417	90.5%	88.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Victoria	Wodonga (C)	702	85.3%	82.3%
Victoria	Wyndham (C)	1,372	89.9%	87.8%
Victoria	Yarra (C)	425	86.6%	81.6%
Victoria	Yarra Ranges (S)	962	90.2%	87.9%
Victoria	Yarriambiack (S)	<200	86.2%	86.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Western Australia	Albany (C)	1,057	73.0%	57.0%
Western Australia	Armadale (C)	2,059	70.1%	53.7%
Western Australia	Ashburton (S)	559	75.7%	62.4%
Western Australia	Augusta-Margaret River (S)	<200	78.5%	69.9%
Western Australia	Bassendean (T)	331	68.9%	52.0%
Western Australia	Bayswater (C)	859	69.4%	55.2%
Western Australia	Belmont (C)	1,054	67.4%	52.7%
Western Australia	Beverley (S)	<200	73.9%	65.2%
Western Australia	Boddington (S)	<200	73.6%	62.5%
Western Australia	Boyup Brook (S)	<200	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	84.8%	76.1%
Western Australia	Brookton (S)	<200	68.2%	53.0%
Western Australia	Broome (S)	4,216	73.7%	60.8%
Western Australia	Broomehill-Tambellup (S)	<200	64.4%	40.2%
Western Australia	Bruce Rock (S)	<200	**	**
Western Australia	Bunbury (C)	1,144	73.8%	60.6%
Western Australia	Busselton (C)	425	76.2%	63.3%
Western Australia	Cambridge (T)	<200	85.5%	78.3%
Western Australia	Canning (C)	1,132	69.8%	55.2%
Western Australia	Capel (S)	270	74.8%	63.7%
Western Australia	Carnamah (S)	<200	**	**
Western Australia	Carnarvon (S)	882	61.7%	45.0%
Western Australia	Chapman Valley (S)	<200	72.4%	**
Western Australia	Chittering (S)	<200	87.5%	82.1%
Western Australia	Claremont (T)	<200	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Western Australia	Cockburn (C)	1,476	68.9%	55.3%
Western Australia	Collie (S)	290	72.4%	57.2%
Western Australia	Coolgardie (S)	246	65.9%	50.0%
Western Australia	Coorow (S)	<200	**	**
Western Australia	Corrigin (S)	<200	**	**
Western Australia	Cottesloe (T)	<200	**	**
Western Australia	Cranbrook (S)	<200	**	**
Western Australia	Cuballing (S)	<200	**	**
Western Australia	Cue (S)	<200	76.5%	**
Western Australia	Cunderdin (S)	<200	**	**
Western Australia	Dalwallinu (S)	<200	78.9%	63.2%
Western Australia	Dandaragan (S)	<200	83.6%	80.3%
Western Australia	Dardanup (S)	222	82.9%	72.5%
Western Australia	Denmark (S)	<200	71.4%	55.4%
Western Australia	Derby-West Kimberley (S)	3,846	56.6%	41.4%
Western Australia	Donnybrook-Balingup (S)	<200	82.7%	72.0%
Western Australia	Dowerin (S)	<200	**	**
Western Australia	Dumbleyung (S)	<200	**	**
Western Australia	Dundas (S)	<200	62.1%	39.8%
Western Australia	East Fremantle (T)	<200	66.0%	53.2%
Western Australia	East Pilbara (S)	1,113	71.6%	47.6%
Western Australia	Esperance (S)	399	67.4%	54.4%
Western Australia	Exmouth (S)	<200	71.4%	65.7%
Western Australia	Fremantle (C)	527	66.8%	54.6%
Western Australia	Gingin (S)	<200	85.5%	80.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Western Australia	Gnowangerup (S)	<200	84.0%	69.1%
Western Australia	Goomalling (S)	<200	84.8%	63.6%
Western Australia	Gosnells (C)	2,468	69.1%	55.2%
Western Australia	Greater Geraldton (C)	3,601	65.0%	49.5%
Western Australia	Halls Creek (S)	1,854	56.0%	43.3%
Western Australia	Harvey (S)	474	76.4%	63.9%
Western Australia	Irwin (S)	<200	61.3%	56.0%
Western Australia	Jerramungup (S)	<200	**	**
Western Australia	Joondalup (C)	827	77.0%	67.8%
Western Australia	Kalamunda (C)	752	73.3%	61.0%
Western Australia	Kalgoorlie/Boulder (C)	2,107	68.5%	51.7%
Western Australia	Karratha (C)	2,683	64.6%	49.4%
Western Australia	Katanning (S)	308	70.5%	55.8%
Western Australia	Kellerberrin (S)	<200	82.5%	71.4%
Western Australia	Kent (S)	<200	**	**
Western Australia	Kojonup (S)	<200	78.3%	60.2%
Western Australia	Kondinin (S)	<200	72.5%	62.5%
Western Australia	Koorda (S)	<200	**	**
Western Australia	Kulin (S)	<200	**	**
Western Australia	Kwinana (C)	1,531	68.3%	52.6%
Western Australia	Lake Grace (S)	<200	**	**
Western Australia	Laverton (S)	248	73.0%	53.6%
Western Australia	Leonora (S)	214	71.0%	49.5%
Western Australia	Mandurah (C)	1,356	67.4%	56.7%
Western Australia	Manjimup (S)	<200	78.7%	64.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Western Australia	Meekatharra (S)	336	72.3%	54.8%
Western Australia	Melville (C)	554	70.8%	59.4%
Western Australia	Menzies (S)	<200	63.3%	53.1%
Western Australia	Merredin (S)	<200	69.5%	55.1%
Western Australia	Mingenew (S)	<200	88.0%	**
Western Australia	Moora (S)	290	81.4%	62.4%
Western Australia	Morawa (S)	<200	74.4%	50.0%
Western Australia	Mosman Park (T)	<200	65.2%	55.1%
Western Australia	Mount Magnet (S)	<200	67.3%	52.6%
Western Australia	Mount Marshall (S)	<200	**	**
Western Australia	Mukinbudin (S)	<200	>99%	83.3%
Western Australia	Mundaring (S)	815	69.2%	53.7%
Western Australia	Murchison (S)	<200	**	**
Western Australia	Murray (S)	276	69.6%	62.7%
Western Australia	Nannup (S)	<200	**	**
Western Australia	Narembeen (S)	<200	**	**
Western Australia	Narrogin (S)	261	65.5%	51.0%
Western Australia	Nedlands (C)	<200	80.0%	70.0%
Western Australia	Ngaanyatjarraku (S)	674	74.9%	56.4%
Western Australia	Northam (S)	568	61.3%	47.5%
Western Australia	Northampton (S)	<200	68.5%	49.2%
Western Australia	Nungarin (S)	<200	**	**
Western Australia	Peppermint Grove (S)	<200	**	**
Western Australia	Perenjori (S)	<200	87.5%	**
Western Australia	Perth (C)	889	70.1%	58.3%
Western Australia	Pingelly (S)	<200	60.0%	49.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Western Australia	Plantagenet (S)	<200	77.2%	61.4%
Western Australia	Port Hedland (T)	2,654	61.4%	47.2%
Western Australia	Quairading (S)	<200	55.3%	40.4%
Western Australia	Ravensthorpe (S)	<200	76.7%	73.3%
Western Australia	Rockingham (C)	1,883	75.7%	63.1%
Western Australia	Sandstone (S)	<200	**	**
Western Australia	Serpentine-Jarrahdale (S)	387	78.3%	67.2%
Western Australia	Shark Bay (S)	<200	74.0%	60.0%
Western Australia	South Perth (C)	460	70.2%	58.9%
Western Australia	Stirling (C)	2,041	69.2%	56.6%
Western Australia	Subiaco (C)	<200	79.7%	76.6%
Western Australia	Swan (C)	3,585	70.9%	56.5%
Western Australia	Tammin (S)	<200	76.1%	67.4%
Western Australia	Three Springs (S)	<200	81.8%	65.9%
Western Australia	Toodyay (S)	<200	74.7%	63.2%
Western Australia	Trayning (S)	<200	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**
Western Australia	Victoria Park (T)	553	73.4%	60.9%
Western Australia	Victoria Plains (S)	<200	**	**
Western Australia	Vincent (C)	218	79.8%	67.9%
Western Australia	Wagin (S)	<200	49.2%	41.3%
Western Australia	Wandering (S)	<200	**	**
Western Australia	Wanneroo (C)	2,299	70.5%	59.2%
Western Australia	Waroonna (S)	<200	65.4%	57.9%
Western Australia	West Arthur (S)	<200	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
11 Jan. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2019 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %
Western Australia	Westonia (S)	<200	**	**
Western Australia	Wickepin (S)	<200	**	**
Western Australia	Williams (S)	<200	**	**
Western Australia	Wiluna (S)	<200	78.7%	65.9%
Western Australia	Wongan-Ballidu (S)	<200	74.5%	66.0%
Western Australia	Woodanilling (S)	<200	**	**
Western Australia	Wyalkatchem (S)	<200	**	**
Western Australia	Wyndham-East Kimberley (S)	2,376	72.0%	57.9%
Western Australia	Yalgoo (S)	<200	78.2%	66.7%
Western Australia	Yilgarn (S)	<200	74.1%	**
Western Australia	York (S)	<200	56.1%	48.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of the same vaccine type.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 11 Jan. 2022 including individuals aged 15 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 11 Jan. 2022 including individuals aged 15 and over.