



Australian Government

Operation COVID Shield

LGA Vaccination Rates (AIR Indigenous Population)

16 March 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
15 Mar. 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,300	91.3%	88.9%	56.7%

Data as at:
15 Mar. 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Albury (C)	1,232	83.3%	79.3%	45.6%
New South Wales	Armidale Regional (A)	1,460	86.0%	82.9%	43.4%
New South Wales	Ballina (A)	1,141	81.1%	78.5%	36.0%
New South Wales	Balranald (A)	<200	92.9%	91.3%	49.1%
New South Wales	Bathurst Regional (A)	1,455	87.5%	84.1%	35.4%
New South Wales	Bayside (A)	1,141	88.8%	87.8%	48.3%
New South Wales	Bega Valley (A)	949	85.6%	82.9%	44.0%
New South Wales	Bellingen (A)	280	83.2%	82.1%	45.4%
New South Wales	Berrigan (A)	<200	89.4%	87.9%	58.3%
New South Wales	Blacktown (C)	7,012	87.4%	85.1%	40.2%
New South Wales	Bland (A)	224	94.2%	93.3%	51.9%
New South Wales	Blayney (A)	<200	90.2%	88.0%	47.8%
New South Wales	Blue Mountains (C)	904	88.7%	87.5%	54.4%
New South Wales	Bogan (A)	271	89.7%	87.1%	43.6%
New South Wales	Bourke (A)	785	81.5%	76.9%	40.9%
New South Wales	Brewarrina (A)	679	87.8%	84.8%	45.0%
New South Wales	Broken Hill (C)	1,358	88.8%	86.6%	46.4%
New South Wales	Burwood (A)	<200	88.4%	86.3%	62.3%
New South Wales	Byron (A)	408	75.7%	72.8%	45.1%
New South Wales	Cabonne (A)	351	92.6%	91.5%	48.6%
New South Wales	Camden (A)	1,521	92.0%	91.1%	42.8%
New South Wales	Campbelltown (C) (NSW)	4,193	88.5%	86.5%	41.5%
New South Wales	Canada Bay (A)	296	88.5%	87.5%	53.8%
New South Wales	Canterbury-Bankstown (A)	2,048	87.5%	85.6%	46.6%
New South Wales	Carrathool (A)	<200	92.5%	91.0%	55.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	7,983	86.4%	84.8%	41.4%
New South Wales	Central Darling (A)	499	88.0%	87.2%	32.7%
New South Wales	Cessnock (C)	2,821	89.8%	88.3%	41.1%
New South Wales	Clarence Valley (A)	2,334	79.3%	76.8%	39.2%
New South Wales	Cobar (A)	325	88.3%	87.1%	33.7%
New South Wales	Coffs Harbour (C)	2,826	83.6%	81.3%	36.2%
New South Wales	Coolamon (A)	<200	87.7%	87.7%	44.0%
New South Wales	Coonamble (A)	1,116	89.2%	87.1%	49.9%
New South Wales	Cootamundra-Gundagai Regional (A)	312	92.3%	91.0%	49.3%
New South Wales	Cowra (A)	668	88.5%	85.0%	37.2%
New South Wales	Cumberland (A)	1,153	86.2%	84.5%	47.4%
New South Wales	Dubbo Regional (A)	5,490	85.5%	83.3%	36.3%
New South Wales	Dungog (A)	314	92.0%	90.4%	48.6%
New South Wales	Edward River (A)	274	93.1%	90.5%	55.5%
New South Wales	Eurobodalla (A)	1,639	90.5%	88.1%	40.8%
New South Wales	Fairfield (C)	1,242	84.6%	82.1%	43.7%
New South Wales	Federation (A)	<200	88.8%	86.2%	58.6%
New South Wales	Forbes (A)	807	92.8%	91.1%	47.6%
New South Wales	Georges River (A)	704	90.2%	88.5%	52.8%
New South Wales	Gilgandra (A)	467	82.0%	80.3%	40.1%
New South Wales	Glen Innes Severn (A)	490	82.0%	79.2%	42.9%
New South Wales	Goulburn Mulwaree (A)	664	89.2%	87.8%	55.6%
New South Wales	Greater Hume Shire (A)	<200	85.5%	84.2%	53.2%
New South Wales	Griffith (C)	973	85.2%	82.5%	40.0%
New South Wales	Gunnedah (A)	1,222	88.0%	85.8%	37.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.0%	90.9%	52.1%
New South Wales	Hawkesbury (C)	1,478	89.5%	88.6%	43.1%
New South Wales	Hay (A)	<200	96.0%	94.9%	62.0%
New South Wales	Hilltops (A)	426	89.9%	87.1%	47.9%
New South Wales	Hornsby (A)	420	91.0%	90.0%	63.5%
New South Wales	Hunters Hill (A)	<200	84.2%	80.7%	60.0%
New South Wales	Inner West (A)	1,606	86.4%	84.2%	54.1%
New South Wales	Inverell (A)	1,158	82.0%	78.9%	40.7%
New South Wales	Junee (A)	270	87.8%	87.0%	52.8%
New South Wales	Kempsey (A)	2,424	78.8%	75.3%	30.2%
New South Wales	Kiama (A)	240	91.3%	90.8%	55.1%
New South Wales	Ku-ring-gai (A)	<200	90.4%	89.8%	71.4%
New South Wales	Kyogle (A)	353	71.1%	65.4%	38.8%
New South Wales	Lachlan (A)	962	87.7%	85.0%	40.4%
New South Wales	Lake Macquarie (C)	5,418	88.5%	87.1%	43.2%
New South Wales	Lane Cove (A)	<200	85.7%	83.5%	49.3%
New South Wales	Leeton (A)	384	85.4%	83.3%	37.3%
New South Wales	Lismore (C)	1,758	77.2%	73.9%	34.9%
New South Wales	Lithgow (C)	778	89.8%	88.0%	49.3%
New South Wales	Liverpool (C)	2,380	87.4%	84.5%	44.3%
New South Wales	Liverpool Plains (A)	734	91.3%	89.1%	50.5%
New South Wales	Lockhart (A)	<200	90.8%	89.5%	44.1%
New South Wales	Maitland (C)	2,875	88.5%	87.2%	38.5%
New South Wales	Mid-Coast (A)	3,914	80.9%	78.9%	39.4%
New South Wales	Mid-Western Regional (A)	859	87.4%	85.3%	43.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Moree Plains (A)	2,350	82.9%	78.3%	35.6%
New South Wales	Mosman (A)	<200	84.3%	82.4%	76.2%
New South Wales	Murray River (A)	315	89.5%	87.9%	51.3%
New South Wales	Murrumbidgee (A)	<200	93.7%	90.1%	49.7%
New South Wales	Muswellbrook (A)	853	88.4%	86.3%	38.7%
New South Wales	Nambucca Valley (A)	1,204	80.4%	78.1%	35.1%
New South Wales	Narrabri (A)	1,284	89.0%	86.2%	38.5%
New South Wales	Narrandera (A)	416	86.1%	83.7%	35.7%
New South Wales	Narromine (A)	632	85.8%	83.4%	28.2%
New South Wales	Newcastle (C)	3,755	89.2%	87.4%	42.7%
New South Wales	North Sydney (A)	<200	91.0%	90.4%	68.7%
New South Wales	Northern Beaches (A)	789	86.7%	86.1%	55.2%
New South Wales	Oberon (A)	<200	87.7%	86.8%	56.7%
New South Wales	Orange (C)	1,939	86.0%	83.0%	38.4%
New South Wales	Parkes (A)	1,119	88.6%	86.7%	44.5%
New South Wales	Parramatta (C)	1,236	86.4%	83.7%	51.0%
New South Wales	Penrith (C)	5,038	90.7%	88.8%	43.2%
New South Wales	Port Macquarie-Hastings (A)	2,274	83.9%	82.5%	42.0%
New South Wales	Port Stephens (A)	2,367	86.8%	84.9%	40.7%
New South Wales	Queanbeyan-Palerang Regional (A)	1,227	89.7%	87.8%	50.2%
New South Wales	Randwick (C)	1,466	86.7%	84.4%	53.5%
New South Wales	Richmond Valley (A)	1,425	75.3%	72.7%	30.8%
New South Wales	Ryde (C)	350	88.6%	87.4%	54.6%
New South Wales	Shellharbour (C)	1,709	86.7%	84.8%	37.5%
New South Wales	Shoalhaven (C)	3,892	87.1%	84.8%	43.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Singleton (A)	923	88.2%	86.6%	39.4%
New South Wales	Snowy Monaro Regional (A)	368	90.5%	88.0%	53.1%
New South Wales	Snowy Valleys (A)	383	87.5%	85.1%	43.7%
New South Wales	Strathfield (A)	<200	89.3%	84.6%	47.1%
New South Wales	Sutherland Shire (A)	1,590	91.7%	91.2%	54.7%
New South Wales	Sydney (C)	2,700	85.4%	82.6%	50.3%
New South Wales	Tamworth Regional (A)	4,426	88.4%	86.2%	41.7%
New South Wales	Temora (A)	<200	93.6%	89.6%	47.7%
New South Wales	Tenterfield (A)	312	74.4%	70.2%	28.2%
New South Wales	The Hills Shire (A)	589	91.3%	91.0%	55.2%
New South Wales	Tweed (A)	2,603	80.0%	78.0%	41.5%
New South Wales	Unincorporated NSW	<200	87.7%	86.2%	48.1%
New South Wales	Upper Hunter Shire (A)	383	86.2%	84.3%	35.3%
New South Wales	Upper Lachlan Shire (A)	<200	91.7%	89.0%	51.6%
New South Wales	Uralla (A)	296	90.2%	89.9%	51.3%
New South Wales	Wagga Wagga (C)	2,537	88.3%	86.0%	42.1%
New South Wales	Walcha (A)	<200	89.3%	86.1%	53.4%
New South Wales	Walgett (A)	1,454	83.8%	80.5%	33.2%
New South Wales	Warren (A)	314	85.7%	83.4%	42.6%
New South Wales	Warrumbungle Shire (A)	639	84.4%	80.8%	37.0%
New South Wales	Waverley (A)	229	81.2%	79.9%	55.6%
New South Wales	Weddin (A)	<200	91.8%	90.2%	45.5%
New South Wales	Wentworth (A)	545	87.2%	83.9%	29.2%
New South Wales	Willoughby (C)	<200	84.8%	82.1%	63.2%
New South Wales	Wingecarribee (A)	621	86.8%	85.0%	46.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Wollondilly (A)	1,050	91.5%	90.3%	41.3%
New South Wales	Wollongong (C)	3,738	87.4%	85.7%	44.0%
New South Wales	Woollahra (A)	<200	86.2%	86.2%	61.6%
New South Wales	Yass Valley (A)	256	91.4%	90.6%	50.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Northern Territory	Alice Springs (T)	6,957	87.4%	82.0%	59.9%
Northern Territory	Barkly (R)	2,862	80.7%	72.6%	52.2%
Northern Territory	Belyuen (S)	<200	84.5%	82.5%	64.0%
Northern Territory	Central Desert (R)	1,610	86.2%	80.1%	45.5%
Northern Territory	Coomalie (S)	251	83.7%	75.7%	57.2%
Northern Territory	Darwin (C)	8,465	90.4%	85.7%	57.2%
Northern Territory	East Arnhem (R)	4,388	87.8%	80.1%	45.9%
Northern Territory	Katherine (T)	3,807	87.9%	82.8%	45.3%
Northern Territory	Litchfield (M)	1,484	91.2%	88.3%	52.4%
Northern Territory	MacDonnell (R)	2,635	89.8%	84.6%	57.5%
Northern Territory	Palmerston (C)	4,399	89.4%	85.3%	50.3%
Northern Territory	Roper Gulf (R)	2,438	90.5%	83.8%	39.9%
Northern Territory	Tiwi Islands (R)	1,330	95.8%	92.9%	75.4%
Northern Territory	Unincorporated NT	2,198	92.9%	90.2%	63.8%
Northern Territory	Victoria Daly (R)	690	90.4%	85.4%	63.7%
Northern Territory	Wagait (S)	<200	95.8%	91.7%	65.0%
Northern Territory	West Arnhem (R)	2,485	90.9%	83.9%	55.1%
Northern Territory	West Daly (R)	1,207	95.9%	90.5%	66.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	93.3%	90.2%	64.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Aurukun (S)	636	89.5%	82.4%	29.0%
Queensland	Balonne (S)	562	87.0%	82.7%	58.2%
Queensland	Banana (S)	448	80.1%	76.3%	45.1%
Queensland	Barcaldine (R)	<200	84.3%	82.6%	65.1%
Queensland	Barcoo (S)	<200	84.6%	84.6%	81.0%
Queensland	Blackall-Tambo (R)	<200	93.4%	89.0%	65.8%
Queensland	Boulia (S)	<200	80.0%	76.0%	56.1%
Queensland	Brisbane (C)	13,494	83.8%	80.0%	53.0%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,810	78.4%	74.9%	49.6%
Queensland	Burdekin (S)	756	74.1%	68.1%	46.0%
Queensland	Burke (S)	<200	89.0%	82.2%	50.0%
Queensland	Cairns (R)	12,213	79.4%	74.0%	42.8%
Queensland	Carpentaria (S)	623	89.4%	82.3%	49.4%
Queensland	Cassowary Coast (R)	2,314	72.2%	67.8%	45.4%
Queensland	Central Highlands (R) (Qld)	764	70.7%	67.1%	32.6%
Queensland	Charters Towers (R)	749	81.0%	74.8%	51.0%
Queensland	Cherbourg (S)	718	76.0%	70.2%	37.4%
Queensland	Cloncurry (S)	519	84.8%	77.5%	52.6%
Queensland	Cook (S)	655	85.3%	79.5%	46.0%
Queensland	Croydon (S)	<200	88.3%	88.3%	68.4%
Queensland	Diamantina (S)	<200	90.9%	90.9%	75.0%
Queensland	Doomadgee (S)	722	83.8%	70.9%	39.2%
Queensland	Douglas (S)	660	73.0%	66.4%	44.5%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	82.0%	71.9%	76.9%
Queensland	Fraser Coast (R)	3,273	80.4%	76.1%	49.5%
Queensland	Gladstone (R)	2,361	78.1%	73.7%	41.6%
Queensland	Gold Coast (C)	6,852	81.6%	78.9%	42.5%
Queensland	Goondiwindi (R)	442	80.1%	75.3%	39.0%
Queensland	Gympie (R)	1,192	72.0%	68.1%	50.8%
Queensland	Hinchinbrook (S)	473	78.2%	73.2%	48.8%
Queensland	Hope Vale (S)	490	86.9%	81.0%	52.0%
Queensland	Ipswich (C)	7,047	82.8%	78.3%	44.3%
Queensland	Isaac (R)	458	79.9%	77.9%	31.9%
Queensland	Kowanyama (S)	686	90.8%	86.0%	55.8%
Queensland	Livingstone (S)	836	81.0%	78.0%	45.5%
Queensland	Lockhart River (S)	339	88.5%	83.8%	58.8%
Queensland	Lockyer Valley (R)	1,132	85.1%	81.0%	48.4%
Queensland	Logan (C)	7,897	79.9%	76.1%	43.0%
Queensland	Longreach (R)	<200	86.3%	84.9%	67.0%
Queensland	Mackay (R)	4,444	80.5%	77.2%	39.4%
Queensland	Mapoon (S)	<200	83.9%	79.7%	72.1%
Queensland	Maranoa (R)	845	88.3%	84.1%	52.6%
Queensland	Mareeba (S)	2,298	75.2%	66.6%	42.3%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,183	84.2%	80.8%	49.1%
Queensland	Mornington (S)	485	88.7%	78.1%	55.3%
Queensland	Mount Isa (C)	3,273	79.3%	71.0%	47.5%
Queensland	Murweh (S)	355	87.9%	83.4%	64.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Napranum (S)	397	85.6%	77.1%	54.1%
Queensland	Noosa (S)	406	75.1%	72.2%	41.3%
Queensland	North Burnett (R)	460	83.7%	79.6%	59.5%
Queensland	Northern Peninsula Area (R)	1,373	77.9%	66.2%	40.3%
Queensland	Palm Island (S)	1,255	81.0%	74.0%	57.0%
Queensland	Paroo (S)	432	83.6%	80.3%	43.9%
Queensland	Pormpuraaw (S)	390	96.2%	94.4%	59.4%
Queensland	Quilpie (S)	<200	93.2%	93.2%	60.3%
Queensland	Redland (C)	2,531	84.2%	82.2%	53.9%
Queensland	Richmond (S)	<200	93.0%	90.7%	63.3%
Queensland	Rockhampton (R)	4,391	77.2%	72.8%	42.6%
Queensland	Scenic Rim (R)	790	83.3%	79.6%	48.5%
Queensland	Somerset (R)	604	81.8%	78.6%	46.7%
Queensland	South Burnett (R)	1,243	77.2%	72.4%	48.5%
Queensland	Southern Downs (R)	1,053	80.4%	77.3%	49.9%
Queensland	Sunshine Coast (R)	4,028	78.5%	75.5%	45.8%
Queensland	Tablelands (R)	1,370	68.4%	62.3%	46.5%
Queensland	Toowoomba (R)	4,714	82.8%	78.6%	45.9%
Queensland	Torres (S)	2,159	88.4%	84.2%	63.9%
Queensland	Torres Strait Island (R)	1,859	88.8%	84.5%	66.7%
Queensland	Townsville (C)	11,608	79.2%	73.3%	43.4%
Queensland	Weipa (T)	730	82.3%	77.1%	50.8%
Queensland	Western Downs (R)	1,338	77.7%	75.4%	43.2%
Queensland	Whitsunday (R)	930	69.8%	66.9%	43.0%
Queensland	Winton (S)	<200	94.9%	91.1%	84.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Woorabinda (S)	657	75.0%	66.7%	56.0%
Queensland	Wujal Wujal (S)	<200	93.0%	91.9%	77.1%
Queensland	Yarrabah (S)	1,819	79.5%	73.3%	43.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Adelaide (C)	414	81.6%	75.6%	60.5%
South Australia	Adelaide Hills (DC)	<200	92.5%	90.6%	66.7%
South Australia	Adelaide Plains (DC)	<200	78.0%	73.2%	53.8%
South Australia	Alexandrina (DC)	232	79.7%	75.0%	56.8%
South Australia	Anangu Pitjantjatjara (AC)	587	87.7%	83.5%	64.8%
South Australia	Barossa (DC)	<200	85.8%	81.1%	61.4%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	350	76.9%	70.3%	51.6%
South Australia	Burnside (C)	<200	85.4%	83.3%	64.3%
South Australia	Campbelltown (C) (SA)	276	81.2%	76.4%	57.1%
South Australia	Ceduna (DC)	809	75.4%	66.4%	55.6%
South Australia	Charles Sturt (C)	1,287	78.2%	72.8%	54.2%
South Australia	Clare and Gilbert Valleys (DC)	<200	81.3%	79.7%	50.0%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	265	78.9%	72.1%	49.4%
South Australia	Copper Coast (DC)	321	80.4%	76.9%	60.5%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.0%	87.7%	62.4%
South Australia	Franklin Harbour (DC)	<200	>99%	97.1%	60.6%
South Australia	Gawler (T)	351	79.2%	76.9%	58.3%
South Australia	Goyder (DC)	<200	76.9%	76.9%	66.7%
South Australia	Grant (DC)	<200	90.3%	87.1%	65.4%
South Australia	Holdfast Bay (C)	<200	79.8%	76.1%	63.5%
South Australia	Kangaroo Island (DC)	<200	85.3%	82.4%	66.7%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	80.6%	80.6%	51.9%
South Australia	Light (RegC)	<200	75.0%	75.0%	61.0%
South Australia	Lower Eyre Peninsula (DC)	<200	81.8%	69.7%	65.0%
South Australia	Loxton Waikerie (DC)	<200	81.3%	74.7%	55.0%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	697	75.9%	69.7%	54.0%
South Australia	Mid Murray (DC)	<200	76.0%	70.0%	58.3%
South Australia	Mitcham (C)	250	87.2%	82.0%	63.4%
South Australia	Mount Barker (DC)	<200	80.0%	77.7%	60.2%
South Australia	Mount Gambier (C)	504	82.7%	76.4%	55.3%
South Australia	Mount Remarkable (DC)	<200	89.2%	86.5%	67.7%
South Australia	Murray Bridge (RC)	706	75.4%	68.6%	57.0%
South Australia	Naracoorte and Lucindale (DC)	<200	73.1%	73.1%	54.3%
South Australia	Northern Areas (DC)	<200	85.2%	82.0%	54.8%
South Australia	Norwood Payneham St Peters (C)	<200	81.3%	75.3%	67.3%
South Australia	Onkaparinga (C)	1,763	78.8%	73.1%	55.4%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	85.1%	83.0%	44.1%
South Australia	Playford (C)	2,133	74.5%	67.5%	48.5%
South Australia	Port Adelaide Enfield (C)	2,167	76.7%	69.3%	52.7%
South Australia	Port Augusta (C)	2,318	83.6%	73.9%	53.0%
South Australia	Port Lincoln (C)	798	74.3%	65.8%	55.0%
South Australia	Port Pirie City and Dists (M)	475	70.1%	65.9%	45.7%
South Australia	Prospect (C)	<200	77.2%	72.1%	52.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	84.0%	77.1%	50.0%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	87.6%	86.5%	37.3%
South Australia	Salisbury (C)	1,989	79.3%	72.9%	55.0%
South Australia	Southern Mallee (DC)	<200	83.3%	**	**
South Australia	Streaky Bay (DC)	<200	86.2%	86.2%	54.5%
South Australia	Tatiara (DC)	<200	79.0%	72.6%	47.7%
South Australia	Tea Tree Gully (C)	589	80.3%	75.6%	50.5%
South Australia	The Coorong (DC)	235	82.6%	74.9%	62.8%
South Australia	Tumby Bay (DC)	<200	90.3%	87.1%	60.9%
South Australia	Unincorporated SA	345	85.2%	75.4%	64.0%
South Australia	Unley (C)	<200	84.3%	79.1%	66.7%
South Australia	Victor Harbor (C)	<200	79.1%	75.4%	55.8%
South Australia	Wakefield (DC)	<200	78.5%	73.8%	52.4%
South Australia	Walkerville (M)	<200	88.2%	76.5%	71.4%
South Australia	Wattle Range (DC)	<200	76.6%	70.3%	55.8%
South Australia	West Torrens (C)	469	79.3%	74.2%	53.8%
South Australia	Whyalla (C)	1,215	81.4%	69.5%	55.0%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.4%	81.3%	42.9%
South Australia	Yorke Peninsula (DC)	255	81.2%	75.7%	57.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
15 Mar. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Break O'Day (M)	<200	86.4%	84.0%	59.1%
Tasmania	Brighton (M)	1,203	86.7%	83.3%	49.0%
Tasmania	Burnie (C)	930	86.3%	82.7%	46.0%
Tasmania	Central Coast (M) (Tas.)	955	89.8%	87.7%	60.9%
Tasmania	Central Highlands (M) (Tas.)	<200	85.5%	79.5%	45.6%
Tasmania	Circular Head (M)	547	87.0%	83.9%	45.5%
Tasmania	Clarence (C)	1,298	87.2%	84.7%	53.6%
Tasmania	Derwent Valley (M)	279	85.3%	80.6%	35.8%
Tasmania	Devonport (C)	932	85.4%	82.1%	42.5%
Tasmania	Dorset (M)	<200	86.7%	85.5%	46.8%
Tasmania	Flinders (M) (Tas.)	<200	94.7%	92.4%	82.9%
Tasmania	George Town (M)	235	87.7%	86.0%	59.8%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.2%	84.3%	54.9%
Tasmania	Glenorchy (C)	1,673	90.2%	86.7%	57.4%
Tasmania	Hobart (C)	612	91.8%	89.2%	60.6%
Tasmania	Huon Valley (M)	972	90.0%	85.9%	60.3%
Tasmania	Kentish (M)	205	82.0%	78.0%	44.3%
Tasmania	King Island (M)	<200	**	**	**
Tasmania	Kingborough (M)	787	92.9%	90.2%	60.7%
Tasmania	Latrobe (M) (Tas.)	336	86.9%	83.6%	47.2%
Tasmania	Launceston (C)	1,601	87.8%	84.2%	56.7%
Tasmania	Meander Valley (M)	455	87.7%	84.6%	57.4%
Tasmania	Northern Midlands (M)	215	90.2%	88.8%	57.4%
Tasmania	Sorell (M)	432	90.5%	88.2%	47.4%
Tasmania	Southern Midlands (M)	219	90.4%	88.6%	42.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Tasman (M)	<200	92.6%	90.1%	60.6%
Tasmania	Waratah/Wynyard (M)	664	84.3%	81.0%	50.9%
Tasmania	West Coast (M)	<200	88.6%	84.4%	39.7%
Tasmania	West Tamar (M)	340	93.2%	91.8%	55.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
15 Mar. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Alpine (S)	<200	86.2%	86.2%	61.1%
Victoria	Ararat (RC)	<200	85.0%	82.3%	58.4%
Victoria	Ballarat (C)	1,067	93.1%	91.4%	59.7%
Victoria	Banyule (C)	712	89.6%	87.6%	63.1%
Victoria	Bass Coast (S)	263	88.2%	87.1%	59.2%
Victoria	Baw Baw (S)	406	85.7%	83.3%	49.1%
Victoria	Bayside (C)	209	86.1%	84.2%	63.2%
Victoria	Benalla (RC)	<200	91.5%	89.9%	50.4%
Victoria	Boroondara (C)	284	93.7%	91.9%	68.3%
Victoria	Brimbank (C)	798	85.8%	83.2%	52.1%
Victoria	Buloke (S)	<200	85.1%	83.0%	70.3%
Victoria	Campaspe (S)	760	86.7%	83.9%	49.6%
Victoria	Cardinia (S)	552	91.5%	89.1%	51.0%
Victoria	Casey (C)	1,484	88.9%	87.1%	50.0%
Victoria	Central Goldfields (S)	<200	91.4%	90.1%	58.9%
Victoria	Colac-Otway (S)	<200	90.4%	88.7%	59.5%
Victoria	Corangamite (S)	<200	90.7%	89.5%	57.3%
Victoria	Darebin (C)	1,198	88.1%	84.4%	53.2%
Victoria	East Gippsland (S)	1,282	90.9%	88.4%	52.8%
Victoria	Frankston (C)	882	89.2%	86.8%	52.4%
Victoria	Gannawarra (S)	<200	94.4%	91.0%	48.0%
Victoria	Glen Eira (C)	268	88.4%	87.7%	65.1%
Victoria	Glenelg (S)	372	92.7%	91.1%	55.2%
Victoria	Golden Plains (S)	<200	89.9%	89.9%	58.7%
Victoria	Greater Bendigo (C)	1,449	92.0%	90.1%	56.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Greater Dandenong (C)	651	87.6%	84.6%	58.8%
Victoria	Greater Geelong (C)	1,910	91.2%	89.2%	59.7%
Victoria	Greater Shepparton (C)	1,900	86.5%	83.3%	47.2%
Victoria	Hepburn (S)	<200	92.8%	90.4%	59.7%
Victoria	Hindmarsh (S)	<200	94.1%	91.2%	59.7%
Victoria	Hobsons Bay (C)	382	87.2%	85.1%	60.7%
Victoria	Horsham (RC)	<200	88.1%	85.0%	51.1%
Victoria	Hume (C)	1,188	88.3%	86.0%	44.7%
Victoria	Indigo (S)	<200	92.3%	90.6%	61.3%
Victoria	Kingston (C) (Vic.)	436	92.4%	90.8%	65.0%
Victoria	Knox (C)	563	91.7%	89.9%	59.2%
Victoria	Latrobe (C) (Vic.)	989	86.3%	82.6%	39.3%
Victoria	Loddon (S)	<200	90.9%	90.9%	51.9%
Victoria	Macedon Ranges (S)	201	91.5%	90.0%	65.0%
Victoria	Manningham (C)	259	88.4%	86.9%	62.2%
Victoria	Mansfield (S)	<200	89.4%	87.2%	56.1%
Victoria	Maribyrnong (C)	383	88.3%	85.9%	63.0%
Victoria	Maroondah (C)	386	89.9%	88.6%	58.2%
Victoria	Melbourne (C)	711	89.2%	85.4%	63.1%
Victoria	Melton (C)	937	89.3%	87.2%	52.0%
Victoria	Mildura (RC)	1,782	88.4%	84.8%	40.2%
Victoria	Mitchell (S)	436	92.4%	90.6%	52.7%
Victoria	Moira (S)	380	90.5%	89.2%	53.8%
Victoria	Monash (C)	431	87.9%	86.8%	58.9%
Victoria	Moonee Valley (C)	356	90.2%	88.2%	61.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Moorabool (S)	238	89.5%	87.4%	53.9%
Victoria	Moreland (C)	768	92.8%	90.9%	59.8%
Victoria	Mornington Peninsula (S)	885	89.5%	87.8%	56.7%
Victoria	Mount Alexander (S)	<200	92.1%	89.8%	69.6%
Victoria	Moyne (S)	<200	93.7%	91.2%	58.7%
Victoria	Murrindindi (S)	<200	91.5%	90.6%	63.1%
Victoria	Nillumbik (S)	218	92.2%	91.3%	59.5%
Victoria	Northern Grampians (S)	<200	85.6%	85.6%	63.0%
Victoria	Port Phillip (C)	423	88.2%	86.8%	59.0%
Victoria	Pyrenees (S)	<200	87.7%	87.7%	51.0%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	227	86.3%	86.3%	62.5%
Victoria	Southern Grampians (S)	223	91.0%	90.6%	55.9%
Victoria	Stonnington (C)	299	84.6%	82.3%	67.4%
Victoria	Strathbogie (S)	<200	92.1%	90.1%	48.9%
Victoria	Surf Coast (S)	<200	93.4%	92.6%	70.9%
Victoria	Swan Hill (RC)	757	88.4%	85.3%	46.3%
Victoria	Towong (S)	<200	87.0%	85.5%	67.2%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	290	92.1%	90.3%	56.6%
Victoria	Warrnambool (C)	483	92.1%	88.2%	53.9%
Victoria	Wellington (S)	615	86.5%	83.7%	53.4%
Victoria	West Wimmera (S)	<200	>99%	>99%	58.3%
Victoria	Whitehorse (C)	395	91.4%	89.1%	62.7%
Victoria	Whittlesea (C)	1,364	92.2%	90.7%	51.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Wodonga (C)	673	86.5%	84.4%	50.4%
Victoria	Wyndham (C)	1,341	90.6%	88.4%	50.4%
Victoria	Yarra (C)	410	88.3%	84.9%	57.7%
Victoria	Yarra Ranges (S)	900	90.9%	89.6%	52.3%
Victoria	Yarriambiack (S)	<200	85.5%	85.5%	67.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Albany (C)	932	84.9%	76.4%	73.2%
Western Australia	Armadale (C)	1,943	86.4%	77.7%	73.3%
Western Australia	Ashburton (S)	523	88.1%	79.7%	63.8%
Western Australia	Augusta-Margaret River (S)	<200	83.9%	81.7%	78.0%
Western Australia	Bassendean (T)	331	84.9%	74.9%	70.2%
Western Australia	Bayswater (C)	780	82.6%	74.1%	69.9%
Western Australia	Belmont (C)	980	83.8%	75.7%	75.5%
Western Australia	Beverley (S)	<200	91.3%	87.0%	88.5%
Western Australia	Boddington (S)	<200	91.7%	87.5%	70.0%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	89.4%	89.4%	79.4%
Western Australia	Brookton (S)	<200	87.1%	85.5%	83.3%
Western Australia	Broome (S)	4,157	86.5%	78.5%	73.9%
Western Australia	Broomehill-Tambellup (S)	<200	85.5%	77.6%	85.7%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,129	88.0%	81.6%	67.2%
Western Australia	Busselton (C)	411	86.1%	79.8%	77.7%
Western Australia	Cambridge (T)	<200	89.7%	89.7%	81.5%
Western Australia	Canning (C)	1,007	84.4%	73.3%	68.9%
Western Australia	Capel (S)	265	86.4%	80.8%	69.9%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	854	82.8%	69.8%	75.1%
Western Australia	Chapman Valley (S)	<200	88.6%	85.7%	50.0%
Western Australia	Chittering (S)	<200	90.9%	89.1%	71.4%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Cockburn (C)	1,355	83.5%	74.8%	73.8%
Western Australia	Collie (S)	295	85.8%	77.3%	65.0%
Western Australia	Coolgardie (S)	247	83.4%	72.5%	73.5%
Western Australia	Coorow (S)	<200	**	**	**
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	83.3%	83.3%	88.2%
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	86.1%	69.4%	61.1%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	92.1%	88.9%	80.6%
Western Australia	Dandaragan (S)	<200	93.5%	89.1%	79.4%
Western Australia	Dardanup (S)	218	90.8%	87.6%	77.0%
Western Australia	Denmark (S)	<200	82.4%	78.4%	75.0%
Western Australia	Derby-West Kimberley (S)	3,740	76.0%	62.1%	64.2%
Western Australia	Donnybrook-Balingup (S)	<200	94.0%	89.6%	75.6%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	83.3%	66.7%	60.0%
Western Australia	East Fremantle (T)	<200	80.0%	68.9%	68.2%
Western Australia	East Pilbara (S)	1,116	86.7%	75.9%	66.4%
Western Australia	Esperance (S)	359	81.6%	72.1%	62.6%
Western Australia	Exmouth (S)	<200	91.9%	81.1%	83.3%
Western Australia	Fremantle (C)	471	82.2%	74.1%	68.4%
Western Australia	Gingin (S)	<200	90.1%	85.9%	66.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	93.5%	83.1%	68.6%
Western Australia	Goomalling (S)	<200	93.8%	78.1%	68.8%
Western Australia	Gosnells (C)	2,360	85.6%	76.8%	72.2%
Western Australia	Greater Geraldton (C)	3,425	84.1%	72.1%	68.7%
Western Australia	Halls Creek (S)	2,003	72.5%	61.6%	62.8%
Western Australia	Harvey (S)	468	89.3%	83.5%	73.3%
Western Australia	Irwin (S)	<200	80.9%	73.5%	77.1%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	753	88.7%	83.7%	76.4%
Western Australia	Kalamunda (C)	700	86.6%	80.0%	75.1%
Western Australia	Kalgoorlie/Boulder (C)	1,908	80.6%	71.3%	63.1%
Western Australia	Karratha (C)	2,629	81.5%	70.9%	68.6%
Western Australia	Katanning (S)	285	87.4%	78.6%	64.4%
Western Australia	Kellerberrin (S)	<200	90.0%	85.7%	67.5%
Western Australia	Kent (S)	<200	**	**	**
Western Australia	Kojonup (S)	<200	94.3%	87.1%	66.7%
Western Australia	Kondinin (S)	<200	92.9%	90.5%	79.3%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,471	83.6%	70.9%	67.0%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	241	82.6%	74.7%	75.7%
Western Australia	Leonora (S)	225	80.4%	72.4%	40.7%
Western Australia	Mandurah (C)	1,218	84.5%	78.2%	69.4%
Western Australia	Manjimup (S)	<200	90.4%	88.6%	73.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Meekatharra (S)	335	89.3%	79.1%	62.6%
Western Australia	Melville (C)	478	85.8%	76.2%	80.4%
Western Australia	Menzies (S)	<200	79.6%	69.4%	50.0%
Western Australia	Merredin (S)	<200	83.9%	72.0%	70.9%
Western Australia	Mingenew (S)	<200	95.8%	91.7%	84.6%
Western Australia	Moora (S)	284	91.9%	86.6%	79.9%
Western Australia	Morawa (S)	<200	90.9%	79.5%	80.5%
Western Australia	Mosman Park (T)	<200	84.0%	76.0%	80.8%
Western Australia	Mount Magnet (S)	<200	83.3%	74.7%	70.4%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	96.0%	38.9%
Western Australia	Mundaring (S)	780	85.3%	70.6%	67.1%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	238	85.7%	76.1%	68.1%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	246	82.5%	72.4%	61.3%
Western Australia	Nedlands (C)	<200	90.2%	82.0%	75.7%
Western Australia	Ngaanyatjarraku (S)	689	84.9%	74.9%	71.6%
Western Australia	Northam (S)	516	80.0%	67.8%	61.2%
Western Australia	Northampton (S)	<200	85.2%	77.3%	67.3%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	92.0%	92.0%	70.6%
Western Australia	Perth (C)	849	82.6%	71.0%	72.6%
Western Australia	Pingelly (S)	<200	89.9%	78.7%	88.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Plantagenet (S)	<200	89.1%	83.2%	58.5%
Western Australia	Port Hedland (T)	2,633	81.3%	71.0%	71.2%
Western Australia	Quairading (S)	<200	82.4%	64.8%	76.9%
Western Australia	Ravensthorpe (S)	<200	84.8%	84.8%	87.0%
Western Australia	Rockingham (C)	1,777	88.2%	82.8%	75.7%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	364	90.9%	87.4%	74.4%
Western Australia	Shark Bay (S)	<200	86.7%	84.4%	62.5%
Western Australia	South Perth (C)	442	83.3%	77.4%	79.6%
Western Australia	Stirling (C)	1,903	82.5%	75.1%	73.2%
Western Australia	Subiaco (C)	<200	85.7%	81.0%	87.5%
Western Australia	Swan (C)	3,400	86.5%	79.4%	73.3%
Western Australia	Tammin (S)	<200	83.7%	76.7%	56.5%
Western Australia	Three Springs (S)	<200	89.8%	83.7%	78.1%
Western Australia	Toodyay (S)	<200	83.5%	80.0%	78.3%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	546	86.8%	79.1%	76.2%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	203	85.7%	83.3%	74.6%
Western Australia	Wagin (S)	<200	82.0%	75.4%	66.7%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,144	85.4%	78.5%	73.3%
Western Australia	Waroona (S)	<200	91.3%	87.5%	87.7%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
15 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	90.2%	84.0%	67.5%
Western Australia	Wongan-Ballidu (S)	<200	95.3%	83.7%	85.7%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,221	85.2%	77.3%	71.3%
Western Australia	Yalgoo (S)	<200	91.6%	79.5%	67.3%
Western Australia	Yilgarn (S)	<200	90.9%	**	**
Western Australia	York (S)	<200	75.6%	68.3%	74.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of any vaccine type.

People eligible with more than 2 doses. Total people received more than 2 doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 15 Mar. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 15 Mar. 2022 including individuals aged 16 and over.