



**Australian Government**  
**Operation COVID Shield**

# Local Government Area (LGA) COVID-19 Vaccine Rates

02 March 2022

## Data caveats:

### Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

### Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:  
01 Mar. 2022

# Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,318	91.4%	88.9%	54.8%

Data as at:  
01 Mar. 2022

# New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Albury (C)	1,244	83.1%	79.0%	39.6%
New South Wales	Armidale Regional (A)	1,461	86.0%	82.8%	40.5%
New South Wales	Ballina (A)	1,126	80.9%	78.4%	36.2%
New South Wales	Balranald (A)	<200	92.9%	91.3%	48.2%
New South Wales	Bathurst Regional (A)	1,471	87.7%	84.2%	33.0%
New South Wales	Bayside (A)	1,144	88.7%	87.4%	46.7%
New South Wales	Bega Valley (A)	947	86.1%	83.3%	42.9%
New South Wales	Bellingen (A)	280	83.2%	81.4%	40.4%
New South Wales	Berrigan (A)	<200	90.6%	89.1%	50.9%
New South Wales	Blacktown (C)	6,987	87.4%	84.9%	38.4%
New South Wales	Bland (A)	227	94.3%	93.4%	52.2%
New South Wales	Blayney (A)	<200	90.2%	88.0%	41.8%
New South Wales	Blue Mountains (C)	906	88.5%	87.3%	50.4%
New South Wales	Bogan (A)	276	89.9%	86.6%	37.3%
New South Wales	Bourke (A)	796	81.3%	76.6%	39.6%
New South Wales	Brewarrina (A)	691	87.8%	84.8%	42.1%
New South Wales	Broken Hill (C)	1,352	88.7%	86.5%	43.8%
New South Wales	Burwood (A)	<200	88.4%	87.0%	58.5%
New South Wales	Byron (A)	401	75.3%	72.1%	42.3%
New South Wales	Cabonne (A)	349	92.8%	92.0%	47.5%
New South Wales	Camden (A)	1,519	91.8%	91.2%	41.6%
New South Wales	Campbelltown (C) (NSW)	4,198	88.5%	86.2%	39.5%
New South Wales	Canada Bay (A)	293	88.4%	87.4%	53.6%
New South Wales	Canterbury-Bankstown (A)	2,049	87.4%	85.4%	44.7%
New South Wales	Carrathool (A)	<200	92.6%	91.2%	55.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	7,992	86.3%	84.6%	38.7%
New South Wales	Central Darling (A)	498	88.0%	86.7%	26.2%
New South Wales	Cessnock (C)	2,820	89.6%	88.1%	37.4%
New South Wales	Clarence Valley (A)	2,326	79.3%	76.5%	38.4%
New South Wales	Cobar (A)	326	87.4%	86.2%	32.4%
New South Wales	Coffs Harbour (C)	2,825	83.4%	81.3%	34.4%
New South Wales	Coolamon (A)	<200	87.6%	85.7%	40.0%
New South Wales	Coonamble (A)	1,122	89.1%	86.9%	45.1%
New South Wales	Cootamundra-Gundagai Regional (A)	313	92.3%	90.7%	45.7%
New South Wales	Cowra (A)	672	88.7%	85.3%	35.8%
New South Wales	Cumberland (A)	1,152	86.1%	84.5%	44.5%
New South Wales	Dubbo Regional (A)	5,536	85.4%	83.1%	33.5%
New South Wales	Dungog (A)	314	91.7%	90.8%	43.8%
New South Wales	Edward River (A)	273	93.0%	90.5%	55.9%
New South Wales	Eurobodalla (A)	1,653	90.5%	88.1%	38.9%
New South Wales	Fairfield (C)	1,238	84.6%	82.1%	41.2%
New South Wales	Federation (A)	<200	88.2%	85.5%	53.5%
New South Wales	Forbes (A)	808	92.6%	90.7%	45.2%
New South Wales	Georges River (A)	706	90.4%	88.7%	51.1%
New South Wales	Gilgandra (A)	466	82.0%	80.5%	39.3%
New South Wales	Glen Innes Severn (A)	491	81.5%	78.8%	38.8%
New South Wales	Goulburn Mulwaree (A)	663	89.1%	87.3%	52.6%
New South Wales	Greater Hume Shire (A)	<200	85.5%	84.3%	49.6%
New South Wales	Griffith (C)	967	85.3%	82.8%	37.1%
New South Wales	Gunnedah (A)	1,223	87.9%	85.9%	35.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.5%	91.4%	47.9%
New South Wales	Hawkesbury (C)	1,481	89.4%	88.5%	40.8%
New South Wales	Hay (A)	<200	96.0%	94.2%	61.4%
New South Wales	Hilltops (A)	425	90.1%	87.3%	45.6%
New South Wales	Hornsby (A)	422	91.0%	90.0%	61.5%
New South Wales	Hunters Hill (A)	<200	83.9%	80.4%	59.5%
New South Wales	Inner West (A)	1,614	86.5%	84.0%	51.4%
New South Wales	Inverell (A)	1,165	81.8%	78.6%	38.1%
New South Wales	Junee (A)	268	88.1%	87.3%	46.5%
New South Wales	Kempsey (A)	2,434	78.6%	75.2%	27.5%
New South Wales	Kiama (A)	240	92.1%	91.7%	52.8%
New South Wales	Ku-ring-gai (A)	<200	90.6%	90.1%	69.2%
New South Wales	Kyogle (A)	351	71.5%	65.0%	37.8%
New South Wales	Lachlan (A)	966	87.4%	84.8%	38.1%
New South Wales	Lake Macquarie (C)	5,436	88.5%	87.0%	40.5%
New South Wales	Lane Cove (A)	<200	85.7%	83.5%	47.9%
New South Wales	Leeton (A)	383	84.9%	83.0%	31.7%
New South Wales	Lismore (C)	1,716	77.6%	74.4%	35.5%
New South Wales	Lithgow (C)	787	89.7%	87.9%	45.4%
New South Wales	Liverpool (C)	2,383	87.3%	84.5%	41.6%
New South Wales	Liverpool Plains (A)	737	91.2%	88.9%	45.9%
New South Wales	Lockhart (A)	<200	90.0%	88.7%	43.5%
New South Wales	Maitland (C)	2,882	88.5%	87.3%	35.2%
New South Wales	Mid-Coast (A)	3,903	81.0%	79.0%	35.5%
New South Wales	Mid-Western Regional (A)	856	87.3%	84.9%	39.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Moree Plains (A)	2,352	82.7%	77.8%	33.2%
New South Wales	Mosman (A)	<200	84.0%	82.0%	68.3%
New South Wales	Murray River (A)	319	89.7%	88.1%	46.0%
New South Wales	Murrumbidgee (A)	<200	92.9%	89.3%	47.3%
New South Wales	Muswellbrook (A)	850	88.6%	86.2%	35.4%
New South Wales	Nambucca Valley (A)	1,211	79.9%	77.8%	31.6%
New South Wales	Narrabri (A)	1,281	88.9%	86.0%	36.0%
New South Wales	Narrandera (A)	422	86.5%	83.9%	29.6%
New South Wales	Narromine (A)	646	86.1%	83.7%	26.8%
New South Wales	Newcastle (C)	3,771	89.0%	87.1%	39.5%
New South Wales	North Sydney (A)	<200	90.7%	90.1%	67.6%
New South Wales	Northern Beaches (A)	791	86.5%	85.7%	51.0%
New South Wales	Oberon (A)	<200	87.6%	84.8%	59.3%
New South Wales	Orange (C)	1,941	86.1%	83.3%	37.3%
New South Wales	Parkes (A)	1,123	88.6%	86.8%	39.5%
New South Wales	Parramatta (C)	1,230	86.2%	83.7%	49.1%
New South Wales	Penrith (C)	5,036	90.6%	88.8%	41.3%
New South Wales	Port Macquarie-Hastings (A)	2,283	83.8%	82.5%	39.7%
New South Wales	Port Stephens (A)	2,381	86.9%	85.1%	37.7%
New South Wales	Queanbeyan-Palerang Regional (A)	1,228	89.6%	87.6%	47.7%
New South Wales	Randwick (C)	1,474	86.5%	84.0%	51.1%
New South Wales	Richmond Valley (A)	1,416	74.9%	72.2%	30.1%
New South Wales	Ryde (C)	351	88.6%	87.5%	53.3%
New South Wales	Shellharbour (C)	1,708	86.5%	84.5%	35.4%
New South Wales	Shoalhaven (C)	3,904	87.0%	84.6%	41.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Singleton (A)	915	88.3%	86.8%	37.1%
New South Wales	Snowy Monaro Regional (A)	373	90.6%	87.9%	51.3%
New South Wales	Snowy Valleys (A)	384	87.5%	85.2%	40.2%
New South Wales	Strathfield (A)	<200	89.3%	83.9%	44.9%
New South Wales	Sutherland Shire (A)	1,603	91.7%	91.3%	51.3%
New South Wales	Sydney (C)	2,680	85.4%	82.4%	48.4%
New South Wales	Tamworth Regional (A)	4,425	88.4%	86.1%	39.5%
New South Wales	Temora (A)	<200	93.5%	89.4%	45.7%
New South Wales	Tenterfield (A)	315	74.0%	69.8%	26.5%
New South Wales	The Hills Shire (A)	592	90.9%	90.7%	52.4%
New South Wales	Tweed (A)	2,605	79.7%	78.0%	40.3%
New South Wales	Unincorporated NSW	<200	87.5%	82.8%	47.1%
New South Wales	Upper Hunter Shire (A)	388	86.3%	84.8%	32.4%
New South Wales	Upper Lachlan Shire (A)	<200	91.9%	89.3%	48.1%
New South Wales	Uralla (A)	292	90.4%	90.1%	49.6%
New South Wales	Wagga Wagga (C)	2,551	88.3%	85.9%	39.8%
New South Wales	Walcha (A)	<200	89.5%	86.3%	50.5%
New South Wales	Walgett (A)	1,451	83.7%	80.5%	32.0%
New South Wales	Warren (A)	312	85.6%	83.3%	38.3%
New South Wales	Warrumbungle Shire (A)	639	84.2%	80.9%	35.5%
New South Wales	Waverley (A)	228	81.1%	79.4%	51.4%
New South Wales	Weddin (A)	<200	91.7%	90.0%	38.9%
New South Wales	Wentworth (A)	543	87.3%	83.8%	25.6%
New South Wales	Willoughby (C)	<200	84.4%	82.3%	60.2%
New South Wales	Wingecarribee (A)	623	86.5%	84.8%	43.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
01 Mar. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Wollondilly (A)	1,042	91.5%	90.1%	39.0%
New South Wales	Wollongong (C)	3,753	87.4%	85.8%	41.7%
New South Wales	Woollahra (A)	<200	86.4%	86.4%	59.6%
New South Wales	Yass Valley (A)	256	91.0%	89.8%	47.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Northern Territory	Alice Springs (T)	6,977	86.8%	80.7%	58.6%
Northern Territory	Barkly (R)	2,872	80.0%	70.9%	52.1%
Northern Territory	Belyuen (S)	<200	84.0%	81.9%	75.8%
Northern Territory	Central Desert (R)	1,613	85.9%	79.0%	48.8%
Northern Territory	Coomalie (S)	254	83.1%	75.2%	57.7%
Northern Territory	Darwin (C)	8,460	89.9%	84.8%	53.6%
Northern Territory	East Arnhem (R)	4,380	87.6%	79.5%	46.3%
Northern Territory	Katherine (T)	3,801	87.5%	81.9%	47.2%
Northern Territory	Litchfield (M)	1,475	91.1%	87.7%	49.5%
Northern Territory	MacDonnell (R)	2,642	89.4%	83.3%	55.4%
Northern Territory	Palmerston (C)	4,399	89.0%	84.3%	45.8%
Northern Territory	Roper Gulf (R)	2,437	90.4%	83.5%	42.8%
Northern Territory	Tiwi Islands (R)	1,325	95.5%	92.3%	74.3%
Northern Territory	Unincorporated NT	2,208	92.8%	89.8%	62.0%
Northern Territory	Victoria Daly (R)	685	89.9%	84.7%	60.6%
Northern Territory	Wagait (S)	<200	95.8%	91.7%	68.4%
Northern Territory	West Arnhem (R)	2,476	90.7%	83.4%	53.3%
Northern Territory	West Daly (R)	1,200	95.8%	89.9%	62.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	92.7%	89.7%	63.9%

Data as at:  
01 Mar. 2022

# Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Aurukun (S)	635	89.4%	81.9%	30.6%
Queensland	Balonne (S)	560	86.8%	81.8%	60.8%
Queensland	Banana (S)	449	80.0%	75.5%	51.4%
Queensland	Barcaldine (R)	<200	84.3%	81.8%	78.1%
Queensland	Barcoo (S)	<200	84.6%	84.6%	80.0%
Queensland	Blackall-Tambo (R)	<200	92.2%	88.9%	73.0%
Queensland	Boulia (S)	<200	77.0%	74.3%	66.7%
Queensland	Brisbane (C)	13,473	83.5%	79.5%	54.0%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,798	78.2%	74.4%	54.1%
Queensland	Burdekin (S)	761	73.7%	66.9%	55.5%
Queensland	Burke (S)	<200	88.9%	81.9%	71.4%
Queensland	Cairns (R)	12,208	78.9%	72.9%	46.8%
Queensland	Carpentaria (S)	611	89.4%	81.7%	60.4%
Queensland	Cassowary Coast (R)	2,308	72.2%	66.7%	49.9%
Queensland	Central Highlands (R) (Qld)	770	70.6%	66.4%	38.0%
Queensland	Charters Towers (R)	740	80.8%	74.1%	50.5%
Queensland	Cherbourg (S)	713	75.9%	69.4%	38.1%
Queensland	Cloncurry (S)	515	84.3%	76.5%	61.0%
Queensland	Cook (S)	644	85.2%	78.0%	50.3%
Queensland	Croydon (S)	<200	88.3%	86.7%	76.5%
Queensland	Diamantina (S)	<200	90.7%	90.7%	83.9%
Queensland	Doomadgee (S)	715	83.5%	69.8%	45.8%
Queensland	Douglas (S)	668	71.9%	65.6%	45.9%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	82.1%	70.0%	60.0%
Queensland	Fraser Coast (R)	3,253	80.2%	75.5%	53.8%
Queensland	Gladstone (R)	2,349	77.6%	73.3%	44.4%
Queensland	Gold Coast (C)	6,835	81.2%	78.5%	44.1%
Queensland	Goondiwindi (R)	439	80.4%	75.9%	38.2%
Queensland	Gympie (R)	1,197	71.8%	67.8%	52.2%
Queensland	Hinchinbrook (S)	477	77.8%	71.7%	48.6%
Queensland	Hope Vale (S)	494	87.0%	81.0%	50.2%
Queensland	Ipswich (C)	7,042	82.5%	77.6%	45.8%
Queensland	Isaac (R)	463	79.7%	77.8%	37.6%
Queensland	Kowanyama (S)	685	90.5%	85.7%	59.9%
Queensland	Livingstone (S)	832	80.8%	77.9%	49.5%
Queensland	Lockhart River (S)	337	88.4%	83.1%	55.2%
Queensland	Lockyer Valley (R)	1,117	84.4%	80.2%	48.2%
Queensland	Logan (C)	7,866	79.4%	75.4%	44.6%
Queensland	Longreach (R)	<200	86.3%	84.2%	71.4%
Queensland	Mackay (R)	4,444	80.1%	76.5%	45.0%
Queensland	Mapoon (S)	<200	83.8%	78.6%	76.9%
Queensland	Maranoa (R)	852	88.3%	83.6%	56.6%
Queensland	Mareeba (S)	2,291	74.5%	65.5%	47.0%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,189	83.9%	80.3%	50.9%
Queensland	Mornington (S)	486	88.5%	78.0%	64.2%
Queensland	Mount Isa (C)	3,257	78.4%	69.5%	53.6%
Queensland	Murweh (S)	353	88.1%	83.0%	67.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
 01 Mar. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Napranum (S)	395	85.6%	75.7%	60.1%
Queensland	Noosa (S)	402	74.9%	71.6%	44.1%
Queensland	North Burnett (R)	463	83.8%	78.6%	60.7%
Queensland	Northern Peninsula Area (R)	1,365	77.8%	65.4%	47.2%
Queensland	Palm Island (S)	1,252	80.7%	73.0%	59.2%
Queensland	Paroo (S)	432	83.3%	80.1%	50.6%
Queensland	Pormpuraaw (S)	386	96.1%	94.0%	56.0%
Queensland	Quilpie (S)	<200	93.3%	93.3%	66.0%
Queensland	Redland (C)	2,527	83.9%	81.7%	54.7%
Queensland	Richmond (S)	<200	93.2%	90.9%	85.7%
Queensland	Rockhampton (R)	4,400	76.5%	71.9%	47.4%
Queensland	Scenic Rim (R)	796	83.0%	78.9%	51.8%
Queensland	Somerset (R)	615	82.6%	78.2%	49.1%
Queensland	South Burnett (R)	1,246	76.7%	71.7%	50.9%
Queensland	Southern Downs (R)	1,052	80.5%	76.9%	54.4%
Queensland	Sunshine Coast (R)	4,021	78.3%	75.4%	47.1%
Queensland	Tablelands (R)	1,375	67.9%	61.2%	54.5%
Queensland	Toowoomba (R)	4,707	82.6%	78.3%	49.5%
Queensland	Torres (S)	2,155	88.1%	83.7%	68.8%
Queensland	Torres Strait Island (R)	1,859	88.6%	83.8%	69.4%
Queensland	Townsville (C)	11,633	78.7%	72.4%	46.7%
Queensland	Weipa (T)	732	82.2%	76.2%	54.9%
Queensland	Western Downs (R)	1,359	77.6%	74.5%	45.6%
Queensland	Whitsunday (R)	935	69.7%	66.1%	42.6%
Queensland	Winton (S)	<200	93.5%	89.6%	83.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Woorabinda (S)	656	74.7%	66.2%	69.2%
Queensland	Wujal Wujal (S)	<200	92.9%	91.8%	75.3%
Queensland	Yarrabah (S)	1,808	79.5%	72.6%	46.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.  
 \*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Adelaide (C)	413	81.6%	74.6%	59.1%
South Australia	Adelaide Hills (DC)	<200	91.5%	89.6%	69.0%
South Australia	Adelaide Plains (DC)	<200	76.2%	72.1%	54.2%
South Australia	Alexandrina (DC)	232	78.0%	75.0%	58.2%
South Australia	Anangu Pitjantjatjara (AC)	589	87.6%	83.5%	64.5%
South Australia	Barossa (DC)	<200	85.0%	80.3%	60.4%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	346	76.3%	69.1%	51.3%
South Australia	Burnside (C)	<200	86.5%	82.3%	67.2%
South Australia	Campbelltown (C) (SA)	278	80.6%	74.8%	53.7%
South Australia	Ceduna (DC)	808	75.5%	65.0%	57.4%
South Australia	Charles Sturt (C)	1,286	78.0%	72.3%	53.8%
South Australia	Clare and Gilbert Valleys (DC)	<200	81.3%	79.7%	51.2%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	269	78.1%	72.1%	51.0%
South Australia	Copper Coast (DC)	320	80.0%	75.9%	56.9%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.2%	87.2%	64.1%
South Australia	Franklin Harbour (DC)	<200	>99%	97.1%	60.6%
South Australia	Gawler (T)	346	79.2%	77.2%	55.3%
South Australia	Goyder (DC)	<200	74.1%	74.1%	50.0%
South Australia	Grant (DC)	<200	90.0%	86.7%	68.2%
South Australia	Holdfast Bay (C)	<200	78.5%	74.8%	59.1%
South Australia	Kangaroo Island (DC)	<200	85.3%	79.4%	71.4%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
 01 Mar. 2022

# South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	80.6%	80.6%	54.2%
South Australia	Light (RegC)	<200	75.3%	75.3%	63.4%
South Australia	Lower Eyre Peninsula (DC)	<200	82.4%	67.6%	70.6%
South Australia	Loxton Waikerie (DC)	<200	80.8%	74.7%	55.7%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	702	74.8%	68.5%	53.3%
South Australia	Mid Murray (DC)	<200	77.1%	71.4%	54.5%
South Australia	Mitcham (C)	249	86.7%	81.1%	63.4%
South Australia	Mount Barker (DC)	<200	80.3%	77.0%	60.9%
South Australia	Mount Gambier (C)	506	81.6%	76.1%	53.0%
South Australia	Mount Remarkable (DC)	<200	91.9%	89.2%	70.0%
South Australia	Murray Bridge (RC)	711	73.6%	66.7%	56.7%
South Australia	Naracoorte and Lucindale (DC)	<200	73.6%	73.6%	54.5%
South Australia	Northern Areas (DC)	<200	85.2%	78.7%	57.9%
South Australia	Norwood Payneham St Peters (C)	<200	80.9%	75.0%	64.1%
South Australia	Onkaparinga (C)	1,765	78.6%	73.0%	56.2%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	85.7%	81.6%	27.6%
South Australia	Playford (C)	2,147	73.8%	66.7%	50.2%
South Australia	Port Adelaide Enfield (C)	2,174	76.3%	68.4%	54.4%
South Australia	Port Augusta (C)	2,315	83.2%	72.8%	55.3%
South Australia	Port Lincoln (C)	803	74.0%	64.5%	55.6%
South Australia	Port Pirie City and Dists (M)	476	70.0%	65.3%	47.0%
South Australia	Prospect (C)	<200	75.9%	72.9%	51.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	84.2%	76.0%	45.1%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	87.6%	86.5%	39.6%
South Australia	Salisbury (C)	1,980	78.7%	71.9%	55.2%
South Australia	Southern Mallee (DC)	<200	**	**	**
South Australia	Streaky Bay (DC)	<200	86.2%	86.2%	50.0%
South Australia	Tatiara (DC)	<200	79.0%	72.6%	45.2%
South Australia	Tea Tree Gully (C)	596	79.7%	74.3%	50.6%
South Australia	The Coorong (DC)	229	83.8%	75.1%	71.9%
South Australia	Tumby Bay (DC)	<200	90.3%	87.1%	54.5%
South Australia	Unincorporated SA	346	85.0%	75.1%	67.2%
South Australia	Unley (C)	<200	84.1%	78.8%	66.0%
South Australia	Victor Harbor (C)	<200	77.4%	72.9%	62.2%
South Australia	Wakefield (DC)	<200	79.1%	73.1%	45.2%
South Australia	Walkerville (M)	<200	86.8%	76.3%	75.0%
South Australia	Wattle Range (DC)	<200	76.2%	70.8%	53.4%
South Australia	West Torrens (C)	468	79.1%	73.9%	52.1%
South Australia	Whyalla (C)	1,227	80.5%	68.5%	55.3%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.4%	81.3%	42.1%
South Australia	Yorke Peninsula (DC)	252	80.2%	74.6%	56.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Tasmania

Data as at:  
01 Mar. 2022

Australia's COVID-19  
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Break O'Day (M)	<200	86.3%	83.2%	54.5%
Tasmania	Brighton (M)	1,212	86.4%	82.4%	47.3%
Tasmania	Burnie (C)	931	86.0%	82.4%	44.9%
Tasmania	Central Coast (M) (Tas.)	954	89.3%	87.2%	60.2%
Tasmania	Central Highlands (M) (Tas.)	<200	85.9%	80.0%	46.6%
Tasmania	Circular Head (M)	552	86.8%	83.5%	44.4%
Tasmania	Clarence (C)	1,320	86.6%	83.9%	51.4%
Tasmania	Derwent Valley (M)	288	84.7%	79.5%	32.7%
Tasmania	Devonport (C)	964	85.5%	80.8%	40.3%
Tasmania	Dorset (M)	<200	86.8%	85.6%	40.8%
Tasmania	Flinders (M) (Tas.)	<200	94.8%	92.5%	84.5%
Tasmania	George Town (M)	235	87.7%	84.7%	52.1%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.6%	84.8%	52.4%
Tasmania	Glenorchy (C)	1,673	90.1%	86.3%	55.9%
Tasmania	Hobart (C)	623	91.3%	89.1%	59.1%
Tasmania	Huon Valley (M)	970	89.5%	85.4%	54.9%
Tasmania	Kentish (M)	211	82.5%	78.2%	40.7%
Tasmania	King Island (M)	<200	**	**	**
Tasmania	Kingborough (M)	788	92.6%	90.1%	57.7%
Tasmania	Latrobe (M) (Tas.)	344	86.9%	83.4%	44.9%
Tasmania	Launceston (C)	1,608	87.4%	83.6%	56.2%
Tasmania	Meander Valley (M)	456	87.5%	83.8%	55.2%
Tasmania	Northern Midlands (M)	216	89.8%	88.4%	58.2%
Tasmania	Sorell (M)	432	90.3%	88.0%	45.3%
Tasmania	Southern Midlands (M)	221	90.5%	88.7%	41.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Tasman (M)	<200	92.8%	90.4%	47.0%
Tasmania	Waratah/Wynyard (M)	668	83.8%	80.7%	50.0%
Tasmania	West Coast (M)	<200	88.6%	84.3%	40.0%
Tasmania	West Tamar (M)	353	93.5%	91.5%	54.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Victoria

Data as at:  
01 Mar. 2022

Australia's COVID-19  
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Alpine (S)	<200	86.4%	86.4%	61.1%
Victoria	Ararat (RC)	<200	85.0%	81.4%	55.2%
Victoria	Ballarat (C)	1,066	93.1%	91.5%	57.8%
Victoria	Banyule (C)	715	89.8%	87.8%	61.1%
Victoria	Bass Coast (S)	263	88.2%	87.1%	58.3%
Victoria	Baw Baw (S)	404	85.4%	82.7%	46.4%
Victoria	Bayside (C)	208	86.1%	84.1%	62.2%
Victoria	Benalla (RC)	<200	91.4%	89.8%	48.1%
Victoria	Boroondara (C)	288	93.8%	91.7%	64.0%
Victoria	Brimbank (C)	809	85.9%	82.8%	47.8%
Victoria	Buloke (S)	<200	85.4%	83.3%	62.2%
Victoria	Campaspe (S)	765	86.4%	83.8%	45.9%
Victoria	Cardinia (S)	556	91.2%	88.7%	48.3%
Victoria	Casey (C)	1,483	88.9%	87.1%	46.6%
Victoria	Central Goldfields (S)	<200	91.4%	90.1%	58.6%
Victoria	Colac-Otway (S)	<200	90.2%	88.5%	54.1%
Victoria	Corangamite (S)	<200	90.8%	88.5%	56.0%
Victoria	Darebin (C)	1,199	88.2%	84.3%	51.4%
Victoria	East Gippsland (S)	1,283	90.6%	87.8%	49.2%
Victoria	Frankston (C)	885	89.4%	86.4%	51.4%
Victoria	Gannawarra (S)	<200	94.6%	91.2%	45.2%
Victoria	Glen Eira (C)	272	88.2%	87.5%	62.9%
Victoria	Glenelg (S)	371	92.7%	91.1%	53.9%
Victoria	Golden Plains (S)	<200	89.8%	89.8%	56.2%
Victoria	Greater Bendigo (C)	1,455	92.0%	90.0%	53.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
 01 Mar. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Greater Dandenong (C)	658	87.2%	84.3%	54.2%
Victoria	Greater Geelong (C)	1,900	91.0%	88.9%	57.5%
Victoria	Greater Shepparton (C)	1,905	86.4%	83.3%	44.4%
Victoria	Hepburn (S)	<200	92.8%	88.0%	57.7%
Victoria	Hindmarsh (S)	<200	94.0%	91.0%	58.3%
Victoria	Hobsons Bay (C)	381	86.6%	84.5%	58.6%
Victoria	Horsham (RC)	<200	88.3%	84.7%	49.2%
Victoria	Hume (C)	1,193	88.3%	86.1%	42.8%
Victoria	Indigo (S)	<200	91.5%	90.6%	57.1%
Victoria	Kingston (C) (Vic.)	438	92.7%	91.1%	62.4%
Victoria	Knox (C)	568	91.7%	90.1%	54.9%
Victoria	Latrobe (C) (Vic.)	983	86.2%	82.3%	37.9%
Victoria	Loddon (S)	<200	90.6%	90.6%	49.3%
Victoria	Macedon Ranges (S)	<200	91.4%	88.8%	63.0%
Victoria	Manningham (C)	258	88.0%	86.8%	58.1%
Victoria	Mansfield (S)	<200	89.1%	87.0%	59.0%
Victoria	Maribyrnong (C)	385	88.3%	86.0%	61.3%
Victoria	Maroondah (C)	394	90.1%	88.8%	56.0%
Victoria	Melbourne (C)	712	88.9%	85.3%	59.4%
Victoria	Melton (C)	935	89.3%	87.0%	49.0%
Victoria	Mildura (RC)	1,774	88.4%	84.6%	37.6%
Victoria	Mitchell (S)	440	92.0%	90.2%	48.4%
Victoria	Moir (S)	381	90.3%	89.0%	47.2%
Victoria	Monash (C)	426	87.8%	86.6%	56.4%
Victoria	Moonee Valley (C)	354	89.8%	88.1%	59.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
 01 Mar. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Moorabool (S)	244	89.3%	87.3%	53.9%
Victoria	Moreland (C)	767	92.6%	90.2%	58.2%
Victoria	Mornington Peninsula (S)	893	89.2%	87.5%	53.8%
Victoria	Mount Alexander (S)	<200	92.1%	89.8%	69.8%
Victoria	Moyne (S)	<200	93.7%	91.2%	59.7%
Victoria	Murrindindi (S)	<200	91.5%	89.7%	58.8%
Victoria	Nillumbik (S)	215	92.1%	90.7%	57.4%
Victoria	Northern Grampians (S)	<200	85.6%	85.6%	58.9%
Victoria	Port Phillip (C)	421	87.6%	86.2%	55.4%
Victoria	Pyrenees (S)	<200	87.9%	87.9%	50.0%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	228	86.4%	86.4%	60.8%
Victoria	Southern Grampians (S)	222	91.0%	90.5%	52.1%
Victoria	Stonnington (C)	304	84.5%	82.6%	65.8%
Victoria	Strathbogie (S)	<200	90.9%	89.9%	48.3%
Victoria	Surf Coast (S)	<200	93.3%	92.4%	67.6%
Victoria	Swan Hill (RC)	767	88.3%	85.0%	43.8%
Victoria	Towong (S)	<200	87.0%	85.5%	63.2%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	288	92.0%	90.6%	55.6%
Victoria	Warrnambool (C)	480	91.9%	87.9%	51.6%
Victoria	Wellington (S)	617	87.0%	84.0%	51.7%
Victoria	West Wimmera (S)	<200	>99%	>99%	63.6%
Victoria	Whitehorse (C)	398	91.5%	88.9%	59.0%
Victoria	Whittlesea (C)	1,366	91.7%	90.3%	47.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Wodonga (C)	669	85.9%	83.4%	47.6%
Victoria	Wyndham (C)	1,332	90.2%	88.0%	46.5%
Victoria	Yarra (C)	410	87.8%	85.1%	54.7%
Victoria	Yarra Ranges (S)	894	90.8%	89.6%	49.4%
Victoria	Yarriambiack (S)	<200	85.7%	84.1%	63.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
01 Mar. 2022

# Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Albany (C)	951	82.3%	74.9%	66.0%
Western Australia	Armadale (C)	1,943	84.4%	75.3%	65.1%
Western Australia	Ashburton (S)	530	86.8%	78.1%	62.2%
Western Australia	Augusta-Margaret River (S)	<200	82.6%	80.4%	71.2%
Western Australia	Bassendean (T)	328	82.6%	72.6%	66.4%
Western Australia	Bayswater (C)	791	81.4%	72.4%	67.3%
Western Australia	Belmont (C)	997	81.8%	71.5%	71.7%
Western Australia	Beverley (S)	<200	89.1%	84.8%	90.5%
Western Australia	Boddington (S)	<200	89.9%	84.1%	78.3%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	89.4%	89.4%	89.3%
Western Australia	Brookton (S)	<200	87.3%	77.8%	76.5%
Western Australia	Broome (S)	4,152	85.4%	75.8%	70.8%
Western Australia	Broomehill-Tambellup (S)	<200	82.9%	71.1%	75.0%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,141	86.7%	79.3%	61.4%
Western Australia	Busselton (C)	411	85.6%	78.6%	76.2%
Western Australia	Cambridge (T)	<200	89.7%	89.7%	82.0%
Western Australia	Canning (C)	1,028	83.1%	71.1%	66.3%
Western Australia	Capel (S)	263	85.2%	80.6%	70.1%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	853	79.2%	65.2%	72.7%
Western Australia	Chapman Valley (S)	<200	88.2%	85.3%	41.7%
Western Australia	Chittering (S)	<200	90.9%	89.1%	66.7%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Cockburn (C)	1,354	81.8%	72.9%	70.0%
Western Australia	Collie (S)	293	84.6%	75.1%	64.7%
Western Australia	Coolgardie (S)	238	80.3%	66.8%	71.4%
Western Australia	Coorow (S)	<200	**	**	**
Western Australia	Corrigin (S)	<200	95.5%	**	**
Western Australia	Cottesloe (T)	<200	83.3%	83.3%	87.5%
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	86.1%	66.7%	76.9%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	91.9%	87.1%	90.0%
Western Australia	Dandaragan (S)	<200	93.5%	89.1%	73.3%
Western Australia	Dardanup (S)	216	90.3%	85.2%	80.3%
Western Australia	Denmark (S)	<200	80.0%	80.0%	76.9%
Western Australia	Derby-West Kimberley (S)	3,727	73.1%	58.3%	60.6%
Western Australia	Donnybrook-Balingup (S)	<200	92.5%	89.6%	74.4%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	81.1%	63.2%	60.9%
Western Australia	East Fremantle (T)	<200	78.3%	65.2%	70.0%
Western Australia	East Pilbara (S)	1,106	85.4%	71.8%	64.1%
Western Australia	Esperance (S)	358	79.3%	68.2%	62.3%
Western Australia	Exmouth (S)	<200	91.2%	76.5%	81.3%
Western Australia	Fremantle (C)	471	79.8%	70.5%	66.7%
Western Australia	Gingin (S)	<200	90.3%	84.7%	53.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	93.5%	83.1%	67.4%
Western Australia	Goomalling (S)	<200	93.5%	80.6%	53.3%
Western Australia	Gosnells (C)	2,340	84.1%	74.4%	67.0%
Western Australia	Greater Geraldton (C)	3,446	80.7%	67.6%	59.9%
Western Australia	Halls Creek (S)	1,985	70.6%	58.4%	61.0%
Western Australia	Harvey (S)	464	88.1%	83.0%	70.9%
Western Australia	Irwin (S)	<200	78.6%	70.0%	66.7%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	752	87.1%	81.8%	72.6%
Western Australia	Kalamunda (C)	704	85.4%	78.4%	69.9%
Western Australia	Kalgoorlie/Boulder (C)	1,919	79.1%	68.8%	63.0%
Western Australia	Karratha (C)	2,633	79.0%	68.4%	59.6%
Western Australia	Katanning (S)	283	84.5%	76.0%	62.3%
Western Australia	Kellerberrin (S)	<200	87.9%	83.3%	65.7%
Western Australia	Kent (S)	<200	**	**	**
Western Australia	Kojonup (S)	<200	90.0%	84.3%	50.0%
Western Australia	Kondinin (S)	<200	88.4%	83.7%	70.4%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,462	81.3%	68.5%	64.0%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	237	81.0%	71.3%	63.2%
Western Australia	Leonora (S)	223	80.3%	70.0%	53.7%
Western Australia	Mandurah (C)	1,217	83.2%	75.9%	65.4%
Western Australia	Manjimup (S)	<200	90.4%	86.2%	70.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Meekatharra (S)	337	87.5%	74.2%	56.7%
Western Australia	Melville (C)	488	84.6%	71.5%	73.1%
Western Australia	Menzies (S)	<200	74.0%	62.0%	55.0%
Western Australia	Merredin (S)	<200	79.6%	69.8%	69.4%
Western Australia	Mingenew (S)	<200	96.2%	92.3%	46.2%
Western Australia	Moorabool (S)	282	91.1%	83.7%	76.6%
Western Australia	Morawa (S)	<200	89.9%	76.4%	64.7%
Western Australia	Mosman Park (T)	<200	83.3%	72.9%	83.3%
Western Australia	Mount Magnet (S)	<200	81.9%	69.1%	66.7%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	96.0%	50.0%
Western Australia	Mundaring (S)	781	82.6%	67.6%	60.2%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	243	84.4%	75.7%	64.2%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	251	81.7%	68.9%	56.8%
Western Australia	Nedlands (C)	<200	91.7%	83.3%	71.4%
Western Australia	Ngaanyatjarraku (S)	688	83.9%	73.1%	66.3%
Western Australia	Northam (S)	521	78.5%	64.1%	59.5%
Western Australia	Northampton (S)	<200	82.5%	74.6%	60.9%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	92.0%	88.0%	56.3%
Western Australia	Perth (C)	848	80.4%	68.4%	68.3%
Western Australia	Pingelly (S)	<200	86.7%	77.8%	86.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Plantagenet (S)	<200	87.6%	80.2%	48.3%
Western Australia	Port Hedland (T)	2,615	78.9%	66.8%	64.6%
Western Australia	Quairading (S)	<200	83.3%	59.3%	80.6%
Western Australia	Ravensthorpe (S)	<200	84.8%	81.8%	80.0%
Western Australia	Rockingham (C)	1,789	86.8%	80.5%	73.2%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	363	89.5%	86.2%	72.2%
Western Australia	Shark Bay (S)	<200	86.7%	84.4%	65.2%
Western Australia	South Perth (C)	438	82.6%	75.3%	76.0%
Western Australia	Stirling (C)	1,921	80.8%	72.4%	68.3%
Western Australia	Subiaco (C)	<200	84.1%	77.8%	84.2%
Western Australia	Swan (C)	3,401	85.1%	76.8%	70.4%
Western Australia	Tammin (S)	<200	81.4%	74.4%	65.0%
Western Australia	Three Springs (S)	<200	88.0%	80.0%	69.0%
Western Australia	Toodyay (S)	<200	82.1%	79.8%	84.2%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	539	85.0%	76.3%	71.6%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	204	85.3%	82.8%	77.3%
Western Australia	Wagin (S)	<200	81.7%	71.7%	73.7%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,163	84.0%	75.3%	67.9%
Western Australia	Waroon (S)	<200	91.2%	81.4%	88.2%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
01 Mar. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	89.0%	80.4%	66.2%
Western Australia	Wongan-Ballidu (S)	<200	88.4%	79.1%	78.9%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,214	83.7%	74.6%	69.9%
Western Australia	Yalgoo (S)	<200	89.2%	74.7%	63.9%
Western Australia	Yilgarn (S)	<200	87.5%	87.5%	76.9%
Western Australia	York (S)	<200	70.8%	65.2%	66.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Metadata

**People with at least one dose.** The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

**People fully vaccinated.** Total people fully vaccinated with 2 doses of any vaccine type.

**People eligible with more than 2 doses.** Total people received more than 2 doses by the number of individuals eligible in the region.

**AIR Population.** A distinct count of persons recorded on the Australia Immunisation Register.

**Local Government Area (LGA).** Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

## Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 01 Mar. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 01 Mar. 2022 including individuals aged 16 and over.