



Australian Government
Operation COVID Shield

LGA Vaccination Rates (AIR Indigenous Population)

23 March 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
22 Mar. 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,292	91.2%	88.9%	57.7%

Data as at:
22 Mar. 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Albury (C)	1,234	83.4%	79.5%	46.3%
New South Wales	Armidale Regional (A)	1,466	86.2%	83.1%	44.3%
New South Wales	Ballina (A)	1,140	81.0%	78.4%	36.2%
New South Wales	Balranald (A)	<200	92.9%	91.3%	49.1%
New South Wales	Bathurst Regional (A)	1,452	87.6%	84.2%	36.5%
New South Wales	Bayside (A)	1,149	88.9%	87.9%	49.1%
New South Wales	Bega Valley (A)	946	85.5%	83.2%	44.7%
New South Wales	Bellingen (A)	279	83.2%	82.1%	45.8%
New South Wales	Berrigan (A)	<200	89.6%	88.1%	59.0%
New South Wales	Blacktown (C)	7,020	87.5%	85.1%	41.5%
New South Wales	Bland (A)	224	94.2%	93.8%	54.4%
New South Wales	Blayney (A)	<200	90.5%	88.3%	48.7%
New South Wales	Blue Mountains (C)	906	88.7%	87.5%	55.7%
New South Wales	Bogan (A)	272	89.7%	87.1%	44.7%
New South Wales	Bourke (A)	781	81.2%	76.8%	41.5%
New South Wales	Brewarrina (A)	682	88.0%	84.9%	46.2%
New South Wales	Broken Hill (C)	1,359	88.9%	86.8%	48.4%
New South Wales	Burwood (A)	<200	88.4%	86.3%	62.1%
New South Wales	Byron (A)	410	76.1%	72.7%	45.5%
New South Wales	Cabonne (A)	352	92.6%	91.5%	50.3%
New South Wales	Camden (A)	1,524	92.1%	91.1%	44.2%
New South Wales	Campbelltown (C) (NSW)	4,191	88.6%	86.6%	42.4%
New South Wales	Canada Bay (A)	293	88.7%	87.7%	55.7%
New South Wales	Canterbury-Bankstown (A)	2,052	87.5%	85.6%	48.1%
New South Wales	Carrathool (A)	<200	92.6%	91.1%	54.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	7,978	86.5%	84.8%	42.3%
New South Wales	Central Darling (A)	498	88.0%	87.1%	35.1%
New South Wales	Cessnock (C)	2,822	89.8%	88.3%	42.5%
New South Wales	Clarence Valley (A)	2,339	79.4%	76.9%	40.6%
New South Wales	Cobar (A)	324	88.3%	87.0%	33.6%
New South Wales	Coffs Harbour (C)	2,811	83.5%	81.1%	37.3%
New South Wales	Coolamon (A)	<200	87.2%	87.2%	46.2%
New South Wales	Coonamble (A)	1,118	89.4%	87.5%	50.1%
New South Wales	Cootamundra-Gundagai Regional (A)	313	92.3%	91.1%	50.4%
New South Wales	Cowra (A)	666	88.3%	84.8%	38.1%
New South Wales	Cumberland (A)	1,154	86.2%	84.6%	48.0%
New South Wales	Dubbo Regional (A)	5,473	85.7%	83.4%	37.5%
New South Wales	Dungog (A)	314	92.0%	90.4%	48.9%
New South Wales	Edward River (A)	277	92.4%	89.9%	55.9%
New South Wales	Eurobodalla (A)	1,636	90.5%	88.0%	41.8%
New South Wales	Fairfield (C)	1,244	84.5%	82.1%	44.9%
New South Wales	Federation (A)	<200	88.8%	86.2%	62.5%
New South Wales	Forbes (A)	810	92.7%	91.4%	48.7%
New South Wales	Georges River (A)	702	90.3%	88.7%	54.0%
New South Wales	Gilgandra (A)	469	81.9%	80.2%	40.5%
New South Wales	Glen Innes Severn (A)	487	82.1%	79.1%	45.4%
New South Wales	Goulburn Mulwaree (A)	660	89.4%	88.3%	56.5%
New South Wales	Greater Hume Shire (A)	<200	85.4%	84.1%	53.6%
New South Wales	Griffith (C)	972	85.2%	82.7%	41.0%
New South Wales	Gunnedah (A)	1,221	87.9%	85.7%	38.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.0%	90.9%	52.4%
New South Wales	Hawkesbury (C)	1,470	89.4%	88.4%	44.5%
New South Wales	Hay (A)	<200	96.0%	94.9%	62.0%
New South Wales	Hilltops (A)	428	89.7%	86.9%	48.4%
New South Wales	Hornsby (A)	424	91.0%	90.1%	64.4%
New South Wales	Hunters Hill (A)	<200	84.2%	80.7%	60.0%
New South Wales	Inner West (A)	1,601	86.6%	84.2%	55.0%
New South Wales	Inverell (A)	1,159	82.1%	78.9%	41.6%
New South Wales	Junee (A)	269	87.7%	87.0%	53.4%
New South Wales	Kempsey (A)	2,422	78.7%	75.4%	31.6%
New South Wales	Kiama (A)	239	91.6%	91.2%	54.6%
New South Wales	Ku-ring-gai (A)	<200	90.4%	89.9%	72.2%
New South Wales	Kyogle (A)	352	71.3%	65.6%	40.2%
New South Wales	Lachlan (A)	956	88.0%	85.3%	41.1%
New South Wales	Lake Macquarie (C)	5,433	88.5%	87.2%	44.0%
New South Wales	Lane Cove (A)	<200	85.9%	83.7%	52.7%
New South Wales	Leeton (A)	380	85.5%	83.2%	37.5%
New South Wales	Lismore (C)	1,773	77.3%	74.2%	35.7%
New South Wales	Lithgow (C)	777	90.1%	88.2%	50.2%
New South Wales	Liverpool (C)	2,372	87.4%	84.8%	45.8%
New South Wales	Liverpool Plains (A)	732	91.0%	88.8%	52.4%
New South Wales	Lockhart (A)	<200	90.7%	89.3%	47.8%
New South Wales	Maitland (C)	2,866	88.5%	87.2%	39.4%
New South Wales	Mid-Coast (A)	3,915	80.9%	79.0%	40.3%
New South Wales	Mid-Western Regional (A)	857	87.3%	85.4%	45.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Moree Plains (A)	2,347	83.0%	78.4%	36.0%
New South Wales	Mosman (A)	<200	84.0%	82.0%	78.0%
New South Wales	Murray River (A)	318	89.6%	88.1%	52.0%
New South Wales	Murrumbidgee (A)	<200	93.7%	90.5%	52.1%
New South Wales	Muswellbrook (A)	851	88.4%	86.4%	39.3%
New South Wales	Nambucca Valley (A)	1,199	80.5%	78.1%	36.3%
New South Wales	Narrabri (A)	1,285	89.2%	86.2%	39.4%
New South Wales	Narrandera (A)	415	86.0%	83.6%	36.5%
New South Wales	Narromine (A)	624	85.6%	83.2%	28.9%
New South Wales	Newcastle (C)	3,745	89.2%	87.4%	43.6%
New South Wales	North Sydney (A)	<200	91.0%	90.4%	68.9%
New South Wales	Northern Beaches (A)	795	86.8%	86.2%	56.9%
New South Wales	Oberon (A)	<200	86.5%	85.6%	56.3%
New South Wales	Orange (C)	1,941	86.0%	83.2%	39.5%
New South Wales	Parkes (A)	1,121	88.5%	86.6%	45.5%
New South Wales	Parramatta (C)	1,240	86.5%	83.5%	52.1%
New South Wales	Penrith (C)	5,037	90.6%	88.8%	44.4%
New South Wales	Port Macquarie-Hastings (A)	2,271	83.8%	82.5%	43.3%
New South Wales	Port Stephens (A)	2,355	86.8%	84.9%	41.7%
New South Wales	Queanbeyan-Palerang Regional (A)	1,223	89.7%	87.8%	51.6%
New South Wales	Randwick (C)	1,465	86.6%	84.3%	55.3%
New South Wales	Richmond Valley (A)	1,434	75.5%	72.8%	32.5%
New South Wales	Ryde (C)	351	88.6%	87.5%	56.8%
New South Wales	Shellharbour (C)	1,704	87.1%	85.2%	38.4%
New South Wales	Shoalhaven (C)	3,881	87.1%	84.8%	44.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Singleton (A)	928	88.1%	86.6%	41.2%
New South Wales	Snowy Monaro Regional (A)	367	90.7%	88.3%	53.5%
New South Wales	Snowy Valleys (A)	381	87.4%	85.3%	46.3%
New South Wales	Strathfield (A)	<200	89.4%	85.9%	46.5%
New South Wales	Sutherland Shire (A)	1,592	91.6%	91.1%	55.2%
New South Wales	Sydney (C)	2,685	85.5%	82.9%	51.5%
New South Wales	Tamworth Regional (A)	4,423	88.5%	86.3%	43.1%
New South Wales	Temora (A)	<200	93.5%	90.3%	50.0%
New South Wales	Tenterfield (A)	311	74.3%	70.4%	29.3%
New South Wales	The Hills Shire (A)	590	91.4%	91.0%	56.1%
New South Wales	Tweed (A)	2,597	80.1%	78.1%	43.2%
New South Wales	Unincorporated NSW	<200	87.3%	85.7%	50.0%
New South Wales	Upper Hunter Shire (A)	379	86.0%	84.2%	36.5%
New South Wales	Upper Lachlan Shire (A)	<200	91.7%	89.0%	52.7%
New South Wales	Uralla (A)	297	90.2%	89.6%	52.5%
New South Wales	Wagga Wagga (C)	2,534	88.3%	86.1%	43.0%
New South Wales	Walcha (A)	<200	89.3%	86.1%	54.4%
New South Wales	Walgett (A)	1,452	83.7%	80.5%	33.9%
New South Wales	Warren (A)	314	85.4%	83.4%	43.0%
New South Wales	Warrumbungle Shire (A)	631	84.6%	81.1%	37.1%
New South Wales	Waverley (A)	229	81.7%	79.5%	57.2%
New South Wales	Weddin (A)	<200	92.2%	90.6%	48.3%
New South Wales	Wentworth (A)	544	87.1%	83.8%	31.9%
New South Wales	Willoughby (C)	<200	84.2%	81.5%	63.2%
New South Wales	Wingecarribee (A)	619	86.6%	84.8%	47.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Wollondilly (A)	1,045	91.5%	90.5%	43.3%
New South Wales	Wollongong (C)	3,738	87.4%	85.7%	44.9%
New South Wales	Woollahra (A)	<200	86.2%	86.2%	61.6%
New South Wales	Yass Valley (A)	255	91.4%	90.6%	51.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Northern Territory	Alice Springs (T)	6,969	87.5%	82.5%	60.0%
Northern Territory	Barkly (R)	2,864	81.1%	73.2%	52.2%
Northern Territory	Belyuen (S)	<200	84.5%	82.5%	69.3%
Northern Territory	Central Desert (R)	1,608	86.4%	80.3%	46.8%
Northern Territory	Coomalie (S)	250	83.6%	76.0%	57.3%
Northern Territory	Darwin (C)	8,463	90.6%	86.1%	58.5%
Northern Territory	East Arnhem (R)	4,386	87.9%	80.3%	47.4%
Northern Territory	Katherine (T)	3,793	88.1%	83.3%	49.3%
Northern Territory	Litchfield (M)	1,482	91.1%	88.3%	55.8%
Northern Territory	MacDonnell (R)	2,623	89.8%	84.9%	59.2%
Northern Territory	Palmerston (C)	4,395	89.6%	85.8%	51.4%
Northern Territory	Roper Gulf (R)	2,430	90.7%	84.0%	42.8%
Northern Territory	Tiwi Islands (R)	1,330	95.8%	93.1%	79.8%
Northern Territory	Unincorporated NT	2,194	93.2%	90.4%	64.9%
Northern Territory	Victoria Daly (R)	686	90.5%	86.0%	65.4%
Northern Territory	Wagait (S)	<200	95.7%	91.3%	68.4%
Northern Territory	West Arnhem (R)	2,480	91.0%	84.2%	55.6%
Northern Territory	West Daly (R)	1,209	95.9%	90.6%	68.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	93.3%	90.8%	64.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Aurukun (S)	634	89.9%	83.0%	32.4%
Queensland	Balonne (S)	565	87.1%	82.7%	58.5%
Queensland	Banana (S)	449	80.0%	76.4%	42.0%
Queensland	Barcaldine (R)	<200	84.2%	82.5%	65.9%
Queensland	Barcoo (S)	<200	84.6%	84.6%	85.7%
Queensland	Blackall-Tambo (R)	<200	93.5%	89.1%	64.5%
Queensland	Boulia (S)	<200	80.0%	76.0%	56.5%
Queensland	Brisbane (C)	13,506	83.9%	80.3%	52.5%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,812	78.4%	75.1%	48.0%
Queensland	Burdekin (S)	758	74.8%	69.1%	43.9%
Queensland	Burke (S)	<200	89.2%	82.4%	49.0%
Queensland	Cairns (R)	12,207	79.5%	74.5%	41.0%
Queensland	Carpentaria (S)	623	89.4%	82.5%	45.3%
Queensland	Cassowary Coast (R)	2,305	72.4%	68.2%	43.0%
Queensland	Central Highlands (R) (Qld)	755	70.7%	67.4%	30.6%
Queensland	Charters Towers (R)	755	80.9%	75.1%	49.9%
Queensland	Cherbourg (S)	722	76.0%	70.8%	39.8%
Queensland	Cloncurry (S)	522	84.7%	77.4%	47.1%
Queensland	Cook (S)	657	85.8%	79.6%	46.4%
Queensland	Croydon (S)	<200	88.3%	88.3%	59.1%
Queensland	Diamantina (S)	<200	90.9%	90.9%	73.0%
Queensland	Doomadgee (S)	720	83.8%	70.8%	38.0%
Queensland	Douglas (S)	659	73.0%	66.8%	43.9%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	82.0%	71.9%	74.6%
Queensland	Fraser Coast (R)	3,270	80.5%	76.6%	48.4%
Queensland	Gladstone (R)	2,366	78.2%	74.3%	40.4%
Queensland	Gold Coast (C)	6,860	81.6%	79.2%	42.2%
Queensland	Goondiwindi (R)	433	80.6%	75.5%	39.2%
Queensland	Gympie (R)	1,194	72.0%	68.4%	49.5%
Queensland	Hinchinbrook (S)	476	78.2%	73.3%	49.3%
Queensland	Hope Vale (S)	488	87.1%	81.6%	50.1%
Queensland	Ipswich (C)	7,045	83.0%	78.8%	44.2%
Queensland	Isaac (R)	452	80.1%	77.9%	29.0%
Queensland	Kowanyama (S)	685	90.8%	86.0%	53.6%
Queensland	Livingstone (S)	841	81.1%	78.6%	45.4%
Queensland	Lockhart River (S)	340	88.8%	83.8%	58.5%
Queensland	Lockyer Valley (R)	1,133	85.1%	81.3%	49.0%
Queensland	Logan (C)	7,906	80.0%	76.4%	42.9%
Queensland	Longreach (R)	<200	86.3%	84.9%	65.3%
Queensland	Mackay (R)	4,455	80.7%	77.4%	37.1%
Queensland	Mapoon (S)	<200	84.3%	80.2%	73.0%
Queensland	Maranoa (R)	849	88.5%	84.5%	51.0%
Queensland	Mareeba (S)	2,287	75.6%	67.2%	40.7%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,182	84.3%	81.0%	49.0%
Queensland	Mornington (S)	484	88.6%	78.9%	54.9%
Queensland	Mount Isa (C)	3,278	79.7%	71.6%	43.3%
Queensland	Murweh (S)	357	88.0%	83.5%	64.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Napranum (S)	394	85.5%	77.7%	52.7%
Queensland	Noosa (S)	405	75.1%	72.3%	40.7%
Queensland	North Burnett (R)	461	83.7%	79.8%	60.0%
Queensland	Northern Peninsula Area (R)	1,376	78.1%	66.7%	37.9%
Queensland	Palm Island (S)	1,255	81.0%	74.3%	55.2%
Queensland	Paroo (S)	434	83.9%	80.4%	42.4%
Queensland	Pormpuraaw (S)	393	96.2%	94.1%	60.5%
Queensland	Quilpie (S)	<200	93.5%	93.5%	59.0%
Queensland	Redland (C)	2,535	84.3%	82.5%	53.8%
Queensland	Richmond (S)	<200	93.0%	90.7%	58.8%
Queensland	Rockhampton (R)	4,390	77.4%	73.0%	40.4%
Queensland	Scenic Rim (R)	794	83.2%	80.1%	48.5%
Queensland	Somerset (R)	604	81.8%	79.0%	46.4%
Queensland	South Burnett (R)	1,246	77.8%	72.6%	47.7%
Queensland	Southern Downs (R)	1,058	80.4%	77.4%	48.3%
Queensland	Sunshine Coast (R)	4,039	78.6%	75.7%	44.9%
Queensland	Tablelands (R)	1,371	68.9%	62.7%	45.0%
Queensland	Toowoomba (R)	4,705	82.8%	78.7%	44.6%
Queensland	Torres (S)	2,156	88.4%	84.4%	62.8%
Queensland	Torres Strait Island (R)	1,857	88.9%	84.7%	64.7%
Queensland	Townsville (C)	11,593	79.4%	73.8%	42.2%
Queensland	Weipa (T)	729	82.3%	77.4%	48.6%
Queensland	Western Downs (R)	1,336	77.8%	75.4%	43.2%
Queensland	Whitsunday (R)	929	70.0%	66.8%	44.0%
Queensland	Winton (S)	<200	94.9%	91.1%	80.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Woorabinda (S)	658	75.1%	66.9%	51.4%
Queensland	Wujal Wujal (S)	<200	92.9%	91.8%	78.8%
Queensland	Yarrabah (S)	1,811	79.6%	73.4%	42.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Adelaide (C)	415	81.4%	75.7%	61.3%
South Australia	Adelaide Hills (DC)	<200	92.3%	91.3%	68.9%
South Australia	Adelaide Plains (DC)	<200	77.0%	73.8%	53.7%
South Australia	Alexandrina (DC)	233	79.4%	75.5%	56.8%
South Australia	Anangu Pitjantjatjara (AC)	586	87.9%	83.8%	67.3%
South Australia	Barossa (DC)	<200	85.6%	80.8%	63.4%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	350	76.9%	70.6%	50.9%
South Australia	Burnside (C)	<200	85.6%	83.5%	63.5%
South Australia	Campbelltown (C) (SA)	278	80.9%	77.7%	56.7%
South Australia	Ceduna (DC)	808	75.4%	66.6%	53.9%
South Australia	Charles Sturt (C)	1,286	78.4%	72.8%	54.5%
South Australia	Clare and Gilbert Valleys (DC)	<200	81.3%	79.7%	53.5%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Coober Pedy (DC)	268	78.7%	72.0%	47.9%
South Australia	Copper Coast (DC)	323	80.5%	76.8%	59.3%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	90.8%	87.5%	59.8%
South Australia	Franklin Harbour (DC)	<200	>99%	97.0%	68.8%
South Australia	Gawler (T)	349	79.4%	76.8%	58.7%
South Australia	Goyder (DC)	<200	77.8%	77.8%	68.4%
South Australia	Grant (DC)	<200	90.9%	87.9%	67.9%
South Australia	Holdfast Bay (C)	<200	81.0%	76.1%	62.9%
South Australia	Kangaroo Island (DC)	<200	86.5%	83.8%	57.1%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
 22 Mar. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	80.6%	80.6%	59.3%
South Australia	Light (RegC)	<200	75.0%	75.0%	60.5%
South Australia	Lower Eyre Peninsula (DC)	<200	81.8%	69.7%	70.0%
South Australia	Loxton Waikerie (DC)	<200	81.2%	76.8%	54.7%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	698	75.9%	69.6%	55.0%
South Australia	Mid Murray (DC)	<200	76.2%	70.3%	56.3%
South Australia	Mitcham (C)	252	87.7%	82.1%	62.8%
South Australia	Mount Barker (DC)	<200	79.5%	77.8%	61.1%
South Australia	Mount Gambier (C)	505	82.8%	77.0%	56.1%
South Australia	Mount Remarkable (DC)	<200	91.9%	86.5%	67.7%
South Australia	Murray Bridge (RC)	710	75.6%	69.3%	56.4%
South Australia	Naracoorte and Lucindale (DC)	<200	73.1%	73.1%	54.3%
South Australia	Northern Areas (DC)	<200	85.2%	82.0%	53.3%
South Australia	Norwood Payneham St Peters (C)	<200	81.2%	75.2%	66.3%
South Australia	Onkaparinga (C)	1,755	78.9%	73.6%	54.9%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	84.8%	82.6%	44.1%
South Australia	Playford (C)	2,133	74.9%	68.0%	47.8%
South Australia	Port Adelaide Enfield (C)	2,170	76.9%	69.8%	53.2%
South Australia	Port Augusta (C)	2,317	83.5%	74.7%	52.6%
South Australia	Port Lincoln (C)	798	74.3%	66.3%	55.5%
South Australia	Port Pirie City and Dists (M)	474	70.5%	66.5%	48.4%
South Australia	Prospect (C)	<200	77.8%	72.6%	56.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	84.0%	77.1%	51.0%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	87.5%	86.4%	39.1%
South Australia	Salisbury (C)	1,992	79.3%	73.5%	54.4%
South Australia	Southern Mallee (DC)	<200	83.3%	**	**
South Australia	Streaky Bay (DC)	<200	86.2%	86.2%	56.5%
South Australia	Tatiara (DC)	<200	78.7%	73.8%	47.7%
South Australia	Tea Tree Gully (C)	585	80.3%	76.1%	50.9%
South Australia	The Coorong (DC)	236	83.1%	75.0%	65.5%
South Australia	Tumby Bay (DC)	<200	90.3%	87.1%	62.5%
South Australia	Unincorporated SA	346	85.3%	76.3%	63.8%
South Australia	Unley (C)	<200	84.4%	80.5%	65.8%
South Australia	Victor Harbor (C)	<200	78.6%	74.8%	56.3%
South Australia	Wakefield (DC)	<200	78.5%	73.8%	52.4%
South Australia	Walkerville (M)	<200	88.2%	76.5%	68.2%
South Australia	Wattle Range (DC)	<200	76.6%	70.3%	55.0%
South Australia	West Torrens (C)	471	79.6%	74.7%	55.8%
South Australia	Whyalla (C)	1,217	81.8%	70.3%	55.5%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.8%	81.8%	54.5%
South Australia	Yorke Peninsula (DC)	257	81.3%	75.1%	56.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
22 Mar. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Break O'Day (M)	<200	86.3%	83.8%	60.7%
Tasmania	Brighton (M)	1,194	86.7%	83.5%	50.6%
Tasmania	Burnie (C)	923	86.2%	82.8%	47.4%
Tasmania	Central Coast (M) (Tas.)	954	89.8%	87.8%	60.4%
Tasmania	Central Highlands (M) (Tas.)	<200	85.5%	79.5%	50.0%
Tasmania	Circular Head (M)	546	87.2%	84.1%	46.1%
Tasmania	Clarence (C)	1,278	87.2%	84.5%	54.7%
Tasmania	Derwent Valley (M)	277	85.2%	80.1%	39.0%
Tasmania	Devonport (C)	925	85.5%	82.4%	43.5%
Tasmania	Dorset (M)	<200	86.7%	85.5%	49.2%
Tasmania	Flinders (M) (Tas.)	<200	94.7%	92.4%	82.9%
Tasmania	George Town (M)	238	87.0%	85.7%	60.5%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.2%	85.3%	56.1%
Tasmania	Glenorchy (C)	1,667	90.1%	86.7%	58.6%
Tasmania	Hobart (C)	606	91.9%	89.6%	62.4%
Tasmania	Huon Valley (M)	969	90.0%	86.4%	62.3%
Tasmania	Kentish (M)	203	82.3%	77.8%	45.1%
Tasmania	King Island (M)	<200	**	**	**
Tasmania	Kingborough (M)	784	92.9%	90.3%	61.5%
Tasmania	Latrobe (M) (Tas.)	338	87.0%	83.7%	48.6%
Tasmania	Launceston (C)	1,593	87.8%	84.2%	57.4%
Tasmania	Meander Valley (M)	454	87.7%	85.2%	58.2%
Tasmania	Northern Midlands (M)	216	90.3%	89.8%	58.2%
Tasmania	Sorell (M)	429	90.7%	88.3%	50.3%
Tasmania	Southern Midlands (M)	220	90.5%	88.6%	42.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Tasman (M)	<200	92.5%	91.3%	61.2%
Tasmania	Waratah/Wynyard (M)	663	84.5%	81.3%	51.6%
Tasmania	West Coast (M)	<200	88.5%	83.6%	45.2%
Tasmania	West Tamar (M)	343	93.3%	91.8%	55.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
22 Mar. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Alpine (S)	<200	86.4%	86.4%	61.6%
Victoria	Ararat (RC)	<200	84.7%	82.0%	61.4%
Victoria	Ballarat (C)	1,068	93.2%	91.4%	60.3%
Victoria	Banyule (C)	709	89.7%	87.9%	63.8%
Victoria	Bass Coast (S)	260	88.1%	86.9%	60.4%
Victoria	Baw Baw (S)	404	85.9%	83.7%	50.6%
Victoria	Bayside (C)	204	86.3%	84.8%	65.9%
Victoria	Benalla (RC)	<200	91.5%	89.9%	51.8%
Victoria	Boroondara (C)	289	93.8%	92.0%	69.8%
Victoria	Brimbank (C)	800	86.0%	83.8%	52.9%
Victoria	Buloke (S)	<200	85.1%	83.0%	70.3%
Victoria	Campaspe (S)	763	87.0%	84.3%	50.6%
Victoria	Cardinia (S)	553	91.7%	89.7%	52.5%
Victoria	Casey (C)	1,484	88.8%	86.9%	50.8%
Victoria	Central Goldfields (S)	<200	90.2%	89.0%	60.3%
Victoria	Colac-Otway (S)	<200	91.1%	88.3%	58.7%
Victoria	Corangamite (S)	<200	90.7%	89.5%	57.3%
Victoria	Darebin (C)	1,203	88.2%	84.5%	54.8%
Victoria	East Gippsland (S)	1,279	91.2%	88.5%	53.3%
Victoria	Frankston (C)	884	89.3%	87.0%	53.7%
Victoria	Gannawarra (S)	<200	94.5%	91.1%	48.4%
Victoria	Glen Eira (C)	269	88.5%	87.7%	67.5%
Victoria	Glenelg (S)	371	92.7%	91.1%	55.1%
Victoria	Golden Plains (S)	<200	89.8%	89.8%	60.8%
Victoria	Greater Bendigo (C)	1,447	92.1%	90.1%	56.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Greater Dandenong (C)	653	87.4%	84.7%	58.8%
Victoria	Greater Geelong (C)	1,919	91.3%	89.3%	60.9%
Victoria	Greater Shepparton (C)	1,901	86.6%	83.4%	47.5%
Victoria	Hepburn (S)	<200	92.8%	90.4%	60.3%
Victoria	Hindmarsh (S)	<200	95.5%	92.4%	65.6%
Victoria	Hobsons Bay (C)	382	87.2%	85.3%	61.8%
Victoria	Horsham (RC)	<200	88.1%	85.6%	54.5%
Victoria	Hume (C)	1,197	88.4%	86.4%	45.9%
Victoria	Indigo (S)	<200	92.2%	90.5%	61.9%
Victoria	Kingston (C) (Vic.)	434	92.4%	91.0%	65.5%
Victoria	Knox (C)	563	91.8%	89.9%	60.2%
Victoria	Latrobe (C) (Vic.)	995	86.5%	82.7%	41.6%
Victoria	Loddon (S)	<200	91.0%	91.0%	50.6%
Victoria	Macedon Ranges (S)	200	91.5%	90.0%	66.1%
Victoria	Manningham (C)	260	88.5%	86.9%	63.6%
Victoria	Mansfield (S)	<200	89.4%	89.4%	58.5%
Victoria	Maribyrnong (C)	385	88.1%	86.2%	63.4%
Victoria	Maroondah (C)	386	89.9%	88.6%	59.8%
Victoria	Melbourne (C)	703	89.3%	85.8%	63.3%
Victoria	Melton (C)	935	89.3%	87.4%	53.3%
Victoria	Mildura (RC)	1,786	88.6%	84.9%	41.6%
Victoria	Mitchell (S)	434	92.4%	90.8%	54.8%
Victoria	Moira (S)	375	90.7%	89.6%	55.0%
Victoria	Monash (C)	435	88.3%	86.7%	60.5%
Victoria	Moonee Valley (C)	350	90.3%	88.3%	63.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Moorabool (S)	241	89.6%	87.1%	54.4%
Victoria	Moreland (C)	773	92.9%	90.9%	60.8%
Victoria	Mornington Peninsula (S)	885	89.5%	87.8%	57.9%
Victoria	Mount Alexander (S)	<200	91.4%	89.1%	69.0%
Victoria	Moyne (S)	<200	93.7%	91.1%	58.7%
Victoria	Murrindindi (S)	<200	91.4%	90.5%	66.7%
Victoria	Nillumbik (S)	220	92.3%	91.4%	59.9%
Victoria	Northern Grampians (S)	<200	85.6%	85.6%	63.5%
Victoria	Port Phillip (C)	422	88.4%	87.0%	59.1%
Victoria	Pyrenees (S)	<200	87.7%	87.7%	53.1%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	226	86.3%	86.3%	62.2%
Victoria	Southern Grampians (S)	221	90.5%	90.0%	58.8%
Victoria	Stonnington (C)	300	84.3%	82.0%	68.0%
Victoria	Strathbogie (S)	<200	92.2%	90.2%	50.5%
Victoria	Surf Coast (S)	<200	93.5%	92.7%	71.7%
Victoria	Swan Hill (RC)	758	88.4%	85.8%	47.7%
Victoria	Towong (S)	<200	87.0%	85.5%	69.0%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	291	92.1%	90.4%	56.6%
Victoria	Warrnambool (C)	489	92.0%	88.3%	55.2%
Victoria	Wellington (S)	612	86.8%	83.7%	53.3%
Victoria	West Wimmera (S)	<200	>99%	>99%	64.0%
Victoria	Whitehorse (C)	396	91.2%	88.9%	63.2%
Victoria	Whittlesea (C)	1,361	92.1%	90.7%	52.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Wodonga (C)	674	86.6%	84.6%	51.8%
Victoria	Wyndham (C)	1,342	90.7%	88.6%	51.9%
Victoria	Yarra (C)	405	88.1%	84.4%	59.8%
Victoria	Yarra Ranges (S)	903	90.9%	89.7%	54.6%
Victoria	Yarriambiack (S)	<200	85.5%	85.5%	67.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Albany (C)	927	85.2%	77.8%	73.4%
Western Australia	Armadale (C)	1,946	86.7%	78.6%	74.3%
Western Australia	Ashburton (S)	522	89.1%	81.6%	70.5%
Western Australia	Augusta-Margaret River (S)	<200	84.4%	82.3%	74.6%
Western Australia	Bassendean (T)	328	85.4%	75.6%	76.4%
Western Australia	Bayswater (C)	776	82.9%	75.5%	68.9%
Western Australia	Belmont (C)	977	84.2%	76.5%	76.2%
Western Australia	Beverley (S)	<200	91.7%	87.5%	85.2%
Western Australia	Boddington (S)	<200	91.5%	87.3%	66.7%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	91.1%	88.9%	85.3%
Western Australia	Brookton (S)	<200	86.9%	85.2%	80.0%
Western Australia	Broome (S)	4,165	87.3%	80.0%	74.4%
Western Australia	Broomehill-Tambellup (S)	<200	84.7%	79.2%	86.2%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,123	88.6%	82.6%	70.2%
Western Australia	Busselton (C)	414	86.5%	80.2%	78.4%
Western Australia	Cambridge (T)	<200	89.7%	89.7%	81.5%
Western Australia	Canning (C)	998	85.0%	75.1%	70.2%
Western Australia	Capel (S)	266	86.8%	81.6%	73.5%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	850	83.9%	71.9%	74.9%
Western Australia	Chapman Valley (S)	<200	87.9%	84.8%	76.9%
Western Australia	Chittering (S)	<200	91.2%	89.5%	70.0%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Cockburn (C)	1,353	84.4%	75.9%	73.1%
Western Australia	Collie (S)	294	86.7%	78.6%	74.8%
Western Australia	Coolgardie (S)	244	84.8%	75.0%	72.5%
Western Australia	Coorow (S)	<200	**	**	**
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	83.3%	83.3%	88.2%
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	86.1%	77.8%	68.4%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	91.7%	90.0%	85.7%
Western Australia	Dandaragan (S)	<200	95.7%	89.4%	77.8%
Western Australia	Dardanup (S)	218	91.7%	88.1%	75.0%
Western Australia	Denmark (S)	<200	82.4%	78.4%	73.3%
Western Australia	Derby-West Kimberley (S)	3,737	78.1%	65.1%	67.3%
Western Australia	Donnybrook-Balingup (S)	<200	94.4%	91.7%	75.0%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	83.2%	69.5%	58.1%
Western Australia	East Fremantle (T)	<200	80.0%	68.9%	65.2%
Western Australia	East Pilbara (S)	1,115	87.4%	77.8%	66.5%
Western Australia	Esperance (S)	358	84.1%	74.3%	69.9%
Western Australia	Exmouth (S)	<200	91.9%	81.1%	85.7%
Western Australia	Fremantle (C)	468	82.5%	75.4%	69.8%
Western Australia	Gingin (S)	<200	90.1%	85.9%	70.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	93.5%	85.7%	84.6%
Western Australia	Goomalling (S)	<200	93.8%	78.1%	66.7%
Western Australia	Gosnells (C)	2,351	86.0%	78.1%	72.0%
Western Australia	Greater Geraldton (C)	3,416	84.7%	73.6%	71.8%
Western Australia	Halls Creek (S)	1,997	73.3%	63.1%	65.4%
Western Australia	Harvey (S)	467	89.7%	84.4%	73.3%
Western Australia	Irwin (S)	<200	81.2%	75.4%	79.5%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	747	89.2%	83.8%	76.1%
Western Australia	Kalamunda (C)	703	86.9%	80.4%	76.1%
Western Australia	Kalgoorlie/Boulder (C)	1,899	81.8%	73.1%	64.5%
Western Australia	Karratha (C)	2,628	81.9%	71.7%	71.4%
Western Australia	Katanning (S)	286	87.8%	80.1%	68.0%
Western Australia	Kellerberrin (S)	<200	90.0%	85.7%	72.1%
Western Australia	Kent (S)	<200	**	**	**
Western Australia	Kojonup (S)	<200	94.3%	87.1%	78.0%
Western Australia	Kondinin (S)	<200	93.0%	90.7%	80.6%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,463	84.1%	72.0%	69.5%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	241	85.5%	76.3%	80.5%
Western Australia	Leonora (S)	224	81.3%	74.6%	64.2%
Western Australia	Mandurah (C)	1,214	85.0%	79.3%	70.1%
Western Australia	Manjimup (S)	<200	90.6%	89.4%	74.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Meekatharra (S)	337	90.5%	80.4%	70.9%
Western Australia	Melville (C)	480	86.0%	77.5%	80.4%
Western Australia	Menzies (S)	<200	79.6%	69.4%	52.0%
Western Australia	Merredin (S)	<200	83.9%	74.5%	77.8%
Western Australia	Mingenew (S)	<200	95.8%	91.7%	84.6%
Western Australia	Moora (S)	285	93.0%	86.7%	81.3%
Western Australia	Morawa (S)	<200	92.0%	80.7%	81.8%
Western Australia	Mosman Park (T)	<200	83.7%	75.5%	77.8%
Western Australia	Mount Magnet (S)	<200	84.1%	76.8%	74.1%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	95.2%	66.7%
Western Australia	Mundaring (S)	775	85.8%	72.5%	68.9%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	231	85.7%	77.5%	67.7%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	243	83.5%	74.5%	62.3%
Western Australia	Nedlands (C)	<200	90.2%	85.2%	78.9%
Western Australia	Ngaanyatjarraku (S)	686	85.4%	76.7%	73.9%
Western Australia	Northam (S)	521	80.4%	70.4%	66.5%
Western Australia	Northampton (S)	<200	86.8%	78.5%	75.0%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.7%	91.7%	75.0%
Western Australia	Perth (C)	846	83.6%	72.3%	73.6%
Western Australia	Pingelly (S)	<200	91.0%	78.7%	83.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Plantagenet (S)	<200	90.4%	84.3%	63.1%
Western Australia	Port Hedland (T)	2,628	82.4%	72.9%	71.6%
Western Australia	Quairading (S)	<200	83.5%	68.8%	78.0%
Western Australia	Ravensthorpe (S)	<200	88.2%	88.2%	80.0%
Western Australia	Rockingham (C)	1,770	88.9%	83.7%	76.3%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	364	90.9%	87.9%	75.3%
Western Australia	Shark Bay (S)	<200	87.0%	84.8%	65.4%
Western Australia	South Perth (C)	432	84.7%	79.2%	78.8%
Western Australia	Stirling (C)	1,896	83.5%	76.6%	74.4%
Western Australia	Subiaco (C)	<200	85.5%	80.6%	87.8%
Western Australia	Swan (C)	3,406	86.7%	80.3%	73.8%
Western Australia	Tammin (S)	<200	84.1%	77.3%	58.3%
Western Australia	Three Springs (S)	<200	89.6%	85.4%	81.3%
Western Australia	Toodyay (S)	<200	83.5%	81.2%	83.3%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	543	86.7%	79.7%	77.2%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	206	85.9%	83.0%	77.2%
Western Australia	Wagin (S)	<200	83.3%	76.7%	72.0%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,149	85.9%	79.5%	73.3%
Western Australia	Waroona (S)	<200	91.3%	89.4%	86.2%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
22 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	90.8%	85.3%	60.2%
Western Australia	Wongan-Ballidu (S)	<200	95.3%	86.0%	80.0%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,222	86.1%	78.8%	74.3%
Western Australia	Yalgoo (S)	<200	94.0%	79.5%	70.0%
Western Australia	Yilgarn (S)	<200	91.3%	87.0%	94.1%
Western Australia	York (S)	<200	77.2%	68.4%	73.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of any vaccine type.

People eligible with more than 2 doses. Total people received more than 2 doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 22 Mar. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 22 Mar. 2022 including individuals aged 16 and over.