



Australian Government
Operation COVID Shield

Local Government Area (LGA) COVID-19 Vaccine Rates

09 March 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
08 Mar. 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,304	91.4%	89.0%	55.7%

Data as at:
08 Mar. 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Albury (C)	1,237	83.2%	79.1%	42.9%
New South Wales	Armidale Regional (A)	1,465	86.1%	83.0%	42.8%
New South Wales	Ballina (A)	1,128	80.9%	78.5%	35.7%
New South Wales	Balranald (A)	<200	92.9%	91.3%	50.0%
New South Wales	Bathurst Regional (A)	1,458	87.7%	84.2%	34.1%
New South Wales	Bayside (A)	1,139	88.7%	87.5%	47.3%
New South Wales	Bega Valley (A)	952	85.9%	83.2%	43.9%
New South Wales	Bellingen (A)	281	83.3%	82.2%	41.4%
New South Wales	Berrigan (A)	<200	90.6%	89.1%	54.5%
New South Wales	Blacktown (C)	7,009	87.4%	85.0%	39.4%
New South Wales	Bland (A)	225	94.2%	93.3%	51.7%
New South Wales	Blayney (A)	<200	90.1%	87.9%	42.9%
New South Wales	Blue Mountains (C)	899	88.5%	87.3%	53.2%
New South Wales	Bogan (A)	271	89.7%	86.7%	42.1%
New South Wales	Bourke (A)	789	81.6%	76.9%	40.2%
New South Wales	Brewarrina (A)	691	87.7%	84.7%	43.1%
New South Wales	Broken Hill (C)	1,359	88.8%	86.7%	45.7%
New South Wales	Burwood (A)	<200	88.3%	86.9%	60.7%
New South Wales	Byron (A)	404	75.2%	72.3%	43.0%
New South Wales	Cabonne (A)	349	92.8%	91.7%	47.8%
New South Wales	Camden (A)	1,522	91.9%	91.1%	41.9%
New South Wales	Campbelltown (C) (NSW)	4,197	88.5%	86.3%	40.6%
New South Wales	Canada Bay (A)	295	88.5%	87.5%	54.0%
New South Wales	Canterbury-Bankstown (A)	2,045	87.4%	85.6%	45.7%
New South Wales	Carrathool (A)	<200	92.5%	91.0%	55.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	7,997	86.4%	84.7%	40.2%
New South Wales	Central Darling (A)	498	88.2%	87.1%	32.5%
New South Wales	Cessnock (C)	2,816	89.7%	88.3%	39.7%
New South Wales	Clarence Valley (A)	2,329	79.3%	76.7%	38.5%
New South Wales	Cobar (A)	327	87.5%	86.5%	33.1%
New South Wales	Coffs Harbour (C)	2,817	83.5%	81.2%	35.6%
New South Wales	Coolamon (A)	<200	87.6%	86.7%	41.1%
New South Wales	Coonamble (A)	1,117	89.3%	87.2%	47.9%
New South Wales	Cootamundra-Gundagai Regional (A)	311	92.3%	90.7%	48.4%
New South Wales	Cowra (A)	670	88.5%	85.2%	37.2%
New South Wales	Cumberland (A)	1,153	86.3%	84.6%	46.0%
New South Wales	Dubbo Regional (A)	5,512	85.5%	83.2%	35.3%
New South Wales	Dungog (A)	314	92.4%	90.8%	46.3%
New South Wales	Edward River (A)	273	93.0%	90.5%	56.5%
New South Wales	Eurobodalla (A)	1,646	90.5%	88.1%	39.9%
New South Wales	Fairfield (C)	1,240	84.5%	82.3%	42.7%
New South Wales	Federation (A)	<200	88.3%	85.7%	54.6%
New South Wales	Forbes (A)	807	92.6%	90.8%	46.6%
New South Wales	Georges River (A)	710	90.1%	88.5%	52.2%
New South Wales	Gilgandra (A)	468	81.8%	80.1%	39.3%
New South Wales	Glen Innes Severn (A)	494	81.8%	78.7%	41.9%
New South Wales	Goulburn Mulwaree (A)	667	89.4%	87.9%	54.3%
New South Wales	Greater Hume Shire (A)	<200	85.5%	84.2%	51.1%
New South Wales	Griffith (C)	973	85.3%	82.6%	38.6%
New South Wales	Gunnedah (A)	1,222	88.0%	85.9%	36.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.0%	90.8%	51.2%
New South Wales	Hawkesbury (C)	1,479	89.4%	88.3%	41.9%
New South Wales	Hay (A)	<200	96.0%	94.3%	62.1%
New South Wales	Hilltops (A)	424	90.1%	87.3%	46.8%
New South Wales	Hornsby (A)	422	91.0%	90.0%	61.8%
New South Wales	Hunters Hill (A)	<200	83.9%	80.4%	58.1%
New South Wales	Inner West (A)	1,611	86.5%	84.1%	52.7%
New South Wales	Inverell (A)	1,163	81.9%	78.8%	40.1%
New South Wales	Junee (A)	271	87.8%	87.1%	48.1%
New South Wales	Kempsey (A)	2,425	78.8%	75.2%	28.8%
New South Wales	Kiama (A)	241	91.3%	90.9%	54.9%
New South Wales	Ku-ring-gai (A)	<200	90.5%	90.0%	70.8%
New South Wales	Kyogle (A)	352	71.3%	65.6%	38.6%
New South Wales	Lachlan (A)	965	87.6%	85.0%	39.6%
New South Wales	Lake Macquarie (C)	5,434	88.5%	87.1%	41.8%
New South Wales	Lane Cove (A)	<200	85.7%	83.5%	49.3%
New South Wales	Leeton (A)	383	85.6%	83.8%	33.8%
New South Wales	Lismore (C)	1,739	77.5%	74.2%	35.3%
New South Wales	Lithgow (C)	784	89.8%	87.9%	47.4%
New South Wales	Liverpool (C)	2,386	87.3%	84.5%	43.1%
New South Wales	Liverpool Plains (A)	737	91.2%	88.9%	47.9%
New South Wales	Lockhart (A)	<200	90.8%	89.5%	44.8%
New South Wales	Maitland (C)	2,874	88.6%	87.4%	37.0%
New South Wales	Mid-Coast (A)	3,905	80.9%	78.9%	37.8%
New South Wales	Mid-Western Regional (A)	858	87.5%	85.3%	40.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Moree Plains (A)	2,346	82.8%	78.2%	33.7%
New South Wales	Mosman (A)	<200	84.0%	82.0%	68.3%
New South Wales	Murray River (A)	318	89.6%	88.1%	48.4%
New South Wales	Murrumbidgee (A)	<200	93.3%	89.7%	48.5%
New South Wales	Muswellbrook (A)	853	88.4%	86.3%	36.6%
New South Wales	Nambucca Valley (A)	1,206	80.1%	77.9%	32.6%
New South Wales	Narrabri (A)	1,285	89.0%	86.1%	37.5%
New South Wales	Narrandera (A)	422	86.3%	83.9%	32.3%
New South Wales	Narromine (A)	632	85.8%	83.4%	27.6%
New South Wales	Newcastle (C)	3,766	89.2%	87.3%	41.4%
New South Wales	North Sydney (A)	<200	90.9%	90.2%	69.4%
New South Wales	Northern Beaches (A)	789	86.6%	85.8%	52.8%
New South Wales	Oberon (A)	<200	87.6%	84.8%	57.3%
New South Wales	Orange (C)	1,941	86.0%	83.2%	37.9%
New South Wales	Parkes (A)	1,118	88.5%	86.7%	41.5%
New South Wales	Parramatta (C)	1,235	86.3%	83.6%	50.2%
New South Wales	Penrith (C)	5,043	90.6%	88.8%	42.3%
New South Wales	Port Macquarie-Hastings (A)	2,278	83.8%	82.5%	40.9%
New South Wales	Port Stephens (A)	2,374	86.8%	85.0%	38.9%
New South Wales	Queanbeyan-Palerang Regional (A)	1,230	89.7%	87.6%	48.8%
New South Wales	Randwick (C)	1,472	86.6%	84.2%	52.3%
New South Wales	Richmond Valley (A)	1,419	75.1%	72.3%	30.7%
New South Wales	Ryde (C)	352	88.6%	87.5%	53.6%
New South Wales	Shellharbour (C)	1,713	86.6%	84.6%	36.5%
New South Wales	Shoalhaven (C)	3,896	87.0%	84.8%	42.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Singleton (A)	919	88.4%	86.7%	37.9%
New South Wales	Snowy Monaro Regional (A)	373	90.6%	87.9%	51.4%
New South Wales	Snowy Valleys (A)	383	87.5%	85.1%	42.2%
New South Wales	Strathfield (A)	<200	89.3%	84.6%	46.8%
New South Wales	Sutherland Shire (A)	1,596	91.8%	91.3%	53.3%
New South Wales	Sydney (C)	2,693	85.4%	82.4%	49.5%
New South Wales	Tamworth Regional (A)	4,423	88.4%	86.1%	40.5%
New South Wales	Temora (A)	<200	93.5%	89.5%	46.3%
New South Wales	Tenterfield (A)	313	74.4%	70.3%	27.0%
New South Wales	The Hills Shire (A)	593	91.1%	90.9%	53.8%
New South Wales	Tweed (A)	2,603	79.9%	78.0%	39.9%
New South Wales	Unincorporated NSW	<200	87.5%	84.4%	48.1%
New South Wales	Upper Hunter Shire (A)	381	86.4%	84.8%	33.5%
New South Wales	Upper Lachlan Shire (A)	<200	91.8%	89.1%	50.0%
New South Wales	Uralla (A)	294	90.1%	89.8%	50.8%
New South Wales	Wagga Wagga (C)	2,543	88.3%	86.0%	41.1%
New South Wales	Walcha (A)	<200	89.4%	86.2%	53.4%
New South Wales	Walgett (A)	1,455	83.7%	80.7%	32.3%
New South Wales	Warren (A)	312	85.6%	83.3%	39.1%
New South Wales	Warrumbungle Shire (A)	640	84.2%	80.8%	36.5%
New South Wales	Waverley (A)	228	81.1%	79.4%	53.4%
New South Wales	Weddin (A)	<200	91.7%	90.0%	42.6%
New South Wales	Wentworth (A)	547	87.2%	83.7%	28.4%
New South Wales	Willoughby (C)	<200	84.1%	82.1%	62.4%
New South Wales	Wingecarribee (A)	622	86.7%	84.9%	45.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Wollondilly (A)	1,047	91.5%	90.3%	40.3%
New South Wales	Wollongong (C)	3,742	87.4%	85.7%	43.0%
New South Wales	Woollahra (A)	<200	86.3%	86.3%	61.2%
New South Wales	Yass Valley (A)	255	91.4%	90.6%	49.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Northern Territory	Alice Springs (T)	6,964	87.1%	81.3%	59.6%
Northern Territory	Barkly (R)	2,867	80.6%	71.9%	52.5%
Northern Territory	Belyuen (S)	<200	84.0%	81.9%	67.1%
Northern Territory	Central Desert (R)	1,611	86.0%	79.6%	47.5%
Northern Territory	Coomalie (S)	252	83.3%	75.4%	54.5%
Northern Territory	Darwin (C)	8,469	90.2%	85.4%	55.3%
Northern Territory	East Arnhem (R)	4,382	87.7%	79.8%	46.0%
Northern Territory	Katherine (T)	3,801	87.7%	82.5%	45.6%
Northern Territory	Litchfield (M)	1,474	91.0%	87.9%	49.6%
Northern Territory	MacDonnell (R)	2,636	89.6%	84.2%	57.9%
Northern Territory	Palmerston (C)	4,412	89.2%	84.8%	47.7%
Northern Territory	Roper Gulf (R)	2,438	90.4%	83.7%	41.3%
Northern Territory	Tiwi Islands (R)	1,328	95.6%	92.6%	75.7%
Northern Territory	Unincorporated NT	2,201	92.9%	90.1%	62.8%
Northern Territory	Victoria Daly (R)	691	90.3%	85.1%	62.4%
Northern Territory	Wagait (S)	<200	95.8%	91.7%	65.0%
Northern Territory	West Arnhem (R)	2,477	90.9%	83.7%	54.2%
Northern Territory	West Daly (R)	1,204	95.8%	90.4%	66.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	92.7%	90.2%	63.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Aurukun (S)	638	89.3%	82.1%	29.4%
Queensland	Balonne (S)	562	86.8%	82.0%	60.4%
Queensland	Banana (S)	451	80.0%	75.6%	49.4%
Queensland	Barcaldine (R)	<200	84.4%	82.0%	78.8%
Queensland	Barcoo (S)	<200	84.6%	84.6%	85.0%
Queensland	Blackall-Tambo (R)	<200	92.3%	89.0%	69.6%
Queensland	Boulia (S)	<200	78.7%	74.7%	67.6%
Queensland	Brisbane (C)	13,504	83.6%	79.8%	53.2%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,804	78.2%	74.5%	51.9%
Queensland	Burdekin (S)	755	73.8%	67.5%	52.5%
Queensland	Burke (S)	<200	89.0%	82.2%	65.8%
Queensland	Cairns (R)	12,202	79.1%	73.5%	44.8%
Queensland	Carpentaria (S)	619	89.5%	82.2%	56.9%
Queensland	Cassowary Coast (R)	2,313	72.2%	67.2%	47.4%
Queensland	Central Highlands (R) (Qld)	767	70.5%	66.5%	35.5%
Queensland	Charters Towers (R)	745	80.8%	74.5%	51.1%
Queensland	Cherbourg (S)	713	75.9%	69.8%	37.0%
Queensland	Cloncurry (S)	515	84.5%	77.1%	62.9%
Queensland	Cook (S)	651	85.3%	78.6%	47.3%
Queensland	Croydon (S)	<200	88.3%	86.7%	68.4%
Queensland	Diamantina (S)	<200	90.7%	90.7%	78.8%
Queensland	Doomadgee (S)	719	83.6%	70.2%	42.1%
Queensland	Douglas (S)	667	72.1%	65.5%	43.0%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	82.0%	71.2%	59.0%
Queensland	Fraser Coast (R)	3,262	80.3%	75.7%	51.7%
Queensland	Gladstone (R)	2,361	77.8%	73.5%	42.3%
Queensland	Gold Coast (C)	6,845	81.4%	78.8%	43.5%
Queensland	Goondiwindi (R)	440	80.2%	75.5%	38.8%
Queensland	Gympie (R)	1,194	71.9%	68.0%	52.2%
Queensland	Hinchinbrook (S)	477	78.0%	72.5%	50.2%
Queensland	Hope Vale (S)	491	87.0%	81.1%	53.1%
Queensland	Ipswich (C)	7,036	82.6%	77.9%	44.2%
Queensland	Isaac (R)	461	79.4%	77.4%	34.2%
Queensland	Kowanyama (S)	686	90.7%	86.2%	58.1%
Queensland	Livingstone (S)	831	80.7%	78.1%	47.8%
Queensland	Lockhart River (S)	338	88.5%	83.7%	56.6%
Queensland	Lockyer Valley (R)	1,126	84.7%	80.4%	46.7%
Queensland	Logan (C)	7,883	79.7%	75.7%	43.5%
Queensland	Longreach (R)	<200	86.3%	84.9%	65.9%
Queensland	Mackay (R)	4,443	80.3%	77.0%	41.8%
Queensland	Mapoon (S)	<200	83.9%	79.7%	72.9%
Queensland	Maranoa (R)	847	88.2%	83.6%	55.1%
Queensland	Mareeba (S)	2,300	75.1%	66.3%	44.8%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,177	84.0%	80.5%	49.4%
Queensland	Mornington (S)	488	88.7%	77.9%	56.8%
Queensland	Mount Isa (C)	3,259	78.8%	70.5%	49.5%
Queensland	Murweh (S)	354	87.9%	83.1%	64.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Napranum (S)	396	85.6%	76.3%	59.1%
Queensland	Noosa (S)	398	74.9%	71.6%	43.1%
Queensland	North Burnett (R)	460	83.5%	78.7%	61.6%
Queensland	Northern Peninsula Area (R)	1,370	77.7%	65.6%	43.4%
Queensland	Palm Island (S)	1,255	80.7%	73.2%	58.1%
Queensland	Paroo (S)	434	83.2%	80.2%	46.5%
Queensland	Pormpuraaw (S)	389	96.1%	94.1%	57.8%
Queensland	Quilpie (S)	<200	93.3%	93.3%	61.4%
Queensland	Redland (C)	2,520	84.0%	81.9%	53.7%
Queensland	Richmond (S)	<200	93.0%	90.7%	70.4%
Queensland	Rockhampton (R)	4,390	76.8%	72.3%	45.2%
Queensland	Scenic Rim (R)	791	83.3%	79.3%	50.0%
Queensland	Somerset (R)	606	82.0%	78.2%	46.8%
Queensland	South Burnett (R)	1,249	77.1%	72.1%	48.2%
Queensland	Southern Downs (R)	1,050	80.5%	77.0%	51.1%
Queensland	Sunshine Coast (R)	4,023	78.4%	75.3%	46.6%
Queensland	Tablelands (R)	1,372	68.4%	61.7%	51.5%
Queensland	Toowoomba (R)	4,705	82.7%	78.5%	47.6%
Queensland	Torres (S)	2,152	88.2%	83.9%	67.7%
Queensland	Torres Strait Island (R)	1,857	88.6%	84.0%	67.9%
Queensland	Townsville (C)	11,616	79.0%	72.9%	45.0%
Queensland	Weipa (T)	733	82.3%	77.1%	54.2%
Queensland	Western Downs (R)	1,336	77.4%	74.9%	46.2%
Queensland	Whitsunday (R)	933	69.6%	66.0%	43.8%
Queensland	Winton (S)	<200	94.8%	90.9%	83.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Woorabinda (S)	658	74.8%	66.4%	62.2%
Queensland	Wujal Wujal (S)	<200	92.9%	91.8%	74.2%
Queensland	Yarrabah (S)	1,814	79.4%	73.2%	45.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Adelaide (C)	417	81.8%	74.8%	61.1%
South Australia	Adelaide Hills (DC)	<200	91.5%	89.6%	67.8%
South Australia	Adelaide Plains (DC)	<200	77.0%	72.1%	55.4%
South Australia	Alexandrina (DC)	233	78.5%	74.7%	58.5%
South Australia	Anangu Pitjantjatjara (AC)	587	87.7%	83.5%	64.2%
South Australia	Barossa (DC)	<200	85.5%	80.7%	60.9%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	349	76.8%	69.6%	53.1%
South Australia	Burnside (C)	<200	86.3%	83.2%	63.8%
South Australia	Campbelltown (C) (SA)	276	80.8%	75.4%	55.0%
South Australia	Ceduna (DC)	811	75.2%	66.1%	56.9%
South Australia	Charles Sturt (C)	1,284	78.4%	72.7%	54.7%
South Australia	Clare and Gilbert Valleys (DC)	<200	81.3%	79.7%	51.2%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	268	78.7%	71.6%	50.0%
South Australia	Copper Coast (DC)	321	80.1%	76.3%	58.4%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.0%	87.7%	66.3%
South Australia	Franklin Harbour (DC)	<200	>99%	97.1%	60.6%
South Australia	Gawler (T)	348	78.7%	76.4%	58.7%
South Australia	Goyder (DC)	<200	**	**	**
South Australia	Grant (DC)	<200	90.3%	87.1%	65.4%
South Australia	Holdfast Bay (C)	<200	79.6%	75.9%	63.1%
South Australia	Kangaroo Island (DC)	<200	85.3%	82.4%	72.7%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	80.6%	80.6%	52.0%
South Australia	Light (RegC)	<200	74.6%	74.6%	64.1%
South Australia	Lower Eyre Peninsula (DC)	<200	81.8%	69.7%	72.2%
South Australia	Loxton Waikerie (DC)	<200	81.3%	74.7%	56.1%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	700	75.6%	69.6%	54.3%
South Australia	Mid Murray (DC)	<200	76.2%	70.3%	63.5%
South Australia	Mitcham (C)	247	87.0%	81.8%	64.2%
South Australia	Mount Barker (DC)	<200	80.1%	77.3%	59.7%
South Australia	Mount Gambier (C)	504	82.3%	76.4%	55.1%
South Australia	Mount Remarkable (DC)	<200	91.7%	88.9%	72.4%
South Australia	Murray Bridge (RC)	712	74.3%	67.6%	56.7%
South Australia	Naracoorte and Lucindale (DC)	<200	71.7%	71.7%	55.9%
South Australia	Northern Areas (DC)	<200	85.2%	80.3%	56.4%
South Australia	Norwood Payneham St Peters (C)	<200	81.5%	75.5%	63.5%
South Australia	Onkaparinga (C)	1,766	78.7%	72.9%	56.4%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	85.1%	83.0%	41.2%
South Australia	Playford (C)	2,133	74.4%	67.1%	50.3%
South Australia	Port Adelaide Enfield (C)	2,170	76.5%	68.6%	53.0%
South Australia	Port Augusta (C)	2,319	83.4%	73.7%	54.5%
South Australia	Port Lincoln (C)	795	74.2%	65.5%	54.9%
South Australia	Port Pirie City and Dists (M)	472	70.3%	65.5%	47.8%
South Australia	Prospect (C)	<200	77.0%	71.9%	52.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	84.1%	76.6%	48.4%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	87.6%	86.5%	39.3%
South Australia	Salisbury (C)	1,977	79.1%	72.5%	56.4%
South Australia	Southern Mallee (DC)	<200	83.3%	**	**
South Australia	Streaky Bay (DC)	<200	86.2%	86.2%	54.5%
South Australia	Tatiara (DC)	<200	79.0%	72.6%	48.8%
South Australia	Tea Tree Gully (C)	594	80.3%	75.1%	50.5%
South Australia	The Coorong (DC)	230	83.9%	74.8%	66.7%
South Australia	Tumby Bay (DC)	<200	90.3%	87.1%	59.1%
South Australia	Unincorporated SA	347	85.0%	75.5%	66.3%
South Australia	Unley (C)	<200	84.2%	78.9%	66.0%
South Australia	Victor Harbor (C)	<200	78.5%	73.8%	61.5%
South Australia	Wakefield (DC)	<200	78.8%	74.2%	50.0%
South Australia	Walkerville (M)	<200	85.3%	76.5%	75.0%
South Australia	Wattle Range (DC)	<200	76.7%	70.5%	53.4%
South Australia	West Torrens (C)	470	78.9%	73.6%	53.6%
South Australia	Whyalla (C)	1,224	81.2%	69.4%	55.1%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.4%	81.3%	40.0%
South Australia	Yorke Peninsula (DC)	254	80.7%	75.2%	55.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
08 Mar. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Break O'Day (M)	<200	86.5%	84.0%	58.8%
Tasmania	Brighton (M)	1,206	86.5%	82.9%	49.5%
Tasmania	Burnie (C)	926	86.3%	82.6%	45.7%
Tasmania	Central Coast (M) (Tas.)	958	89.9%	87.7%	61.3%
Tasmania	Central Highlands (M) (Tas.)	<200	85.4%	79.3%	47.3%
Tasmania	Circular Head (M)	548	87.0%	83.9%	45.7%
Tasmania	Clarence (C)	1,307	86.8%	84.3%	52.9%
Tasmania	Derwent Valley (M)	283	84.8%	80.2%	34.2%
Tasmania	Devonport (C)	948	85.4%	81.8%	41.8%
Tasmania	Dorset (M)	<200	86.7%	85.5%	45.9%
Tasmania	Flinders (M) (Tas.)	<200	94.7%	92.5%	83.8%
Tasmania	George Town (M)	235	87.7%	85.5%	60.4%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.3%	84.5%	55.6%
Tasmania	Glenorchy (C)	1,670	90.1%	86.5%	57.4%
Tasmania	Hobart (C)	614	91.5%	89.1%	60.7%
Tasmania	Huon Valley (M)	975	89.8%	85.6%	59.4%
Tasmania	Kentish (M)	205	82.0%	77.6%	44.8%
Tasmania	King Island (M)	<200	**	**	**
Tasmania	Kingborough (M)	787	92.8%	90.2%	58.8%
Tasmania	Latrobe (M) (Tas.)	344	87.2%	83.7%	46.5%
Tasmania	Launceston (C)	1,608	87.7%	83.9%	56.9%
Tasmania	Meander Valley (M)	454	87.4%	84.6%	57.6%
Tasmania	Northern Midlands (M)	214	90.2%	88.8%	57.5%
Tasmania	Sorell (M)	431	90.3%	87.9%	46.3%
Tasmania	Southern Midlands (M)	220	90.5%	88.6%	43.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Tasman (M)	<200	92.8%	90.4%	49.3%
Tasmania	Waratah/Wynyard (M)	667	84.1%	80.7%	50.5%
Tasmania	West Coast (M)	<200	89.2%	84.4%	39.8%
Tasmania	West Tamar (M)	345	93.3%	91.3%	55.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
08 Mar. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Alpine (S)	<200	86.4%	86.4%	61.6%
Victoria	Ararat (RC)	<200	85.0%	81.4%	59.8%
Victoria	Ballarat (C)	1,065	93.0%	91.3%	59.3%
Victoria	Banyule (C)	718	89.7%	87.6%	62.2%
Victoria	Bass Coast (S)	265	88.3%	87.2%	59.9%
Victoria	Baw Baw (S)	403	85.4%	82.9%	48.7%
Victoria	Bayside (C)	207	86.0%	84.1%	62.2%
Victoria	Benalla (RC)	<200	91.5%	89.9%	50.5%
Victoria	Boroondara (C)	286	93.7%	91.6%	67.3%
Victoria	Brimbank (C)	804	85.8%	83.1%	50.2%
Victoria	Buloke (S)	<200	85.1%	83.0%	72.2%
Victoria	Campaspe (S)	764	86.6%	83.9%	48.3%
Victoria	Cardinia (S)	553	91.3%	89.0%	50.4%
Victoria	Casey (C)	1,489	88.9%	87.0%	48.2%
Victoria	Central Goldfields (S)	<200	91.4%	90.1%	58.9%
Victoria	Colac-Otway (S)	<200	90.2%	88.4%	55.7%
Victoria	Corangamite (S)	<200	90.8%	89.7%	57.3%
Victoria	Darebin (C)	1,194	88.4%	84.4%	51.8%
Victoria	East Gippsland (S)	1,279	90.9%	88.0%	51.3%
Victoria	Frankston (C)	887	89.3%	86.6%	51.9%
Victoria	Gannawarra (S)	<200	94.5%	91.0%	45.6%
Victoria	Glen Eira (C)	271	88.2%	87.5%	63.4%
Victoria	Glenelg (S)	372	92.7%	90.9%	54.9%
Victoria	Golden Plains (S)	<200	89.9%	89.9%	58.0%
Victoria	Greater Bendigo (C)	1,453	91.9%	90.2%	54.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Greater Dandenong (C)	653	87.4%	84.4%	56.1%
Victoria	Greater Geelong (C)	1,914	91.0%	88.9%	58.9%
Victoria	Greater Shepparton (C)	1,907	86.5%	83.3%	46.1%
Victoria	Hepburn (S)	<200	92.9%	88.1%	57.5%
Victoria	Hindmarsh (S)	<200	94.0%	91.0%	60.0%
Victoria	Hobsons Bay (C)	380	86.8%	85.0%	59.3%
Victoria	Horsham (RC)	<200	88.1%	84.9%	50.8%
Victoria	Hume (C)	1,194	88.4%	86.0%	43.7%
Victoria	Indigo (S)	<200	92.3%	90.6%	60.0%
Victoria	Kingston (C) (Vic.)	435	92.6%	91.0%	64.2%
Victoria	Knox (C)	563	91.8%	90.2%	56.7%
Victoria	Latrobe (C) (Vic.)	986	86.1%	82.5%	38.9%
Victoria	Loddon (S)	<200	90.8%	90.8%	50.7%
Victoria	Macedon Ranges (S)	<200	91.5%	89.9%	64.0%
Victoria	Manningham (C)	259	88.4%	87.3%	60.0%
Victoria	Mansfield (S)	<200	89.4%	87.2%	57.5%
Victoria	Maribyrnong (C)	383	88.3%	86.2%	63.3%
Victoria	Maroondah (C)	392	90.1%	88.8%	57.7%
Victoria	Melbourne (C)	713	89.1%	85.3%	61.8%
Victoria	Melton (C)	937	89.3%	86.9%	51.1%
Victoria	Mildura (RC)	1,776	88.4%	84.6%	39.4%
Victoria	Mitchell (S)	440	92.0%	90.2%	51.4%
Victoria	Moira (S)	382	90.3%	89.0%	52.8%
Victoria	Monash (C)	431	87.9%	86.5%	57.5%
Victoria	Moonee Valley (C)	356	89.9%	88.2%	61.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Moorabool (S)	239	89.5%	87.4%	53.7%
Victoria	Moreland (C)	768	92.7%	90.2%	59.1%
Victoria	Mornington Peninsula (S)	887	89.2%	87.5%	55.7%
Victoria	Mount Alexander (S)	<200	92.1%	89.8%	68.8%
Victoria	Moyne (S)	<200	93.7%	91.2%	58.0%
Victoria	Murrindindi (S)	<200	91.5%	89.7%	63.1%
Victoria	Nillumbik (S)	217	92.2%	90.8%	59.1%
Victoria	Northern Grampians (S)	<200	85.7%	85.7%	62.2%
Victoria	Port Phillip (C)	426	87.8%	86.4%	56.9%
Victoria	Pyrenees (S)	<200	87.7%	87.7%	51.0%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	228	86.4%	86.4%	60.6%
Victoria	Southern Grampians (S)	223	91.0%	90.6%	53.6%
Victoria	Stonnington (C)	300	84.3%	82.3%	67.4%
Victoria	Strathbogie (S)	<200	92.0%	90.0%	47.2%
Victoria	Surf Coast (S)	<200	93.3%	92.5%	70.6%
Victoria	Swan Hill (RC)	762	88.2%	85.0%	45.2%
Victoria	Towong (S)	<200	87.0%	85.5%	64.9%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	289	92.4%	90.7%	55.6%
Victoria	Warrnambool (C)	482	91.9%	88.4%	52.9%
Victoria	Wellington (S)	615	87.0%	84.2%	52.3%
Victoria	West Wimmera (S)	<200	>99%	>99%	60.9%
Victoria	Whitehorse (C)	398	91.5%	88.9%	60.8%
Victoria	Whittlesea (C)	1,368	91.9%	90.4%	49.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Wodonga (C)	671	86.1%	83.9%	48.7%
Victoria	Wyndham (C)	1,338	90.5%	88.1%	48.7%
Victoria	Yarra (C)	407	88.2%	84.8%	55.8%
Victoria	Yarra Ranges (S)	896	90.8%	89.5%	51.0%
Victoria	Yarriambiack (S)	<200	85.5%	83.9%	68.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Albany (C)	945	84.0%	76.0%	71.7%
Western Australia	Armadale (C)	1,949	85.5%	76.6%	68.5%
Western Australia	Ashburton (S)	527	88.0%	78.9%	61.7%
Western Australia	Augusta-Margaret River (S)	<200	83.5%	81.3%	73.6%
Western Australia	Bassendean (T)	331	83.4%	73.1%	68.5%
Western Australia	Bayswater (C)	782	82.0%	73.4%	67.0%
Western Australia	Belmont (C)	991	82.8%	73.6%	76.2%
Western Australia	Beverley (S)	<200	91.3%	87.0%	82.6%
Western Australia	Boddington (S)	<200	90.0%	84.3%	70.4%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	89.4%	89.4%	78.1%
Western Australia	Brookton (S)	<200	87.1%	80.6%	75.0%
Western Australia	Broome (S)	4,155	85.8%	77.3%	71.2%
Western Australia	Broomehill-Tambellup (S)	<200	84.0%	74.7%	73.1%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,135	87.2%	80.6%	65.1%
Western Australia	Busselton (C)	411	85.6%	79.3%	77.9%
Western Australia	Cambridge (T)	<200	89.7%	89.7%	80.8%
Western Australia	Canning (C)	1,009	84.2%	72.4%	68.7%
Western Australia	Capel (S)	264	85.6%	80.3%	69.4%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	858	80.3%	67.1%	75.9%
Western Australia	Chapman Valley (S)	<200	88.6%	85.7%	53.8%
Western Australia	Chittering (S)	<200	91.1%	89.3%	64.7%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Cockburn (C)	1,355	82.7%	73.6%	72.9%
Western Australia	Collie (S)	294	85.4%	76.5%	61.5%
Western Australia	Coolgardie (S)	246	82.1%	68.7%	69.8%
Western Australia	Coorow (S)	<200	**	**	**
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	83.3%	83.3%	87.5%
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	86.1%	66.7%	76.9%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	92.1%	88.9%	80.0%
Western Australia	Dandaragan (S)	<200	93.5%	89.1%	78.8%
Western Australia	Dardanup (S)	218	90.4%	85.8%	81.9%
Western Australia	Denmark (S)	<200	82.0%	80.0%	71.4%
Western Australia	Derby-West Kimberley (S)	3,739	74.9%	60.3%	62.2%
Western Australia	Donnybrook-Balingup (S)	<200	92.5%	89.6%	78.6%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	82.1%	63.2%	57.7%
Western Australia	East Fremantle (T)	<200	80.0%	68.9%	71.4%
Western Australia	East Pilbara (S)	1,108	85.7%	73.3%	67.9%
Western Australia	Esperance (S)	355	80.6%	70.7%	67.5%
Western Australia	Exmouth (S)	<200	91.9%	81.1%	88.2%
Western Australia	Fremantle (C)	475	80.6%	71.6%	72.5%
Western Australia	Gingin (S)	<200	90.1%	85.9%	60.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	93.5%	81.8%	68.1%
Western Australia	Goomalling (S)	<200	93.5%	80.6%	66.7%
Western Australia	Gosnells (C)	2,352	84.9%	75.7%	70.7%
Western Australia	Greater Geraldton (C)	3,436	82.5%	70.0%	65.6%
Western Australia	Halls Creek (S)	1,993	71.8%	60.4%	62.5%
Western Australia	Harvey (S)	464	87.9%	82.3%	73.6%
Western Australia	Irwin (S)	<200	79.7%	72.5%	74.2%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	753	87.6%	82.5%	76.2%
Western Australia	Kalamunda (C)	709	86.3%	79.3%	72.2%
Western Australia	Kalgoorlie/Boulder (C)	1,912	79.8%	70.2%	62.9%
Western Australia	Karratha (C)	2,630	80.2%	69.7%	62.2%
Western Australia	Katanning (S)	284	85.6%	77.8%	58.5%
Western Australia	Kellerberrin (S)	<200	89.9%	84.1%	66.7%
Western Australia	Kent (S)	<200	**	**	**
Western Australia	Kojonup (S)	<200	94.3%	87.1%	61.5%
Western Australia	Kondinin (S)	<200	88.4%	86.0%	67.9%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,469	82.6%	70.3%	66.3%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	235	81.3%	71.9%	64.4%
Western Australia	Leonora (S)	224	80.4%	71.9%	37.3%
Western Australia	Mandurah (C)	1,229	84.1%	77.1%	66.2%
Western Australia	Manjimup (S)	<200	90.4%	88.0%	70.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Meekatharra (S)	336	87.8%	76.2%	58.3%
Western Australia	Melville (C)	485	85.4%	73.6%	78.1%
Western Australia	Menzies (S)	<200	80.0%	70.0%	54.5%
Western Australia	Merredin (S)	<200	83.2%	72.0%	64.9%
Western Australia	Mingenew (S)	<200	96.0%	92.0%	58.3%
Western Australia	Moora (S)	284	91.2%	84.9%	80.4%
Western Australia	Morawa (S)	<200	89.9%	75.3%	83.3%
Western Australia	Mosman Park (T)	<200	84.0%	72.0%	80.8%
Western Australia	Mount Magnet (S)	<200	83.2%	73.8%	72.0%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	96.0%	27.8%
Western Australia	Mundaring (S)	783	83.9%	69.1%	63.8%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	243	84.8%	75.7%	66.4%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	246	82.5%	70.3%	55.4%
Western Australia	Nedlands (C)	<200	90.3%	82.3%	72.2%
Western Australia	Ngaanyatjarraku (S)	688	84.0%	74.4%	68.1%
Western Australia	Northam (S)	517	78.9%	66.2%	61.2%
Western Australia	Northampton (S)	<200	84.3%	74.8%	67.3%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	92.0%	88.0%	64.7%
Western Australia	Perth (C)	852	81.5%	70.0%	71.1%
Western Australia	Pingelly (S)	<200	88.8%	78.7%	92.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Plantagenet (S)	<200	89.3%	83.6%	57.1%
Western Australia	Port Hedland (T)	2,616	79.8%	68.6%	67.9%
Western Australia	Quairading (S)	<200	83.2%	59.8%	72.2%
Western Australia	Ravensthorpe (S)	<200	84.8%	81.8%	78.3%
Western Australia	Rockingham (C)	1,778	87.4%	81.4%	75.2%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	361	90.9%	87.0%	72.8%
Western Australia	Shark Bay (S)	<200	86.7%	84.4%	62.5%
Western Australia	South Perth (C)	439	82.9%	75.9%	77.9%
Western Australia	Stirling (C)	1,916	82.0%	73.7%	71.9%
Western Australia	Subiaco (C)	<200	85.7%	79.4%	87.2%
Western Australia	Swan (C)	3,399	85.9%	78.1%	72.4%
Western Australia	Tammin (S)	<200	83.7%	74.4%	59.1%
Western Australia	Three Springs (S)	<200	88.0%	80.0%	71.0%
Western Australia	Toodyay (S)	<200	83.5%	80.0%	81.4%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	545	86.2%	76.7%	74.9%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	204	85.3%	82.8%	75.7%
Western Australia	Wagin (S)	<200	81.7%	75.0%	70.0%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,161	84.7%	77.0%	71.3%
Western Australia	Waroon (S)	<200	91.2%	84.3%	83.6%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
08 Mar. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	89.5%	82.1%	65.3%
Western Australia	Wongan-Ballidu (S)	<200	93.0%	83.7%	89.5%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,221	84.4%	76.1%	70.9%
Western Australia	Yalgoo (S)	<200	89.2%	79.5%	63.2%
Western Australia	Yilgarn (S)	<200	87.5%	87.5%	73.3%
Western Australia	York (S)	<200	72.1%	66.3%	71.4%

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of any vaccine type.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

People eligible with more than 2 doses. Total people received more than 2 doses by the number of individuals eligible in the region.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 08 Mar. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 08 Mar. 2022 including individuals aged 16 and over.