



Australian Government
Operation COVID Shield

LGA Vaccination Rates (AIR Indigenous Population)

11 May 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
10 May 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,259	91.0%	88.7%	60.9%

Data as at:
10 May 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Albury (C)	1,236	83.3%	79.9%	48.3%
New South Wales	Armidale Regional (A)	1,457	85.9%	83.3%	48.7%
New South Wales	Ballina (A)	1,133	81.0%	78.7%	41.2%
New South Wales	Balranald (A)	<200	93.7%	92.9%	53.5%
New South Wales	Bathurst Regional (A)	1,447	87.6%	84.5%	42.0%
New South Wales	Bayside (A)	1,162	89.5%	88.3%	54.6%
New South Wales	Bega Valley (A)	955	85.5%	83.2%	49.2%
New South Wales	Bellingen (A)	263	82.5%	80.2%	52.4%
New South Wales	Berrigan (A)	<200	89.8%	88.3%	60.8%
New South Wales	Blacktown (C)	7,129	87.7%	85.4%	45.6%
New South Wales	Bland (A)	223	94.2%	93.7%	56.7%
New South Wales	Blayney (A)	<200	90.8%	88.5%	51.9%
New South Wales	Blue Mountains (C)	921	88.6%	87.5%	59.8%
New South Wales	Bogan (A)	273	90.1%	87.5%	47.1%
New South Wales	Bourke (A)	777	81.0%	77.2%	44.8%
New South Wales	Brewarrina (A)	680	87.5%	84.3%	49.0%
New South Wales	Broken Hill (C)	1,352	88.9%	86.8%	52.9%
New South Wales	Burwood (A)	<200	89.3%	88.0%	68.2%
New South Wales	Byron (A)	408	76.0%	73.0%	49.5%
New South Wales	Cabonne (A)	354	92.7%	91.5%	53.7%
New South Wales	Camden (A)	1,557	92.2%	91.5%	49.0%
New South Wales	Campbelltown (C) (NSW)	4,224	88.9%	87.0%	46.6%
New South Wales	Canada Bay (A)	293	89.1%	87.7%	60.4%
New South Wales	Canterbury-Bankstown (A)	2,079	87.5%	86.1%	51.4%
New South Wales	Carrathool (A)	<200	92.6%	91.1%	58.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	8,115	86.7%	85.2%	46.7%
New South Wales	Central Darling (A)	486	88.3%	86.8%	41.6%
New South Wales	Cessnock (C)	2,852	89.9%	88.5%	48.8%
New South Wales	Clarence Valley (A)	2,349	79.6%	77.1%	46.5%
New South Wales	Cobar (A)	330	88.2%	87.3%	43.0%
New South Wales	Coffs Harbour (C)	2,818	83.3%	81.5%	45.5%
New South Wales	Coolamon (A)	<200	88.2%	88.2%	49.5%
New South Wales	Coonamble (A)	1,116	89.5%	87.5%	52.5%
New South Wales	Cootamundra-Gundagai Regional (A)	314	92.0%	90.8%	55.3%
New South Wales	Cowra (A)	651	88.6%	85.4%	42.5%
New South Wales	Cumberland (A)	1,168	86.5%	84.7%	51.7%
New South Wales	Dubbo Regional (A)	5,477	85.8%	83.7%	42.7%
New South Wales	Dungog (A)	327	92.4%	91.1%	53.4%
New South Wales	Edward River (A)	280	91.8%	90.0%	59.6%
New South Wales	Eurobodalla (A)	1,636	90.5%	88.1%	46.4%
New South Wales	Fairfield (C)	1,245	85.1%	82.7%	48.9%
New South Wales	Federation (A)	<200	89.3%	87.4%	66.9%
New South Wales	Forbes (A)	809	93.1%	91.7%	52.2%
New South Wales	Georges River (A)	707	90.8%	89.5%	57.8%
New South Wales	Gilgandra (A)	482	82.0%	79.9%	47.0%
New South Wales	Glen Innes Severn (A)	484	82.6%	79.5%	50.3%
New South Wales	Goulburn Mulwaree (A)	661	89.9%	89.0%	61.1%
New South Wales	Greater Hume Shire (A)	<200	85.5%	83.7%	58.3%
New South Wales	Griffith (C)	976	85.2%	83.3%	45.6%
New South Wales	Gunnedah (A)	1,246	88.1%	86.0%	43.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.6%	91.5%	56.4%
New South Wales	Hawkesbury (C)	1,484	89.8%	88.9%	49.4%
New South Wales	Hay (A)	<200	96.0%	94.8%	66.0%
New South Wales	Hilltops (A)	427	90.2%	87.4%	52.0%
New South Wales	Hornsby (A)	430	91.4%	90.5%	68.8%
New South Wales	Hunters Hill (A)	<200	85.5%	80.6%	58.0%
New South Wales	Inner West (A)	1,604	86.7%	84.3%	59.5%
New South Wales	Inverell (A)	1,150	81.9%	78.7%	48.4%
New South Wales	Junee (A)	264	88.6%	87.1%	59.4%
New South Wales	Kempsey (A)	2,387	78.9%	75.7%	36.9%
New South Wales	Kiama (A)	238	91.6%	91.6%	56.7%
New South Wales	Ku-ring-gai (A)	<200	90.6%	90.1%	75.6%
New South Wales	Kyogle (A)	360	69.4%	64.2%	43.4%
New South Wales	Lachlan (A)	971	88.4%	85.8%	49.3%
New South Wales	Lake Macquarie (C)	5,468	88.8%	87.5%	49.1%
New South Wales	Lane Cove (A)	<200	85.7%	83.5%	57.9%
New South Wales	Leeton (A)	375	86.1%	85.1%	40.8%
New South Wales	Lismore (C)	1,800	77.6%	74.1%	41.4%
New South Wales	Lithgow (C)	794	90.6%	88.5%	55.4%
New South Wales	Liverpool (C)	2,421	87.4%	85.5%	50.2%
New South Wales	Liverpool Plains (A)	726	90.9%	89.1%	58.3%
New South Wales	Lockhart (A)	<200	90.8%	89.5%	52.9%
New South Wales	Maitland (C)	2,856	88.6%	87.2%	44.5%
New South Wales	Mid-Coast (A)	3,890	80.8%	79.0%	45.2%
New South Wales	Mid-Western Regional (A)	852	88.1%	86.2%	49.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Moree Plains (A)	2,346	83.5%	79.3%	41.0%
New South Wales	Mosman (A)	<200	83.3%	81.3%	76.9%
New South Wales	Murray River (A)	319	89.7%	88.1%	56.4%
New South Wales	Murrumbidgee (A)	<200	93.8%	90.3%	58.1%
New South Wales	Muswellbrook (A)	871	88.2%	86.5%	45.1%
New South Wales	Nambucca Valley (A)	1,199	80.9%	78.7%	41.7%
New South Wales	Narrabri (A)	1,278	88.9%	86.2%	43.4%
New South Wales	Narrandera (A)	417	86.3%	84.4%	40.5%
New South Wales	Narromine (A)	664	86.7%	84.0%	37.9%
New South Wales	Newcastle (C)	3,738	89.0%	87.5%	48.8%
New South Wales	North Sydney (A)	<200	91.2%	90.6%	69.7%
New South Wales	Northern Beaches (A)	813	87.1%	86.6%	62.4%
New South Wales	Oberon (A)	<200	87.4%	86.4%	58.1%
New South Wales	Orange (C)	1,922	86.2%	83.3%	44.8%
New South Wales	Parkes (A)	1,129	88.8%	87.1%	50.6%
New South Wales	Parramatta (C)	1,271	86.4%	84.3%	56.7%
New South Wales	Penrith (C)	5,085	90.8%	89.3%	48.5%
New South Wales	Port Macquarie-Hastings (A)	2,228	83.4%	82.4%	48.5%
New South Wales	Port Stephens (A)	2,361	86.9%	85.3%	47.2%
New South Wales	Queanbeyan-Palerang Regional (A)	1,213	89.9%	87.9%	54.8%
New South Wales	Randwick (C)	1,485	86.7%	84.6%	58.2%
New South Wales	Richmond Valley (A)	1,433	75.6%	72.9%	38.8%
New South Wales	Ryde (C)	358	88.5%	87.7%	63.9%
New South Wales	Shellharbour (C)	1,719	87.2%	85.2%	42.8%
New South Wales	Shoalhaven (C)	3,859	87.0%	84.9%	49.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Singleton (A)	955	88.4%	86.7%	46.6%
New South Wales	Snowy Monaro Regional (A)	361	90.0%	87.8%	56.4%
New South Wales	Snowy Valleys (A)	380	87.1%	84.2%	50.8%
New South Wales	Strathfield (A)	<200	89.3%	85.7%	56.3%
New South Wales	Sutherland Shire (A)	1,621	92.1%	91.5%	59.1%
New South Wales	Sydney (C)	2,675	85.6%	82.9%	55.8%
New South Wales	Tamworth Regional (A)	4,429	88.6%	86.4%	48.2%
New South Wales	Temora (A)	<200	94.5%	90.6%	54.8%
New South Wales	Tenterfield (A)	310	73.9%	71.0%	33.8%
New South Wales	The Hills Shire (A)	592	91.4%	91.4%	60.2%
New South Wales	Tweed (A)	2,610	80.0%	78.2%	48.2%
New South Wales	Unincorporated NSW	<200	85.7%	84.1%	54.7%
New South Wales	Upper Hunter Shire (A)	396	86.4%	84.8%	45.8%
New South Wales	Upper Lachlan Shire (A)	<200	91.8%	89.7%	59.2%
New South Wales	Uralla (A)	302	90.4%	89.4%	57.1%
New South Wales	Wagga Wagga (C)	2,549	88.5%	86.5%	47.9%
New South Wales	Walcha (A)	<200	90.2%	86.9%	57.7%
New South Wales	Walgett (A)	1,425	83.9%	81.1%	39.1%
New South Wales	Warren (A)	320	85.9%	84.4%	48.1%
New South Wales	Warrumbungle Shire (A)	654	85.2%	82.7%	42.4%
New South Wales	Waverley (A)	226	80.5%	79.2%	60.7%
New South Wales	Weddin (A)	<200	92.5%	91.0%	49.2%
New South Wales	Wentworth (A)	537	87.5%	84.2%	37.8%
New South Wales	Willoughby (C)	<200	84.7%	81.3%	68.0%
New South Wales	Wingecarribee (A)	621	86.6%	85.2%	53.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
New South Wales	Wollondilly (A)	1,050	91.5%	90.4%	46.8%
New South Wales	Wollongong (C)	3,745	87.7%	86.1%	49.3%
New South Wales	Woollahra (A)	<200	87.9%	87.1%	59.3%
New South Wales	Yass Valley (A)	271	92.3%	91.5%	57.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Northern Territory	Alice Springs (T)	6,881	87.8%	83.4%	65.7%
Northern Territory	Barkly (R)	2,807	81.5%	74.4%	50.7%
Northern Territory	Belyuen (S)	<200	89.7%	86.6%	72.2%
Northern Territory	Central Desert (R)	1,528	86.9%	81.8%	53.4%
Northern Territory	Coomalie (S)	238	87.0%	81.1%	64.3%
Northern Territory	Darwin (C)	8,400	90.9%	87.0%	68.8%
Northern Territory	East Arnhem (R)	4,318	88.1%	81.1%	58.6%
Northern Territory	Katherine (T)	3,721	88.5%	84.3%	59.2%
Northern Territory	Litchfield (M)	1,405	90.8%	88.2%	68.7%
Northern Territory	MacDonnell (R)	2,567	90.0%	86.1%	66.9%
Northern Territory	Palmerston (C)	4,407	90.3%	86.5%	64.3%
Northern Territory	Roper Gulf (R)	2,371	90.8%	85.2%	57.6%
Northern Territory	Tiwi Islands (R)	1,266	95.9%	93.7%	82.6%
Northern Territory	Unincorporated NT	2,047	93.2%	90.8%	73.9%
Northern Territory	Victoria Daly (R)	671	90.9%	86.9%	68.5%
Northern Territory	Wagait (S)	<200	95.5%	95.5%	71.4%
Northern Territory	West Arnhem (R)	2,403	91.6%	85.2%	61.1%
Northern Territory	West Daly (R)	1,182	95.7%	91.7%	75.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	93.2%	90.7%	65.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Aurukun (S)	639	89.7%	83.9%	39.8%
Queensland	Balonne (S)	561	86.8%	83.1%	57.2%
Queensland	Banana (S)	451	81.4%	77.2%	38.7%
Queensland	Barcaldine (R)	<200	85.0%	83.3%	65.6%
Queensland	Barcoo (S)	<200	85.2%	85.2%	86.4%
Queensland	Blackall-Tambo (R)	<200	93.8%	90.6%	64.3%
Queensland	Boulia (S)	<200	80.3%	78.9%	55.6%
Queensland	Brisbane (C)	13,605	84.4%	81.3%	54.4%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,811	78.5%	75.6%	46.1%
Queensland	Burdekin (S)	783	75.5%	71.1%	43.0%
Queensland	Burke (S)	<200	89.5%	84.2%	41.9%
Queensland	Cairns (R)	12,174	80.1%	75.8%	39.6%
Queensland	Carpentaria (S)	626	89.6%	82.6%	42.3%
Queensland	Cassowary Coast (R)	2,291	72.9%	69.3%	39.7%
Queensland	Central Highlands (R) (Qld)	753	72.1%	68.7%	31.8%
Queensland	Charters Towers (R)	768	81.0%	77.2%	48.4%
Queensland	Cherbourg (S)	718	76.3%	71.9%	39.9%
Queensland	Cloncurry (S)	523	85.7%	78.8%	45.5%
Queensland	Cook (S)	636	86.3%	80.3%	50.5%
Queensland	Croydon (S)	<200	88.3%	88.3%	52.9%
Queensland	Diamantina (S)	<200	96.0%	92.0%	71.1%
Queensland	Doomadgee (S)	691	83.9%	70.8%	38.3%
Queensland	Douglas (S)	676	74.0%	68.5%	46.4%
Queensland	Etheridge (S)	<200	83.3%	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	82.1%	72.9%	62.8%
Queensland	Fraser Coast (R)	3,293	80.8%	77.4%	47.6%
Queensland	Gladstone (R)	2,385	78.7%	75.3%	39.5%
Queensland	Gold Coast (C)	6,934	81.8%	79.8%	44.5%
Queensland	Goondiwindi (R)	429	81.1%	76.9%	39.9%
Queensland	Gympie (R)	1,209	72.1%	69.5%	51.3%
Queensland	Hinchinbrook (S)	480	78.8%	74.2%	51.3%
Queensland	Hope Vale (S)	490	88.0%	82.7%	53.5%
Queensland	Ipswich (C)	7,122	83.5%	79.7%	45.5%
Queensland	Isaac (R)	455	80.2%	78.0%	28.9%
Queensland	Kowanyama (S)	647	91.2%	86.7%	54.6%
Queensland	Livingstone (S)	856	81.4%	79.1%	45.3%
Queensland	Lockhart River (S)	328	88.7%	83.5%	56.0%
Queensland	Lockyer Valley (R)	1,120	85.5%	82.1%	48.6%
Queensland	Logan (C)	7,966	80.5%	77.4%	43.5%
Queensland	Longreach (R)	<200	86.2%	84.1%	60.5%
Queensland	Mackay (R)	4,482	81.1%	78.2%	35.4%
Queensland	Mapoon (S)	<200	84.5%	79.8%	71.3%
Queensland	Maranoa (R)	860	88.3%	84.5%	50.5%
Queensland	Mareeba (S)	2,252	76.3%	68.2%	39.6%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,236	84.6%	81.7%	50.7%
Queensland	Mornington (S)	484	89.3%	80.0%	49.6%
Queensland	Mount Isa (C)	3,231	79.6%	72.4%	38.9%
Queensland	Murweh (S)	358	88.0%	84.4%	65.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Napranum (S)	395	85.3%	77.7%	46.9%
Queensland	Noosa (S)	417	75.5%	72.9%	43.4%
Queensland	North Burnett (R)	463	83.8%	80.8%	59.3%
Queensland	Northern Peninsula Area (R)	1,379	78.5%	68.2%	31.2%
Queensland	Palm Island (S)	1,259	81.6%	75.1%	50.1%
Queensland	Paroo (S)	436	83.9%	80.7%	42.7%
Queensland	Pormpuraaw (S)	361	95.8%	94.5%	66.0%
Queensland	Quilpie (S)	<200	94.7%	93.4%	58.0%
Queensland	Redland (C)	2,575	84.5%	82.6%	54.3%
Queensland	Richmond (S)	<200	93.2%	90.9%	52.6%
Queensland	Rockhampton (R)	4,388	77.7%	74.1%	38.3%
Queensland	Scenic Rim (R)	793	84.1%	81.3%	47.7%
Queensland	Somerset (R)	597	81.9%	79.1%	50.8%
Queensland	South Burnett (R)	1,251	77.8%	73.5%	47.7%
Queensland	Southern Downs (R)	1,057	80.6%	77.6%	48.0%
Queensland	Sunshine Coast (R)	4,078	78.7%	76.1%	46.7%
Queensland	Tablelands (R)	1,372	69.7%	64.4%	43.1%
Queensland	Toowoomba (R)	4,706	82.8%	79.5%	44.6%
Queensland	Torres (S)	2,136	88.6%	85.2%	59.6%
Queensland	Torres Strait Island (R)	1,858	89.0%	85.0%	62.8%
Queensland	Townsville (C)	11,561	80.1%	75.2%	40.9%
Queensland	Weipa (T)	706	82.0%	77.6%	47.4%
Queensland	Western Downs (R)	1,351	78.1%	75.9%	41.1%
Queensland	Whitsunday (R)	951	70.9%	68.6%	46.9%
Queensland	Winton (S)	<200	94.9%	92.4%	77.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Queensland	Woorabinda (S)	654	75.2%	67.9%	45.2%
Queensland	Wujal Wujal (S)	<200	92.7%	91.6%	76.5%
Queensland	Yarrabah (S)	1,805	79.9%	75.2%	46.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Adelaide (C)	420	82.9%	77.4%	66.4%
South Australia	Adelaide Hills (DC)	<200	91.3%	90.4%	71.0%
South Australia	Adelaide Plains (DC)	<200	78.4%	76.0%	62.2%
South Australia	Alexandrina (DC)	228	79.8%	77.2%	60.4%
South Australia	Anangu Pitjantjatjara (AC)	558	87.1%	83.5%	73.8%
South Australia	Barossa (DC)	<200	87.4%	83.2%	66.1%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	352	78.1%	70.7%	54.4%
South Australia	Burnside (C)	<200	87.8%	85.7%	64.6%
South Australia	Campbelltown (C) (SA)	277	80.5%	78.0%	59.3%
South Australia	Ceduna (DC)	799	75.2%	67.0%	54.5%
South Australia	Charles Sturt (C)	1,288	79.1%	74.4%	56.5%
South Australia	Clare and Gilbert Valleys (DC)	<200	80.6%	79.0%	56.3%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	253	77.9%	70.8%	46.6%
South Australia	Copper Coast (DC)	327	81.0%	77.1%	63.9%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.5%	88.9%	53.9%
South Australia	Franklin Harbour (DC)	<200	>99%	>99%	71.9%
South Australia	Gawler (T)	340	79.7%	77.4%	61.7%
South Australia	Goyder (DC)	<200	**	**	**
South Australia	Grant (DC)	<200	91.2%	88.2%	76.7%
South Australia	Holdfast Bay (C)	<200	81.4%	80.1%	63.9%
South Australia	Kangaroo Island (DC)	<200	84.2%	78.9%	58.6%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	77.8%	77.8%	63.0%
South Australia	Light (RegC)	<200	75.3%	75.3%	63.0%
South Australia	Lower Eyre Peninsula (DC)	<200	82.4%	70.6%	69.6%
South Australia	Loxton Waikerie (DC)	<200	82.2%	78.3%	54.1%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	716	76.7%	70.4%	56.1%
South Australia	Mid Murray (DC)	<200	76.2%	73.3%	69.0%
South Australia	Mitcham (C)	250	88.8%	83.2%	68.0%
South Australia	Mount Barker (DC)	<200	81.2%	80.1%	63.4%
South Australia	Mount Gambier (C)	495	83.2%	78.2%	58.7%
South Australia	Mount Remarkable (DC)	<200	92.5%	90.0%	67.6%
South Australia	Murray Bridge (RC)	689	76.2%	69.8%	55.6%
South Australia	Naracoorte and Lucindale (DC)	<200	73.2%	73.2%	59.0%
South Australia	Northern Areas (DC)	<200	88.1%	83.1%	52.2%
South Australia	Norwood Payneham St Peters (C)	<200	82.2%	76.3%	67.0%
South Australia	Onkaparinga (C)	1,790	79.4%	74.2%	55.8%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	86.3%	84.3%	54.8%
South Australia	Playford (C)	2,166	75.8%	69.9%	50.6%
South Australia	Port Adelaide Enfield (C)	2,179	78.2%	72.0%	54.9%
South Australia	Port Augusta (C)	2,312	84.4%	76.9%	52.5%
South Australia	Port Lincoln (C)	790	75.1%	67.2%	56.8%
South Australia	Port Pirie City and Dists (M)	476	72.1%	68.5%	48.0%
South Australia	Prospect (C)	<200	76.7%	71.4%	62.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	84.8%	78.6%	55.6%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	90.1%	87.9%	35.9%
South Australia	Salisbury (C)	2,022	80.0%	74.6%	56.8%
South Australia	Southern Mallee (DC)	<200	84.0%	84.0%	50.0%
South Australia	Streaky Bay (DC)	<200	85.7%	85.7%	58.3%
South Australia	Tatiara (DC)	<200	82.8%	70.3%	54.5%
South Australia	Tea Tree Gully (C)	607	80.9%	77.3%	59.2%
South Australia	The Coorong (DC)	236	83.5%	76.3%	64.1%
South Australia	Tumby Bay (DC)	<200	90.0%	86.7%	68.0%
South Australia	Unincorporated SA	355	84.8%	77.5%	62.5%
South Australia	Unley (C)	<200	85.4%	80.8%	63.6%
South Australia	Victor Harbor (C)	<200	80.0%	77.7%	61.2%
South Australia	Wakefield (DC)	<200	77.8%	73.0%	50.0%
South Australia	Walkerville (M)	<200	89.3%	75.0%	71.4%
South Australia	Wattle Range (DC)	<200	77.9%	72.5%	59.1%
South Australia	West Torrens (C)	470	81.1%	75.7%	59.0%
South Australia	Whyalla (C)	1,199	82.7%	73.1%	56.7%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	86.1%	83.3%	62.1%
South Australia	Yorke Peninsula (DC)	259	82.6%	75.7%	59.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
10 May 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Break O'Day (M)	<200	85.5%	83.0%	57.8%
Tasmania	Brighton (M)	1,196	87.4%	84.6%	55.2%
Tasmania	Burnie (C)	924	86.1%	83.5%	50.8%
Tasmania	Central Coast (M) (Tas.)	943	90.1%	88.8%	62.8%
Tasmania	Central Highlands (M) (Tas.)	<200	86.0%	79.1%	52.2%
Tasmania	Circular Head (M)	534	87.3%	84.1%	48.5%
Tasmania	Clarence (C)	1,283	87.7%	85.0%	57.8%
Tasmania	Derwent Valley (M)	274	86.9%	83.2%	43.8%
Tasmania	Devonport (C)	931	85.7%	82.6%	49.5%
Tasmania	Dorset (M)	<200	86.3%	84.4%	56.4%
Tasmania	Flinders (M) (Tas.)	<200	94.4%	92.7%	86.1%
Tasmania	George Town (M)	246	87.4%	86.6%	62.3%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.5%	86.5%	58.6%
Tasmania	Glenorchy (C)	1,672	90.3%	87.1%	61.9%
Tasmania	Hobart (C)	614	91.7%	89.3%	65.7%
Tasmania	Huon Valley (M)	990	90.0%	87.2%	64.8%
Tasmania	Kentish (M)	203	82.3%	78.8%	53.9%
Tasmania	King Island (M)	<200	90.9%	**	**
Tasmania	Kingborough (M)	779	92.9%	90.4%	66.0%
Tasmania	Latrobe (M) (Tas.)	332	87.7%	84.6%	53.8%
Tasmania	Launceston (C)	1,571	87.9%	85.1%	56.7%
Tasmania	Meander Valley (M)	459	88.0%	86.1%	60.1%
Tasmania	Northern Midlands (M)	214	90.7%	90.2%	56.3%
Tasmania	Sorell (M)	418	90.2%	88.0%	53.5%
Tasmania	Southern Midlands (M)	221	90.0%	89.1%	45.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Tasmania	Tasman (M)	<200	93.1%	92.0%	72.2%
Tasmania	Waratah/Wynyard (M)	666	84.5%	82.0%	55.1%
Tasmania	West Coast (M)	<200	88.8%	85.2%	49.6%
Tasmania	West Tamar (M)	339	93.5%	92.0%	58.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
10 May 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Alpine (S)	<200	86.0%	86.0%	68.9%
Victoria	Ararat (RC)	<200	84.3%	81.5%	70.1%
Victoria	Ballarat (C)	1,082	93.6%	91.9%	63.4%
Victoria	Banyule (C)	726	89.7%	88.2%	66.7%
Victoria	Bass Coast (S)	260	88.8%	87.7%	65.4%
Victoria	Baw Baw (S)	404	86.6%	84.2%	53.1%
Victoria	Bayside (C)	204	86.3%	84.8%	67.6%
Victoria	Benalla (RC)	<200	92.0%	90.6%	56.0%
Victoria	Boroondara (C)	287	93.4%	91.3%	75.2%
Victoria	Brimbank (C)	786	85.9%	84.1%	57.4%
Victoria	Buloke (S)	<200	87.5%	83.3%	74.4%
Victoria	Campaspe (S)	756	86.6%	83.9%	56.1%
Victoria	Cardinia (S)	558	92.1%	90.3%	55.1%
Victoria	Casey (C)	1,501	89.3%	87.7%	55.4%
Victoria	Central Goldfields (S)	<200	91.6%	91.6%	71.1%
Victoria	Colac-Otway (S)	<200	91.1%	88.8%	60.5%
Victoria	Corangamite (S)	<200	90.6%	89.4%	60.8%
Victoria	Darebin (C)	1,207	88.2%	84.6%	59.4%
Victoria	East Gippsland (S)	1,267	91.0%	88.8%	57.7%
Victoria	Frankston (C)	892	89.5%	87.7%	56.8%
Victoria	Gannawarra (S)	<200	93.8%	91.0%	53.5%
Victoria	Glen Eira (C)	281	88.6%	87.5%	70.3%
Victoria	Glenelg (S)	388	93.6%	92.3%	59.7%
Victoria	Golden Plains (S)	<200	91.1%	89.9%	67.1%
Victoria	Greater Bendigo (C)	1,450	91.9%	90.2%	59.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Greater Dandenong (C)	650	87.7%	85.7%	60.4%
Victoria	Greater Geelong (C)	1,939	91.4%	89.8%	64.0%
Victoria	Greater Shepparton (C)	1,898	86.6%	83.7%	52.1%
Victoria	Hepburn (S)	<200	94.0%	91.6%	60.8%
Victoria	Hindmarsh (S)	<200	95.5%	92.4%	68.9%
Victoria	Hobsons Bay (C)	378	87.8%	86.0%	66.1%
Victoria	Horsham (RC)	<200	88.5%	86.5%	56.9%
Victoria	Hume (C)	1,192	89.1%	87.4%	52.5%
Victoria	Indigo (S)	<200	92.4%	90.7%	68.2%
Victoria	Kingston (C) (Vic.)	433	92.6%	91.2%	69.5%
Victoria	Knox (C)	577	91.5%	89.9%	63.6%
Victoria	Latrobe (C) (Vic.)	1,002	87.1%	83.3%	45.6%
Victoria	Loddon (S)	<200	90.9%	90.9%	53.8%
Victoria	Macedon Ranges (S)	202	91.6%	90.1%	68.9%
Victoria	Manningham (C)	260	88.1%	86.5%	69.2%
Victoria	Mansfield (S)	<200	92.2%	92.2%	60.9%
Victoria	Maribyrnong (C)	389	88.9%	88.2%	65.3%
Victoria	Maroondah (C)	393	90.1%	88.8%	64.6%
Victoria	Melbourne (C)	708	90.1%	86.6%	68.4%
Victoria	Melton (C)	960	89.6%	87.8%	57.2%
Victoria	Mildura (RC)	1,781	88.8%	85.5%	46.9%
Victoria	Mitchell (S)	441	92.7%	91.2%	59.9%
Victoria	Moira (S)	373	90.1%	88.7%	57.9%
Victoria	Monash (C)	440	88.9%	87.3%	64.6%
Victoria	Moonee Valley (C)	372	90.3%	88.7%	66.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Moorabool (S)	254	89.4%	87.8%	59.7%
Victoria	Moreland (C)	785	92.4%	90.8%	63.9%
Victoria	Mornington Peninsula (S)	901	89.7%	88.3%	62.1%
Victoria	Mount Alexander (S)	<200	92.1%	89.7%	71.7%
Victoria	Moyne (S)	<200	93.0%	90.4%	61.3%
Victoria	Murrindindi (S)	<200	91.1%	90.2%	66.7%
Victoria	Nillumbik (S)	220	92.7%	91.8%	64.0%
Victoria	Northern Grampians (S)	<200	86.5%	85.4%	68.8%
Victoria	Port Phillip (C)	418	88.8%	87.3%	63.6%
Victoria	Pyrenees (S)	<200	88.9%	88.9%	59.6%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	222	86.9%	86.9%	65.1%
Victoria	Southern Grampians (S)	224	91.1%	90.2%	63.4%
Victoria	Stonnington (C)	304	84.9%	82.2%	72.4%
Victoria	Strathbogie (S)	<200	92.0%	90.0%	60.7%
Victoria	Surf Coast (S)	<200	94.1%	93.3%	74.8%
Victoria	Swan Hill (RC)	763	88.6%	86.2%	50.7%
Victoria	Towong (S)	<200	87.7%	86.3%	66.7%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	290	91.7%	90.0%	58.6%
Victoria	Warrnambool (C)	487	91.6%	88.9%	54.5%
Victoria	Wellington (S)	597	86.9%	84.3%	59.4%
Victoria	West Wimmera (S)	<200	>99%	>99%	64.0%
Victoria	Whitehorse (C)	391	92.8%	91.0%	67.6%
Victoria	Whittlesea (C)	1,380	92.4%	91.2%	56.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Victoria	Wodonga (C)	685	87.2%	85.8%	55.2%
Victoria	Wyndham (C)	1,365	90.7%	88.6%	56.1%
Victoria	Yarra (C)	410	87.8%	84.9%	63.5%
Victoria	Yarra Ranges (S)	925	90.5%	89.5%	57.7%
Victoria	Yarriambiack (S)	<200	86.4%	86.4%	70.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Albany (C)	899	85.5%	80.6%	66.5%
Western Australia	Armadale (C)	1,939	88.4%	82.5%	64.1%
Western Australia	Ashburton (S)	525	90.5%	84.8%	77.9%
Western Australia	Augusta-Margaret River (S)	<200	85.7%	83.5%	77.1%
Western Australia	Bassendean (T)	330	86.4%	78.2%	62.6%
Western Australia	Bayswater (C)	764	85.2%	80.0%	67.4%
Western Australia	Belmont (C)	979	85.8%	79.6%	67.1%
Western Australia	Beverley (S)	<200	93.8%	93.8%	71.1%
Western Australia	Boddington (S)	<200	91.7%	88.9%	67.9%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	89.1%	89.1%	84.6%
Western Australia	Brookton (S)	<200	87.3%	85.7%	65.2%
Western Australia	Broome (S)	4,047	88.3%	82.7%	71.8%
Western Australia	Broomehill-Tambellup (S)	<200	83.3%	79.2%	55.3%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,119	90.3%	85.5%	69.0%
Western Australia	Busselton (C)	415	87.5%	83.4%	71.3%
Western Australia	Cambridge (T)	<200	90.0%	90.0%	75.9%
Western Australia	Canning (C)	979	86.6%	79.4%	66.7%
Western Australia	Capel (S)	266	88.0%	83.8%	73.4%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	845	85.7%	75.3%	66.1%
Western Australia	Chapman Valley (S)	<200	87.9%	84.8%	53.8%
Western Australia	Chittering (S)	<200	91.4%	89.7%	70.0%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Cockburn (C)	1,347	85.5%	80.0%	68.6%
Western Australia	Collie (S)	294	86.7%	81.3%	70.0%
Western Australia	Coolgardie (S)	248	86.3%	78.6%	67.8%
Western Australia	Coorow (S)	<200	83.3%	83.3%	76.5%
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	84.6%	80.8%	84.2%
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	88.6%	77.1%	60.9%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	91.7%	90.0%	76.1%
Western Australia	Dandaragan (S)	<200	96.2%	96.2%	77.1%
Western Australia	Dardanup (S)	219	92.7%	90.4%	78.8%
Western Australia	Denmark (S)	<200	81.6%	79.6%	66.7%
Western Australia	Derby-West Kimberley (S)	3,662	82.4%	72.9%	68.0%
Western Australia	Donnybrook-Balingup (S)	<200	94.3%	91.4%	75.4%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	87.0%	**	**
Western Australia	Dundas (S)	<200	86.2%	75.5%	42.6%
Western Australia	East Fremantle (T)	<200	81.4%	74.4%	69.2%
Western Australia	East Pilbara (S)	1,114	88.8%	80.3%	64.0%
Western Australia	Esperance (S)	344	85.8%	77.0%	71.0%
Western Australia	Exmouth (S)	<200	88.6%	82.9%	73.1%
Western Australia	Fremantle (C)	460	83.3%	77.2%	68.6%
Western Australia	Gingin (S)	<200	91.3%	88.4%	67.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	93.5%	87.0%	78.7%
Western Australia	Goomalling (S)	<200	93.5%	77.4%	56.5%
Western Australia	Gosnells (C)	2,334	87.7%	81.9%	68.1%
Western Australia	Greater Geraldton (C)	3,336	86.6%	77.9%	66.2%
Western Australia	Halls Creek (S)	1,996	76.4%	68.3%	65.5%
Western Australia	Harvey (S)	467	90.1%	85.4%	67.0%
Western Australia	Irwin (S)	<200	80.6%	76.1%	83.7%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	763	89.5%	86.1%	74.9%
Western Australia	Kalamunda (C)	695	87.9%	83.0%	69.4%
Western Australia	Kalgoorlie/Boulder (C)	1,811	82.7%	75.8%	59.5%
Western Australia	Karratha (C)	2,606	83.8%	76.5%	68.7%
Western Australia	Katanning (S)	285	89.1%	83.5%	66.3%
Western Australia	Kellerberrin (S)	<200	89.2%	86.5%	70.4%
Western Australia	Kojonup (S)	<200	94.4%	88.9%	59.6%
Western Australia	Kondinin (S)	<200	93.6%	93.6%	72.2%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,428	86.4%	76.9%	69.4%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	227	85.0%	76.2%	65.3%
Western Australia	Leonora (S)	225	81.8%	75.1%	49.7%
Western Australia	Mandurah (C)	1,223	85.7%	81.4%	68.6%
Western Australia	Manjimup (S)	<200	90.7%	90.1%	74.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Meekatharra (S)	326	90.8%	84.4%	65.5%
Western Australia	Melville (C)	484	87.8%	81.2%	70.3%
Western Australia	Menzies (S)	<200	83.3%	70.8%	53.6%
Western Australia	Merredin (S)	<200	84.0%	79.8%	67.3%
Western Australia	Mingenew (S)	<200	95.8%	91.7%	75.0%
Western Australia	Moora (S)	284	93.7%	88.0%	67.1%
Western Australia	Morawa (S)	<200	92.3%	85.7%	78.0%
Western Australia	Mosman Park (T)	<200	86.0%	82.0%	61.8%
Western Australia	Mount Magnet (S)	<200	87.1%	81.6%	65.7%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	**	**
Western Australia	Mundaring (S)	751	87.1%	76.8%	71.2%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	234	86.3%	80.8%	71.0%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	243	83.5%	77.0%	62.7%
Western Australia	Nedlands (C)	<200	91.8%	85.2%	70.0%
Western Australia	Ngaanyatjarraku (S)	675	85.9%	78.5%	67.8%
Western Australia	Northam (S)	522	83.3%	76.1%	61.8%
Western Australia	Northampton (S)	<200	88.5%	82.3%	55.7%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	72.2%
Western Australia	Perth (C)	853	85.6%	77.0%	74.0%
Western Australia	Pingelly (S)	<200	92.0%	79.3%	81.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Plantagenet (S)	<200	90.4%	85.1%	65.1%
Western Australia	Port Hedland (T)	2,637	84.8%	77.3%	69.9%
Western Australia	Quairading (S)	<200	85.5%	76.4%	59.6%
Western Australia	Ravensthorpe (S)	<200	90.6%	87.5%	84.0%
Western Australia	Rockingham (C)	1,765	89.6%	86.3%	71.6%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	367	91.0%	88.3%	74.6%
Western Australia	Shark Bay (S)	<200	87.2%	85.1%	50.0%
Western Australia	South Perth (C)	435	87.4%	81.1%	72.5%
Western Australia	Stirling (C)	1,892	84.6%	80.0%	71.7%
Western Australia	Subiaco (C)	<200	87.1%	82.3%	81.6%
Western Australia	Swan (C)	3,403	87.7%	82.9%	67.1%
Western Australia	Tammin (S)	<200	86.4%	77.3%	63.3%
Western Australia	Three Springs (S)	<200	95.2%	92.9%	81.3%
Western Australia	Toodyay (S)	<200	83.5%	81.2%	70.8%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	537	87.3%	82.3%	70.9%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	210	86.7%	83.8%	74.1%
Western Australia	Wagin (S)	<200	82.0%	78.7%	65.7%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,172	87.0%	82.1%	68.9%
Western Australia	Waroona (S)	<200	93.3%	91.3%	71.3%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
10 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous individuals received Dose 1 %	Indigenous individuals received dose 2 %	Indigenous individuals received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.4%	87.9%	54.5%
Western Australia	Wongan-Ballidu (S)	<200	97.6%	95.2%	75.9%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,208	87.7%	82.7%	73.1%
Western Australia	Yalgoo (S)	<200	93.6%	84.6%	70.7%
Western Australia	Yilgarn (S)	<200	91.3%	91.3%	89.5%
Western Australia	York (S)	<200	79.5%	76.7%	55.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of any vaccine type.

People eligible with more than 2 doses. Total people received more than 2 doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 10 May 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 10 May 2022 including individuals aged 16 and over.