



Australian Government

Operation COVID Shield

LGA Vaccination Rates (AIR Indigenous Population)

25 May 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
24 May 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,250	91.4%	89.1%	61.8%

Data as at:
24 May 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Albury (C)	1,234	83.7%	80.4%	49.2%
New South Wales	Armidale Regional (A)	1,466	86.3%	83.4%	49.2%
New South Wales	Ballina (A)	1,116	81.7%	79.5%	41.9%
New South Wales	Balranald (A)	<200	94.4%	93.7%	55.6%
New South Wales	Bathurst Regional (A)	1,443	88.1%	85.0%	43.1%
New South Wales	Bayside (A)	1,154	90.2%	89.0%	54.6%
New South Wales	Bega Valley (A)	949	86.2%	83.7%	49.7%
New South Wales	Bellingen (A)	261	83.5%	82.0%	54.5%
New South Wales	Berrigan (A)	<200	91.7%	90.2%	61.0%
New South Wales	Blacktown (C)	7,128	88.0%	85.8%	46.2%
New South Wales	Bland (A)	226	94.7%	94.2%	56.6%
New South Wales	Blayney (A)	<200	91.3%	89.0%	51.9%
New South Wales	Blue Mountains (C)	906	91.2%	90.1%	59.9%
New South Wales	Bogan (A)	273	90.1%	87.5%	47.5%
New South Wales	Bourke (A)	777	81.3%	77.7%	46.6%
New South Wales	Brewarrina (A)	681	87.7%	84.4%	49.7%
New South Wales	Broken Hill (C)	1,351	89.3%	87.3%	53.0%
New South Wales	Burwood (A)	<200	89.2%	87.8%	67.2%
New South Wales	Byron (A)	402	77.6%	74.6%	50.3%
New South Wales	Cabonne (A)	353	92.9%	91.8%	53.7%
New South Wales	Camden (A)	1,541	93.5%	92.7%	49.2%
New South Wales	Campbelltown (C) (NSW)	4,216	89.3%	87.4%	46.9%
New South Wales	Canada Bay (A)	297	90.2%	88.6%	59.8%
New South Wales	Canterbury-Bankstown (A)	2,074	88.5%	86.9%	52.1%
New South Wales	Carrathool (A)	<200	92.5%	91.0%	57.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	8,087	87.4%	85.9%	47.4%
New South Wales	Central Darling (A)	477	88.1%	86.6%	42.2%
New South Wales	Cessnock (C)	2,844	90.3%	88.9%	49.4%
New South Wales	Clarence Valley (A)	2,362	80.0%	77.5%	47.6%
New South Wales	Cobar (A)	344	88.7%	87.8%	46.0%
New South Wales	Coffs Harbour (C)	2,818	83.7%	81.9%	46.4%
New South Wales	Coolamon (A)	<200	89.1%	89.1%	50.0%
New South Wales	Coonamble (A)	1,111	89.6%	87.6%	53.2%
New South Wales	Cootamundra-Gundagai Regional (A)	307	92.5%	91.2%	55.6%
New South Wales	Cowra (A)	650	88.6%	85.5%	43.6%
New South Wales	Cumberland (A)	1,161	86.8%	85.0%	52.5%
New South Wales	Dubbo Regional (A)	5,490	86.1%	84.2%	43.3%
New South Wales	Dungog (A)	330	93.3%	92.1%	55.0%
New South Wales	Edward River (A)	285	91.6%	89.8%	59.8%
New South Wales	Eurobodalla (A)	1,644	91.1%	88.8%	47.3%
New South Wales	Fairfield (C)	1,240	85.9%	83.5%	49.6%
New South Wales	Federation (A)	<200	90.4%	88.5%	67.2%
New South Wales	Forbes (A)	811	93.2%	91.9%	52.6%
New South Wales	Georges River (A)	694	91.9%	90.6%	58.6%
New South Wales	Gilgandra (A)	480	81.9%	79.6%	46.9%
New South Wales	Glen Innes Severn (A)	485	83.7%	81.0%	51.9%
New South Wales	Goulburn Mulwaree (A)	663	90.3%	89.6%	61.7%
New South Wales	Greater Hume Shire (A)	<200	85.5%	84.3%	60.7%
New South Wales	Griffith (C)	973	85.6%	83.6%	45.7%
New South Wales	Gunnedah (A)	1,255	88.6%	86.7%	43.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.6%	91.4%	58.5%
New South Wales	Hawkesbury (C)	1,489	90.3%	89.5%	50.6%
New South Wales	Hay (A)	<200	96.0%	94.9%	66.5%
New South Wales	Hilltops (A)	430	90.9%	87.7%	53.6%
New South Wales	Hornsby (A)	435	92.0%	90.8%	69.3%
New South Wales	Hunters Hill (A)	<200	84.4%	79.7%	58.8%
New South Wales	Inner West (A)	1,593	87.2%	84.9%	59.6%
New South Wales	Inverell (A)	1,151	81.9%	79.0%	50.6%
New South Wales	Junee (A)	267	89.9%	88.8%	61.1%
New South Wales	Kempsey (A)	2,378	79.1%	75.9%	38.0%
New South Wales	Kiama (A)	236	92.4%	92.4%	57.1%
New South Wales	Ku-ring-gai (A)	<200	91.0%	91.0%	75.4%
New South Wales	Kyogle (A)	360	69.7%	64.4%	44.2%
New South Wales	Lachlan (A)	973	88.5%	85.8%	49.6%
New South Wales	Lake Macquarie (C)	5,443	89.3%	88.1%	49.8%
New South Wales	Lane Cove (A)	<200	86.4%	84.1%	56.8%
New South Wales	Leeton (A)	375	86.4%	85.6%	41.3%
New South Wales	Lismore (C)	1,785	78.0%	74.7%	42.9%
New South Wales	Lithgow (C)	786	91.0%	88.9%	55.6%
New South Wales	Liverpool (C)	2,429	87.9%	86.0%	50.7%
New South Wales	Liverpool Plains (A)	724	91.7%	89.9%	58.2%
New South Wales	Lockhart (A)	<200	90.7%	89.3%	56.7%
New South Wales	Maitland (C)	2,837	89.5%	88.3%	45.2%
New South Wales	Mid-Coast (A)	3,873	81.6%	79.8%	45.8%
New South Wales	Mid-Western Regional (A)	842	88.2%	86.3%	49.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Moree Plains (A)	2,344	83.9%	79.7%	41.7%
New South Wales	Mosman (A)	<200	83.7%	81.6%	77.5%
New South Wales	Murray River (A)	314	89.5%	87.9%	56.7%
New South Wales	Murrumbidgee (A)	<200	94.3%	90.6%	57.2%
New South Wales	Muswellbrook (A)	872	88.3%	86.5%	46.0%
New South Wales	Nambucca Valley (A)	1,204	81.3%	79.1%	42.5%
New South Wales	Narrabri (A)	1,277	89.0%	86.2%	44.3%
New South Wales	Narrandera (A)	421	86.2%	84.3%	40.1%
New South Wales	Narromine (A)	691	87.4%	84.8%	40.2%
New South Wales	Newcastle (C)	3,728	89.7%	88.2%	49.9%
New South Wales	North Sydney (A)	<200	92.0%	91.4%	71.7%
New South Wales	Northern Beaches (A)	802	88.5%	88.0%	62.8%
New South Wales	Oberon (A)	<200	87.5%	86.5%	57.5%
New South Wales	Orange (C)	1,926	86.8%	83.9%	45.7%
New South Wales	Parkes (A)	1,136	89.2%	87.8%	52.9%
New South Wales	Parramatta (C)	1,258	87.2%	85.1%	57.5%
New South Wales	Penrith (C)	5,071	91.2%	89.7%	49.1%
New South Wales	Port Macquarie-Hastings (A)	2,218	84.0%	82.9%	49.4%
New South Wales	Port Stephens (A)	2,341	87.6%	86.0%	47.9%
New South Wales	Queanbeyan-Palerang Regional (A)	1,204	90.9%	89.0%	54.9%
New South Wales	Randwick (C)	1,472	87.2%	84.9%	58.6%
New South Wales	Richmond Valley (A)	1,428	75.8%	73.3%	40.0%
New South Wales	Ryde (C)	359	89.1%	88.0%	64.6%
New South Wales	Shellharbour (C)	1,714	88.0%	86.1%	44.1%
New South Wales	Shoalhaven (C)	3,849	87.4%	85.2%	49.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Singleton (A)	963	89.4%	87.7%	46.8%
New South Wales	Snowy Monaro Regional (A)	362	90.6%	88.4%	57.9%
New South Wales	Snowy Valleys (A)	375	87.7%	84.5%	50.9%
New South Wales	Strathfield (A)	<200	89.3%	85.7%	57.7%
New South Wales	Sutherland Shire (A)	1,602	93.1%	92.5%	59.5%
New South Wales	Sydney (C)	2,691	85.8%	83.0%	55.9%
New South Wales	Tamworth Regional (A)	4,433	89.1%	86.9%	49.0%
New South Wales	Temora (A)	<200	95.3%	91.3%	56.5%
New South Wales	Tenterfield (A)	307	75.2%	72.3%	35.5%
New South Wales	The Hills Shire (A)	590	91.9%	91.9%	60.4%
New South Wales	Tweed (A)	2,590	80.8%	79.0%	48.7%
New South Wales	Unincorporated NSW	<200	85.0%	83.3%	56.0%
New South Wales	Upper Hunter Shire (A)	401	86.5%	85.3%	46.9%
New South Wales	Upper Lachlan Shire (A)	<200	92.4%	90.3%	59.7%
New South Wales	Uralla (A)	303	90.8%	89.8%	58.1%
New South Wales	Wagga Wagga (C)	2,546	88.7%	86.7%	48.4%
New South Wales	Walcha (A)	<200	90.4%	86.4%	57.4%
New South Wales	Walgett (A)	1,420	84.2%	81.5%	38.9%
New South Wales	Warren (A)	317	85.5%	83.9%	48.1%
New South Wales	Warrumbungle Shire (A)	658	85.0%	82.5%	43.5%
New South Wales	Waverley (A)	221	83.3%	81.9%	60.0%
New South Wales	Weddin (A)	<200	94.0%	92.5%	51.6%
New South Wales	Wentworth (A)	539	87.6%	84.0%	37.6%
New South Wales	Willoughby (C)	<200	84.1%	80.8%	68.0%
New South Wales	Wingecarribee (A)	610	88.4%	86.9%	54.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Wollondilly (A)	1,041	92.3%	91.2%	47.4%
New South Wales	Wollongong (C)	3,708	88.5%	86.8%	49.5%
New South Wales	Woollahra (A)	<200	89.1%	88.3%	62.8%
New South Wales	Yass Valley (A)	269	92.9%	92.2%	59.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Northern Territory	Alice Springs (T)	6,876	87.8%	83.6%	66.6%
Northern Territory	Barkly (R)	2,816	81.3%	74.5%	51.4%
Northern Territory	Belyuen (S)	<200	89.7%	86.6%	71.3%
Northern Territory	Central Desert (R)	1,514	86.7%	81.7%	54.8%
Northern Territory	Coomalie (S)	238	86.6%	81.1%	64.3%
Northern Territory	Darwin (C)	8,409	91.0%	87.3%	69.7%
Northern Territory	East Arnhem (R)	4,373	88.0%	81.1%	60.2%
Northern Territory	Katherine (T)	3,721	88.6%	84.6%	60.3%
Northern Territory	Litchfield (M)	1,394	91.6%	89.2%	69.8%
Northern Territory	MacDonnell (R)	2,555	90.0%	86.1%	68.2%
Northern Territory	Palmerston (C)	4,399	90.4%	86.7%	65.2%
Northern Territory	Roper Gulf (R)	2,373	90.9%	85.5%	59.6%
Northern Territory	Tiwi Islands (R)	1,267	96.1%	93.9%	82.5%
Northern Territory	Unincorporated NT	2,005	93.5%	91.5%	75.4%
Northern Territory	Victoria Daly (R)	667	91.0%	87.4%	70.9%
Northern Territory	Wagait (S)	<200	95.5%	95.5%	81.0%
Northern Territory	West Arnhem (R)	2,412	91.6%	85.4%	62.0%
Northern Territory	West Daly (R)	1,171	95.8%	91.8%	75.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	93.1%	90.6%	66.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Aurukun (S)	641	89.9%	83.9%	39.9%
Queensland	Balonne (S)	565	86.7%	83.0%	57.0%
Queensland	Banana (S)	455	82.0%	77.4%	39.5%
Queensland	Barcaldine (R)	<200	85.8%	84.2%	66.0%
Queensland	Barcoo (S)	<200	85.2%	85.2%	82.6%
Queensland	Blackall-Tambo (R)	<200	93.8%	90.6%	62.8%
Queensland	Boulia (S)	<200	80.5%	79.2%	54.4%
Queensland	Brisbane (C)	13,611	84.7%	81.6%	54.4%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,813	78.8%	76.0%	46.0%
Queensland	Burdekin (S)	776	75.4%	70.7%	42.5%
Queensland	Burke (S)	<200	89.2%	85.1%	40.3%
Queensland	Cairns (R)	12,142	80.4%	76.0%	39.6%
Queensland	Carpentaria (S)	627	89.6%	82.5%	41.4%
Queensland	Cassowary Coast (R)	2,281	73.2%	69.7%	39.4%
Queensland	Central Highlands (R) (Qld)	752	72.6%	69.1%	31.7%
Queensland	Charters Towers (R)	770	81.0%	77.3%	48.5%
Queensland	Cherbourg (S)	722	76.5%	72.2%	40.6%
Queensland	Cloncurry (S)	525	85.7%	79.0%	45.0%
Queensland	Cook (S)	640	86.4%	80.5%	50.3%
Queensland	Croydon (S)	<200	88.3%	88.3%	51.9%
Queensland	Diamantina (S)	<200	96.0%	92.0%	69.6%
Queensland	Doomadgee (S)	696	84.3%	71.6%	40.1%
Queensland	Douglas (S)	671	74.4%	68.9%	47.5%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	82.6%	74.6%	60.4%
Queensland	Fraser Coast (R)	3,294	81.3%	78.0%	47.4%
Queensland	Gladstone (R)	2,387	78.7%	75.3%	39.8%
Queensland	Gold Coast (C)	6,922	82.5%	80.5%	44.9%
Queensland	Goondiwindi (R)	421	81.9%	77.4%	40.6%
Queensland	Gympie (R)	1,210	72.9%	70.4%	51.4%
Queensland	Hinchinbrook (S)	480	79.2%	74.6%	51.7%
Queensland	Hope Vale (S)	491	88.0%	82.7%	52.9%
Queensland	Ipswich (C)	7,108	83.7%	80.1%	45.8%
Queensland	Isaac (R)	460	81.3%	79.3%	30.0%
Queensland	Kowanyama (S)	626	90.9%	86.7%	54.2%
Queensland	Livingstone (S)	854	81.7%	79.5%	46.7%
Queensland	Lockhart River (S)	331	88.8%	83.7%	55.7%
Queensland	Lockyer Valley (R)	1,134	85.6%	82.2%	48.2%
Queensland	Logan (C)	7,979	80.9%	77.7%	43.9%
Queensland	Longreach (R)	<200	85.6%	83.5%	59.5%
Queensland	Mackay (R)	4,466	81.5%	78.7%	35.5%
Queensland	Mapoon (S)	<200	84.6%	80.0%	71.2%
Queensland	Maranoa (R)	859	88.2%	84.5%	51.1%
Queensland	Mareeba (S)	2,237	76.3%	68.4%	39.6%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,233	84.9%	82.1%	51.1%
Queensland	Mornington (S)	483	89.0%	79.9%	49.6%
Queensland	Mount Isa (C)	3,220	79.7%	72.5%	39.5%
Queensland	Murweh (S)	358	88.0%	84.4%	65.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Napranum (S)	392	85.2%	77.8%	45.8%
Queensland	Noosa (S)	409	76.5%	73.8%	43.6%
Queensland	North Burnett (R)	460	83.9%	80.9%	60.1%
Queensland	Northern Peninsula Area (R)	1,381	78.8%	68.6%	31.0%
Queensland	Palm Island (S)	1,264	81.8%	75.2%	50.9%
Queensland	Paroo (S)	435	84.1%	80.7%	42.7%
Queensland	Pormpuraaw (S)	360	95.8%	94.4%	65.9%
Queensland	Quilpie (S)	<200	94.6%	93.2%	56.5%
Queensland	Redland (C)	2,557	85.0%	83.2%	54.6%
Queensland	Richmond (S)	<200	93.3%	91.1%	56.1%
Queensland	Rockhampton (R)	4,406	78.1%	74.4%	38.8%
Queensland	Scenic Rim (R)	788	85.0%	82.5%	48.3%
Queensland	Somerset (R)	591	81.7%	79.0%	50.9%
Queensland	South Burnett (R)	1,255	78.0%	74.0%	47.6%
Queensland	Southern Downs (R)	1,051	81.0%	78.2%	47.6%
Queensland	Sunshine Coast (R)	4,057	79.7%	77.0%	46.6%
Queensland	Tablelands (R)	1,371	69.8%	64.8%	43.4%
Queensland	Toowoomba (R)	4,709	83.5%	80.1%	45.1%
Queensland	Torres (S)	2,136	88.7%	85.3%	59.8%
Queensland	Torres Strait Island (R)	1,860	89.1%	84.9%	62.6%
Queensland	Townsville (C)	11,572	80.2%	75.4%	41.2%
Queensland	Weipa (T)	704	82.2%	77.7%	47.0%
Queensland	Western Downs (R)	1,351	78.4%	76.2%	40.5%
Queensland	Whitsunday (R)	946	71.8%	69.3%	47.9%
Queensland	Winton (S)	<200	94.9%	92.4%	76.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Woorabinda (S)	658	75.4%	68.5%	47.8%
Queensland	Wujal Wujal (S)	<200	93.3%	92.7%	77.4%
Queensland	Yarrabah (S)	1,799	79.9%	75.4%	49.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Adelaide (C)	423	83.5%	77.8%	67.1%
South Australia	Adelaide Hills (DC)	<200	91.2%	91.2%	72.5%
South Australia	Adelaide Plains (DC)	<200	78.6%	76.2%	58.1%
South Australia	Alexandrina (DC)	221	80.5%	77.4%	59.3%
South Australia	Anangu Pitjantjatjara (AC)	561	87.0%	83.4%	74.0%
South Australia	Barossa (DC)	<200	88.7%	84.5%	66.7%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	351	78.3%	70.9%	53.9%
South Australia	Burnside (C)	<200	88.1%	86.1%	67.1%
South Australia	Campbelltown (C) (SA)	280	80.4%	77.5%	58.0%
South Australia	Ceduna (DC)	800	76.0%	67.5%	53.9%
South Australia	Charles Sturt (C)	1,288	79.5%	74.8%	57.3%
South Australia	Clare and Gilbert Valleys (DC)	<200	81.5%	80.0%	59.6%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	246	78.5%	70.7%	47.1%
South Australia	Copper Coast (DC)	320	81.9%	77.8%	62.4%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.2%	88.5%	54.5%
South Australia	Franklin Harbour (DC)	<200	>99%	>99%	69.7%
South Australia	Gawler (T)	342	80.1%	77.8%	62.4%
South Australia	Goyder (DC)	<200	76.9%	76.9%	72.2%
South Australia	Grant (DC)	<200	90.9%	87.9%	79.3%
South Australia	Holdfast Bay (C)	<200	82.4%	81.1%	64.3%
South Australia	Kangaroo Island (DC)	<200	86.8%	81.6%	60.0%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	77.8%	77.8%	60.7%
South Australia	Light (RegC)	<200	77.5%	77.5%	60.0%
South Australia	Lower Eyre Peninsula (DC)	<200	81.3%	68.8%	71.4%
South Australia	Loxton Waikerie (DC)	<200	82.1%	77.7%	54.9%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	716	77.0%	70.4%	56.3%
South Australia	Mid Murray (DC)	<200	76.0%	73.0%	66.7%
South Australia	Mitcham (C)	251	88.8%	82.9%	68.5%
South Australia	Mount Barker (DC)	<200	82.9%	81.8%	64.1%
South Australia	Mount Gambier (C)	491	83.5%	78.4%	59.0%
South Australia	Mount Remarkable (DC)	<200	92.3%	89.7%	66.7%
South Australia	Murray Bridge (RC)	696	76.4%	70.5%	55.9%
South Australia	Naracoorte and Lucindale (DC)	<200	74.5%	74.5%	65.0%
South Australia	Northern Areas (DC)	<200	87.9%	82.8%	50.0%
South Australia	Norwood Payneham St Peters (C)	<200	82.4%	77.8%	68.7%
South Australia	Onkaparinga (C)	1,790	79.6%	74.4%	55.4%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	86.8%	84.9%	56.8%
South Australia	Playford (C)	2,166	76.0%	70.4%	51.3%
South Australia	Port Adelaide Enfield (C)	2,168	78.5%	72.3%	55.5%
South Australia	Port Augusta (C)	2,302	84.4%	77.2%	53.3%
South Australia	Port Lincoln (C)	793	75.4%	67.8%	55.6%
South Australia	Port Pirie City and Dists (M)	470	72.6%	69.1%	49.0%
South Australia	Prospect (C)	<200	78.1%	73.7%	60.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	85.0%	78.9%	54.9%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	90.2%	88.0%	35.0%
South Australia	Salisbury (C)	2,021	80.1%	74.7%	57.5%
South Australia	Southern Mallee (DC)	<200	84.6%	84.6%	50.0%
South Australia	Streaky Bay (DC)	<200	85.7%	85.7%	58.3%
South Australia	Tatiara (DC)	<200	83.9%	71.0%	55.8%
South Australia	Tea Tree Gully (C)	597	81.4%	77.4%	59.0%
South Australia	The Coorong (DC)	234	83.3%	76.1%	61.4%
South Australia	Tumby Bay (DC)	<200	90.3%	87.1%	66.7%
South Australia	Unincorporated SA	359	85.0%	77.7%	62.3%
South Australia	Unley (C)	<200	86.7%	82.0%	63.9%
South Australia	Victor Harbor (C)	<200	79.7%	77.4%	62.0%
South Australia	Wakefield (DC)	<200	79.0%	74.2%	51.1%
South Australia	Walkerville (M)	<200	89.3%	75.0%	66.7%
South Australia	Wattle Range (DC)	<200	78.6%	73.3%	57.6%
South Australia	West Torrens (C)	473	81.4%	76.1%	59.3%
South Australia	Whyalla (C)	1,191	82.7%	73.9%	57.8%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	86.5%	83.8%	60.0%
South Australia	Yorke Peninsula (DC)	264	83.0%	75.8%	60.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
24 May 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Break O'Day (M)	<200	86.6%	84.1%	58.9%
Tasmania	Brighton (M)	1,205	87.5%	84.7%	55.8%
Tasmania	Burnie (C)	915	86.4%	83.7%	50.2%
Tasmania	Central Coast (M) (Tas.)	938	90.4%	89.1%	62.9%
Tasmania	Central Highlands (M) (Tas.)	<200	86.0%	79.1%	52.9%
Tasmania	Circular Head (M)	525	87.2%	84.0%	47.1%
Tasmania	Clarence (C)	1,271	87.7%	85.0%	57.8%
Tasmania	Derwent Valley (M)	277	87.0%	83.4%	45.5%
Tasmania	Devonport (C)	939	86.0%	83.0%	49.6%
Tasmania	Dorset (M)	<200	86.3%	84.5%	57.4%
Tasmania	Flinders (M) (Tas.)	<200	95.2%	93.5%	87.9%
Tasmania	George Town (M)	246	87.8%	87.0%	61.7%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.3%	86.4%	60.9%
Tasmania	Glenorchy (C)	1,677	90.2%	87.1%	61.3%
Tasmania	Hobart (C)	620	91.8%	89.5%	65.4%
Tasmania	Huon Valley (M)	996	90.2%	87.3%	65.3%
Tasmania	Kentish (M)	<200	84.8%	81.3%	53.5%
Tasmania	King Island (M)	<200	91.3%	87.0%	75.0%
Tasmania	Kingborough (M)	772	93.1%	90.7%	66.4%
Tasmania	Latrobe (M) (Tas.)	333	88.0%	85.0%	53.4%
Tasmania	Launceston (C)	1,567	88.1%	85.1%	56.2%
Tasmania	Meander Valley (M)	462	88.5%	86.6%	59.8%
Tasmania	Northern Midlands (M)	217	90.3%	89.9%	58.0%
Tasmania	Sorell (M)	421	90.7%	88.4%	53.3%
Tasmania	Southern Midlands (M)	219	90.4%	89.5%	44.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Tasman (M)	<200	93.3%	92.2%	73.5%
Tasmania	Waratah/Wynyard (M)	666	85.0%	82.4%	55.7%
Tasmania	West Coast (M)	<200	89.2%	85.6%	50.0%
Tasmania	West Tamar (M)	343	93.3%	91.8%	58.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
24 May 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Alpine (S)	<200	89.4%	89.4%	69.7%
Victoria	Ararat (RC)	<200	84.9%	82.1%	69.8%
Victoria	Ballarat (C)	1,081	93.9%	92.4%	63.8%
Victoria	Banyule (C)	716	90.4%	88.8%	67.2%
Victoria	Bass Coast (S)	260	89.6%	88.5%	65.7%
Victoria	Baw Baw (S)	404	87.9%	85.6%	54.7%
Victoria	Bayside (C)	<200	87.9%	86.4%	69.4%
Victoria	Benalla (RC)	<200	91.4%	89.9%	56.0%
Victoria	Boroondara (C)	281	93.6%	91.5%	75.5%
Victoria	Brimbank (C)	777	86.5%	84.7%	57.0%
Victoria	Buloke (S)	<200	87.8%	83.7%	70.7%
Victoria	Campaspe (S)	759	87.0%	84.3%	57.3%
Victoria	Cardinia (S)	548	94.2%	92.5%	55.7%
Victoria	Casey (C)	1,500	89.8%	88.2%	55.6%
Victoria	Central Goldfields (S)	<200	91.7%	91.7%	72.7%
Victoria	Colac-Otway (S)	<200	90.9%	88.6%	60.0%
Victoria	Corangamite (S)	<200	90.0%	88.7%	60.0%
Victoria	Darebin (C)	1,201	88.8%	84.9%	58.9%
Victoria	East Gippsland (S)	1,259	91.5%	89.3%	58.3%
Victoria	Frankston (C)	887	90.9%	89.2%	57.8%
Victoria	Gannawarra (S)	<200	94.4%	92.4%	51.5%
Victoria	Glen Eira (C)	273	90.8%	89.7%	70.2%
Victoria	Glenelg (S)	394	93.4%	92.1%	61.3%
Victoria	Golden Plains (S)	<200	93.4%	92.2%	67.3%
Victoria	Greater Bendigo (C)	1,458	92.3%	90.5%	60.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Greater Dandenong (C)	648	87.7%	85.6%	60.6%
Victoria	Greater Geelong (C)	1,927	91.9%	90.3%	63.8%
Victoria	Greater Shepparton (C)	1,890	87.0%	84.0%	52.9%
Victoria	Hepburn (S)	<200	94.0%	90.5%	63.5%
Victoria	Hindmarsh (S)	<200	96.9%	93.8%	68.9%
Victoria	Hobsons Bay (C)	380	88.7%	86.6%	67.1%
Victoria	Horsham (RC)	<200	89.3%	87.4%	57.4%
Victoria	Hume (C)	1,194	89.6%	87.9%	52.6%
Victoria	Indigo (S)	<200	94.1%	92.4%	67.0%
Victoria	Kingston (C) (Vic.)	426	93.7%	92.0%	70.0%
Victoria	Knox (C)	571	92.1%	90.7%	64.1%
Victoria	Latrobe (C) (Vic.)	1,006	87.5%	83.7%	46.1%
Victoria	Loddon (S)	<200	91.1%	91.1%	54.9%
Victoria	Macedon Ranges (S)	<200	91.8%	90.3%	68.0%
Victoria	Manningham (C)	265	92.1%	89.8%	69.2%
Victoria	Mansfield (S)	<200	92.5%	92.5%	62.5%
Victoria	Maribyrnong (C)	387	89.4%	88.9%	65.4%
Victoria	Maroondah (C)	394	91.4%	90.1%	65.5%
Victoria	Melbourne (C)	707	90.0%	86.6%	68.8%
Victoria	Melton (C)	959	90.2%	88.4%	57.7%
Victoria	Mildura (RC)	1,781	89.2%	85.9%	46.6%
Victoria	Mitchell (S)	443	93.0%	91.6%	60.7%
Victoria	Moira (S)	385	90.4%	89.1%	58.5%
Victoria	Monash (C)	436	89.4%	87.8%	65.8%
Victoria	Moonee Valley (C)	369	91.1%	89.2%	67.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Moorabool (S)	248	90.3%	88.7%	62.1%
Victoria	Moreland (C)	778	92.5%	91.0%	65.1%
Victoria	Mornington Peninsula (S)	892	90.5%	89.2%	63.3%
Victoria	Mount Alexander (S)	<200	92.7%	90.3%	71.4%
Victoria	Moyne (S)	<200	93.1%	90.6%	63.2%
Victoria	Murrindindi (S)	<200	91.7%	90.8%	66.3%
Victoria	Nillumbik (S)	218	93.6%	92.7%	63.5%
Victoria	Northern Grampians (S)	<200	87.6%	86.6%	67.9%
Victoria	Port Phillip (C)	417	89.7%	88.2%	64.9%
Victoria	Pyrenees (S)	<200	88.9%	88.9%	61.7%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	218	86.7%	86.7%	64.6%
Victoria	Southern Grampians (S)	223	91.9%	91.0%	63.5%
Victoria	Stonnington (C)	304	87.2%	84.2%	73.0%
Victoria	Strathbogie (S)	<200	92.9%	91.9%	61.5%
Victoria	Surf Coast (S)	<200	94.3%	93.5%	74.8%
Victoria	Swan Hill (RC)	758	89.1%	86.5%	50.3%
Victoria	Towong (S)	<200	89.2%	87.8%	67.7%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	291	92.8%	90.7%	59.5%
Victoria	Warrnambool (C)	486	92.6%	89.7%	55.0%
Victoria	Wellington (S)	595	88.1%	85.4%	59.5%
Victoria	West Wimmera (S)	<200	>99%	>99%	65.4%
Victoria	Whitehorse (C)	393	93.4%	91.6%	68.4%
Victoria	Whittlesea (C)	1,385	92.6%	91.5%	56.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Wodonga (C)	679	87.9%	86.7%	55.4%
Victoria	Wyndham (C)	1,357	91.5%	89.5%	56.9%
Victoria	Yarra (C)	410	88.0%	85.9%	63.1%
Victoria	Yarra Ranges (S)	919	91.2%	90.2%	58.4%
Victoria	Yarriambiack (S)	<200	86.0%	86.0%	70.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Albany (C)	894	86.1%	81.3%	66.8%
Western Australia	Armadale (C)	1,936	88.9%	83.3%	62.7%
Western Australia	Ashburton (S)	522	90.8%	85.2%	76.9%
Western Australia	Augusta-Margaret River (S)	<200	87.6%	86.5%	76.7%
Western Australia	Bassendean (T)	328	87.5%	79.0%	62.8%
Western Australia	Bayswater (C)	758	85.5%	80.3%	66.3%
Western Australia	Belmont (C)	980	85.7%	79.6%	64.0%
Western Australia	Beverley (S)	<200	93.9%	93.9%	70.7%
Western Australia	Boddington (S)	<200	91.7%	88.9%	68.3%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	89.1%	89.1%	85.0%
Western Australia	Brookton (S)	<200	87.3%	85.7%	60.8%
Western Australia	Broome (S)	4,050	88.5%	82.9%	68.9%
Western Australia	Broomehill-Tambellup (S)	<200	82.2%	78.1%	50.9%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,128	90.5%	85.8%	66.0%
Western Australia	Busselton (C)	408	88.2%	83.6%	71.3%
Western Australia	Cambridge (T)	<200	90.2%	90.2%	76.4%
Western Australia	Canning (C)	987	86.6%	79.3%	64.7%
Western Australia	Capel (S)	260	89.2%	85.0%	69.8%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	849	85.6%	75.5%	62.5%
Western Australia	Chapman Valley (S)	<200	87.9%	84.8%	53.6%
Western Australia	Chittering (S)	<200	93.1%	91.4%	67.9%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Cockburn (C)	1,338	85.8%	80.5%	67.2%
Western Australia	Collie (S)	297	86.5%	81.5%	69.1%
Western Australia	Coolgardie (S)	248	86.3%	78.6%	63.6%
Western Australia	Coorow (S)	<200	84.0%	84.0%	73.7%
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	84.0%	80.0%	84.2%
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	87.9%	75.8%	57.1%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	90.2%	88.5%	68.6%
Western Australia	Dandaragan (S)	<200	96.2%	96.2%	81.3%
Western Australia	Dardanup (S)	219	93.2%	90.9%	78.2%
Western Australia	Denmark (S)	<200	83.0%	80.9%	63.9%
Western Australia	Derby-West Kimberley (S)	3,664	82.6%	73.3%	63.0%
Western Australia	Donnybrook-Balingup (S)	<200	94.4%	91.5%	76.2%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	86.2%	77.7%	41.3%
Western Australia	East Fremantle (T)	<200	81.4%	76.7%	63.0%
Western Australia	East Pilbara (S)	1,118	88.7%	80.9%	61.9%
Western Australia	Esperance (S)	344	85.8%	77.3%	64.7%
Western Australia	Exmouth (S)	<200	89.2%	83.8%	66.7%
Western Australia	Fremantle (C)	458	84.1%	78.6%	66.1%
Western Australia	Gingin (S)	<200	91.2%	88.2%	67.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	96.1%	88.2%	77.4%
Western Australia	Goomalling (S)	<200	90.6%	75.0%	56.5%
Western Australia	Gosnells (C)	2,336	87.9%	82.4%	65.7%
Western Australia	Greater Geraldton (C)	3,314	86.6%	78.3%	63.1%
Western Australia	Halls Creek (S)	1,997	76.3%	68.3%	62.9%
Western Australia	Harvey (S)	462	90.3%	85.9%	65.0%
Western Australia	Irwin (S)	<200	83.1%	76.9%	75.0%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	760	90.0%	86.4%	72.6%
Western Australia	Kalamunda (C)	698	88.8%	84.0%	67.8%
Western Australia	Kalgoorlie/Boulder (C)	1,799	82.7%	75.9%	59.6%
Western Australia	Karratha (C)	2,597	84.1%	76.8%	66.9%
Western Australia	Katanning (S)	290	89.3%	83.4%	66.2%
Western Australia	Kellerberrin (S)	<200	89.2%	86.5%	73.2%
Western Australia	Kojonup (S)	<200	94.4%	88.9%	61.0%
Western Australia	Kondinin (S)	<200	93.6%	93.6%	71.1%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,426	86.7%	77.8%	67.2%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	218	84.4%	76.1%	64.7%
Western Australia	Leonora (S)	225	81.3%	75.1%	47.4%
Western Australia	Mandurah (C)	1,220	86.3%	81.9%	66.4%
Western Australia	Manjimup (S)	<200	91.9%	91.3%	69.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Meekatharra (S)	323	90.7%	84.2%	65.6%
Western Australia	Melville (C)	483	87.6%	81.4%	66.7%
Western Australia	Menzies (S)	<200	83.0%	70.2%	57.1%
Western Australia	Merredin (S)	<200	83.9%	80.1%	67.3%
Western Australia	Mingenew (S)	<200	95.7%	95.7%	75.0%
Western Australia	Moora (S)	282	93.3%	87.9%	67.2%
Western Australia	Morawa (S)	<200	92.3%	85.7%	74.6%
Western Australia	Mosman Park (T)	<200	85.7%	81.6%	57.1%
Western Australia	Mount Magnet (S)	<200	87.7%	82.2%	66.0%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	**	**
Western Australia	Mundaring (S)	743	88.0%	79.1%	68.4%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	240	86.7%	81.7%	70.2%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	244	83.6%	77.0%	58.1%
Western Australia	Nedlands (C)	<200	91.9%	87.1%	73.1%
Western Australia	Ngaanyatjarraku (S)	674	85.9%	78.5%	63.9%
Western Australia	Northam (S)	524	83.4%	76.7%	59.5%
Western Australia	Northampton (S)	<200	88.5%	82.4%	53.1%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	65.0%
Western Australia	Perth (C)	863	85.5%	77.4%	73.3%
Western Australia	Pingelly (S)	<200	93.3%	79.8%	73.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Plantagenet (S)	<200	90.8%	86.6%	63.9%
Western Australia	Port Hedland (T)	2,620	85.3%	77.8%	67.0%
Western Australia	Quairading (S)	<200	85.6%	76.6%	50.8%
Western Australia	Ravensthorpe (S)	<200	90.6%	87.5%	77.8%
Western Australia	Rockingham (C)	1,771	89.9%	86.8%	71.3%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	365	93.2%	90.4%	71.7%
Western Australia	Shark Bay (S)	<200	87.2%	85.1%	51.3%
Western Australia	South Perth (C)	436	87.6%	81.2%	68.6%
Western Australia	Stirling (C)	1,881	85.2%	80.5%	68.8%
Western Australia	Subiaco (C)	<200	88.3%	83.3%	81.6%
Western Australia	Swan (C)	3,393	88.1%	83.5%	64.1%
Western Australia	Tammin (S)	<200	86.0%	76.7%	59.4%
Western Australia	Three Springs (S)	<200	95.2%	92.9%	79.4%
Western Australia	Toodyay (S)	<200	85.5%	83.1%	73.8%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	532	87.6%	82.9%	68.0%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	205	87.3%	84.4%	71.7%
Western Australia	Wagin (S)	<200	82.3%	79.0%	54.5%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,186	87.3%	82.5%	67.1%
Western Australia	Waroon (S)	<200	94.2%	93.2%	72.6%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
24 May 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.3%	87.7%	58.1%
Western Australia	Wongan-Ballidu (S)	<200	97.6%	95.2%	71.9%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,199	87.9%	82.9%	70.3%
Western Australia	Yalgoo (S)	<200	93.8%	85.0%	70.5%
Western Australia	Yilgarn (S)	<200	91.3%	91.3%	85.0%
Western Australia	York (S)	<200	79.7%	77.0%	55.1%

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of any vaccine type.

People eligible with more than 2 doses. Total people received more than 2 doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 24 May 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 24 May 2022 including individuals aged 16 and over.