



Australian Government
Operation COVID Shield

LGA Vaccination Rates (AIR Indigenous Population)

15 June 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote. For vaccine rates relevant to these areas, please also consult the weekly SA4 data release from Operation COVIDShield. SA4 data is generally of larger population regions, so undercounting of doses has less impact on overall coverage ratios.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
14 Jun 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,219	91.7%	89.4%	62.5%

Data as at:
14 Jun 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Albury (C)	1,228	83.8%	80.5%	49.4%
New South Wales	Armidale Regional (A)	1,460	86.5%	83.8%	50.3%
New South Wales	Ballina (A)	1,135	82.0%	79.8%	44.0%
New South Wales	Balranald (A)	<200	94.5%	93.7%	55.9%
New South Wales	Bathurst Regional (A)	1,434	87.8%	84.7%	43.2%
New South Wales	Bayside (A)	1,151	90.4%	89.3%	54.4%
New South Wales	Bega Valley (A)	961	86.2%	83.8%	50.5%
New South Wales	Bellingen (A)	262	83.6%	81.7%	53.3%
New South Wales	Berrigan (A)	<200	91.6%	90.1%	62.7%
New South Wales	Blacktown (C)	7,172	88.1%	85.8%	46.8%
New South Wales	Bland (A)	225	94.7%	94.2%	56.9%
New South Wales	Blayney (A)	<200	91.2%	88.8%	52.3%
New South Wales	Blue Mountains (C)	899	91.4%	90.3%	60.3%
New South Wales	Bogan (A)	272	90.4%	87.5%	47.3%
New South Wales	Bourke (A)	777	81.2%	77.6%	46.9%
New South Wales	Brewarrina (A)	675	87.6%	84.3%	50.3%
New South Wales	Broken Hill (C)	1,353	89.3%	87.5%	54.0%
New South Wales	Burwood (A)	<200	89.3%	86.7%	68.0%
New South Wales	Byron (A)	405	78.0%	74.8%	50.3%
New South Wales	Cabonne (A)	348	92.8%	92.0%	53.9%
New South Wales	Camden (A)	1,552	93.5%	92.6%	50.0%
New South Wales	Campbelltown (C) (NSW)	4,232	89.3%	87.4%	47.4%
New South Wales	Canada Bay (A)	296	90.2%	88.5%	60.5%
New South Wales	Canterbury-Bankstown (A)	2,081	88.6%	86.9%	52.8%
New South Wales	Carrathool (A)	<200	92.5%	91.0%	56.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	8,087	87.5%	86.0%	48.1%
New South Wales	Central Darling (A)	473	88.2%	86.9%	42.8%
New South Wales	Cessnock (C)	2,832	90.2%	88.8%	50.3%
New South Wales	Clarence Valley (A)	2,360	79.9%	77.4%	48.9%
New South Wales	Cobar (A)	340	88.8%	88.2%	48.2%
New South Wales	Coffs Harbour (C)	2,823	83.6%	81.9%	47.9%
New South Wales	Coolamon (A)	<200	89.0%	89.0%	50.5%
New South Wales	Coonamble (A)	1,112	89.7%	87.7%	53.5%
New South Wales	Cootamundra-Gundagai Regional (A)	300	92.0%	90.7%	55.5%
New South Wales	Cowra (A)	640	88.4%	85.3%	43.6%
New South Wales	Cumberland (A)	1,160	86.8%	85.0%	53.0%
New South Wales	Dubbo Regional (A)	5,509	86.2%	84.2%	43.6%
New South Wales	Dungog (A)	336	92.9%	91.7%	54.9%
New South Wales	Edward River (A)	282	91.8%	90.1%	60.7%
New South Wales	Eurobodalla (A)	1,642	91.2%	88.8%	48.5%
New South Wales	Fairfield (C)	1,239	86.1%	84.0%	50.1%
New South Wales	Federation (A)	<200	90.6%	88.7%	68.1%
New South Wales	Forbes (A)	824	93.2%	91.9%	54.1%
New South Wales	Georges River (A)	691	92.0%	90.6%	59.1%
New South Wales	Gilgandra (A)	481	81.9%	79.8%	46.7%
New South Wales	Glen Innes Severn (A)	487	83.6%	81.1%	52.3%
New South Wales	Goulburn Mulwaree (A)	662	90.5%	89.7%	61.9%
New South Wales	Greater Hume Shire (A)	<200	85.1%	83.9%	60.7%
New South Wales	Griffith (C)	963	85.3%	83.3%	46.5%
New South Wales	Gunnedah (A)	1,254	88.8%	86.8%	44.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.6%	91.5%	59.1%
New South Wales	Hawkesbury (C)	1,486	90.7%	89.8%	51.1%
New South Wales	Hay (A)	<200	96.0%	94.9%	65.3%
New South Wales	Hilltops (A)	421	90.7%	87.6%	53.7%
New South Wales	Hornsby (A)	443	92.6%	91.2%	69.7%
New South Wales	Hunters Hill (A)	<200	83.9%	79.0%	57.1%
New South Wales	Inner West (A)	1,601	87.3%	84.8%	60.1%
New South Wales	Inverell (A)	1,144	82.3%	79.2%	51.2%
New South Wales	Junee (A)	267	89.9%	89.1%	61.9%
New South Wales	Kempsey (A)	2,377	79.3%	75.9%	39.3%
New South Wales	Kiama (A)	238	92.4%	92.4%	58.9%
New South Wales	Ku-ring-gai (A)	<200	90.6%	90.6%	75.3%
New South Wales	Kyogle (A)	356	69.9%	65.2%	43.7%
New South Wales	Lachlan (A)	973	88.6%	85.9%	50.6%
New South Wales	Lake Macquarie (C)	5,421	89.3%	88.0%	50.3%
New South Wales	Lane Cove (A)	<200	86.5%	84.3%	60.0%
New South Wales	Leeton (A)	366	86.1%	85.2%	43.3%
New South Wales	Lismore (C)	1,784	78.6%	75.2%	43.5%
New South Wales	Lithgow (C)	787	91.0%	88.9%	56.8%
New South Wales	Liverpool (C)	2,433	88.1%	86.1%	51.4%
New South Wales	Liverpool Plains (A)	725	91.7%	90.1%	58.7%
New South Wales	Lockhart (A)	<200	90.7%	89.3%	58.2%
New South Wales	Maitland (C)	2,837	89.6%	88.2%	46.4%
New South Wales	Mid-Coast (A)	3,858	81.4%	79.6%	46.9%
New South Wales	Mid-Western Regional (A)	838	88.2%	86.2%	49.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Moree Plains (A)	2,338	83.9%	79.9%	42.1%
New South Wales	Mosman (A)	<200	83.3%	81.3%	79.5%
New South Wales	Murray River (A)	315	89.2%	87.6%	56.7%
New South Wales	Murrumbidgee (A)	<200	93.5%	89.9%	57.9%
New South Wales	Muswellbrook (A)	889	88.2%	86.6%	46.9%
New South Wales	Nambucca Valley (A)	1,194	81.4%	79.4%	43.5%
New South Wales	Narrabri (A)	1,281	89.0%	86.4%	45.1%
New South Wales	Narrandera (A)	430	87.0%	85.1%	40.6%
New South Wales	Narromine (A)	690	87.2%	84.8%	39.6%
New South Wales	Newcastle (C)	3,704	89.8%	88.2%	50.8%
New South Wales	North Sydney (A)	<200	92.4%	91.9%	72.2%
New South Wales	Northern Beaches (A)	803	88.5%	88.0%	63.8%
New South Wales	Oberon (A)	<200	88.6%	87.6%	56.0%
New South Wales	Orange (C)	1,922	86.7%	83.8%	46.7%
New South Wales	Parkes (A)	1,138	89.3%	87.9%	54.3%
New South Wales	Parramatta (C)	1,265	87.3%	85.1%	58.9%
New South Wales	Penrith (C)	5,082	91.3%	89.6%	49.4%
New South Wales	Port Macquarie-Hastings (A)	2,213	83.8%	82.7%	50.2%
New South Wales	Port Stephens (A)	2,317	87.6%	85.9%	48.5%
New South Wales	Queanbeyan-Palerang Regional (A)	1,202	90.7%	88.6%	55.7%
New South Wales	Randwick (C)	1,477	86.9%	84.6%	59.0%
New South Wales	Richmond Valley (A)	1,429	76.0%	73.1%	41.7%
New South Wales	Ryde (C)	353	88.7%	87.5%	65.0%
New South Wales	Shellharbour (C)	1,719	88.1%	86.0%	45.3%
New South Wales	Shoalhaven (C)	3,828	87.4%	85.3%	50.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Singleton (A)	970	89.0%	87.0%	47.3%
New South Wales	Snowy Monaro Regional (A)	364	90.7%	88.5%	58.8%
New South Wales	Snowy Valleys (A)	376	87.8%	85.4%	50.5%
New South Wales	Strathfield (A)	<200	89.5%	86.0%	59.3%
New South Wales	Sutherland Shire (A)	1,600	93.2%	92.6%	60.0%
New South Wales	Sydney (C)	2,705	85.8%	83.1%	57.0%
New South Wales	Tamworth Regional (A)	4,424	89.0%	86.9%	49.3%
New South Wales	Temora (A)	<200	95.3%	92.1%	58.3%
New South Wales	Tenterfield (A)	310	76.1%	73.2%	36.2%
New South Wales	The Hills Shire (A)	590	92.0%	92.0%	60.0%
New South Wales	Tweed (A)	2,597	80.9%	79.0%	50.2%
New South Wales	Unincorporated NSW	<200	85.2%	83.6%	54.9%
New South Wales	Upper Hunter Shire (A)	391	86.2%	84.9%	48.3%
New South Wales	Upper Lachlan Shire (A)	<200	93.1%	91.0%	58.5%
New South Wales	Uralla (A)	309	90.6%	89.6%	58.1%
New South Wales	Wagga Wagga (C)	2,556	88.9%	86.8%	48.7%
New South Wales	Walcha (A)	<200	89.1%	85.3%	57.3%
New South Wales	Walgett (A)	1,407	84.5%	81.7%	39.4%
New South Wales	Warren (A)	307	85.0%	83.7%	47.8%
New South Wales	Warrumbungle Shire (A)	660	85.2%	82.9%	44.0%
New South Wales	Waverley (A)	222	84.2%	82.9%	62.8%
New South Wales	Weddin (A)	<200	93.8%	92.3%	53.3%
New South Wales	Wentworth (A)	541	87.6%	84.5%	38.8%
New South Wales	Willoughby (C)	<200	83.9%	80.5%	70.0%
New South Wales	Wingecarribee (A)	612	88.4%	87.1%	56.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Wollondilly (A)	1,047	92.3%	91.2%	48.0%
New South Wales	Wollongong (C)	3,715	88.5%	86.9%	50.4%
New South Wales	Woollahra (A)	<200	89.2%	89.2%	62.1%
New South Wales	Yass Valley (A)	268	92.9%	92.2%	58.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Northern Territory	Alice Springs (T)	6,885	87.9%	83.8%	67.5%
Northern Territory	Barkly (R)	2,802	81.4%	75.1%	53.4%
Northern Territory	Belyuen (S)	<200	89.6%	86.5%	74.4%
Northern Territory	Central Desert (R)	1,496	86.8%	82.2%	58.0%
Northern Territory	Coomalie (S)	241	86.3%	80.9%	64.0%
Northern Territory	Darwin (C)	8,402	91.1%	87.5%	70.6%
Northern Territory	East Arnhem (R)	4,359	88.1%	81.4%	62.1%
Northern Territory	Katherine (T)	3,701	88.5%	84.8%	63.0%
Northern Territory	Litchfield (M)	1,393	91.8%	89.4%	71.2%
Northern Territory	MacDonnell (R)	2,558	89.9%	86.2%	68.5%
Northern Territory	Palmerston (C)	4,387	90.5%	87.0%	66.1%
Northern Territory	Roper Gulf (R)	2,376	91.0%	85.8%	62.4%
Northern Territory	Tiwi Islands (R)	1,277	96.0%	94.2%	83.0%
Northern Territory	Unincorporated NT	2,008	93.6%	91.5%	75.9%
Northern Territory	Victoria Daly (R)	666	91.1%	87.2%	72.4%
Northern Territory	Wagait (S)	<200	95.5%	95.5%	81.0%
Northern Territory	West Arnhem (R)	2,369	91.3%	85.1%	63.1%
Northern Territory	West Daly (R)	1,174	95.9%	92.1%	76.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	94.3%	91.8%	67.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Aurukun (S)	650	89.8%	83.8%	40.7%
Queensland	Balonne (S)	568	86.3%	82.4%	56.8%
Queensland	Banana (S)	462	81.6%	77.3%	39.9%
Queensland	Barcaldine (R)	<200	86.2%	83.7%	68.0%
Queensland	Barcoo (S)	<200	85.2%	85.2%	82.6%
Queensland	Blackall-Tambo (R)	<200	93.7%	90.5%	67.1%
Queensland	Boulia (S)	<200	80.3%	78.9%	56.1%
Queensland	Brisbane (C)	13,635	84.9%	81.7%	54.9%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,828	78.8%	76.0%	46.2%
Queensland	Burdekin (S)	774	75.3%	70.9%	42.1%
Queensland	Burke (S)	<200	88.4%	84.1%	45.6%
Queensland	Cairns (R)	12,124	80.5%	76.1%	40.1%
Queensland	Carpentaria (S)	631	89.9%	82.9%	41.2%
Queensland	Cassowary Coast (R)	2,275	73.4%	69.8%	39.5%
Queensland	Central Highlands (R) (Qld)	746	72.8%	69.2%	31.9%
Queensland	Charters Towers (R)	774	81.1%	77.3%	49.7%
Queensland	Cherbourg (S)	725	76.6%	72.4%	40.9%
Queensland	Cloncurry (S)	526	85.7%	79.1%	44.3%
Queensland	Cook (S)	639	86.1%	80.4%	51.3%
Queensland	Croydon (S)	<200	89.8%	89.8%	53.8%
Queensland	Diamantina (S)	<200	96.0%	92.0%	69.6%
Queensland	Doomadgee (S)	688	84.2%	71.2%	40.2%
Queensland	Douglas (S)	664	74.5%	69.1%	48.3%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	83.0%	74.5%	59.6%
Queensland	Fraser Coast (R)	3,290	81.3%	78.0%	47.7%
Queensland	Gladstone (R)	2,387	78.6%	75.2%	39.7%
Queensland	Gold Coast (C)	6,922	82.6%	80.7%	45.5%
Queensland	Goondiwindi (R)	413	81.8%	77.2%	40.8%
Queensland	Gympie (R)	1,223	73.2%	70.8%	51.6%
Queensland	Hinchinbrook (S)	479	79.1%	74.7%	51.0%
Queensland	Hope Vale (S)	482	88.2%	83.0%	53.4%
Queensland	Ipswich (C)	7,158	83.9%	80.4%	46.4%
Queensland	Isaac (R)	466	82.0%	79.8%	30.6%
Queensland	Kowanyama (S)	623	91.0%	86.7%	53.6%
Queensland	Livingstone (S)	861	82.0%	79.7%	46.7%
Queensland	Lockhart River (S)	332	88.9%	84.3%	54.7%
Queensland	Lockyer Valley (R)	1,135	85.7%	82.3%	48.5%
Queensland	Logan (C)	8,006	80.9%	77.7%	44.2%
Queensland	Longreach (R)	<200	86.5%	84.4%	60.5%
Queensland	Mackay (R)	4,461	81.6%	78.8%	35.7%
Queensland	Mapoon (S)	<200	84.0%	79.4%	72.1%
Queensland	Maranoa (R)	856	88.3%	85.2%	51.5%
Queensland	Mareeba (S)	2,239	76.3%	68.7%	40.2%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,223	85.0%	82.1%	51.9%
Queensland	Mornington (S)	476	88.4%	79.4%	49.9%
Queensland	Mount Isa (C)	3,212	79.6%	72.5%	39.9%
Queensland	Murweh (S)	361	88.4%	84.2%	65.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Napranum (S)	392	85.5%	78.3%	46.3%
Queensland	Noosa (S)	407	77.1%	74.2%	44.1%
Queensland	North Burnett (R)	467	84.6%	82.0%	61.2%
Queensland	Northern Peninsula Area (R)	1,373	79.0%	69.0%	30.8%
Queensland	Palm Island (S)	1,260	81.6%	74.9%	51.9%
Queensland	Paroo (S)	433	83.8%	80.4%	43.9%
Queensland	Pormpuraaw (S)	363	95.6%	94.2%	65.7%
Queensland	Quilpie (S)	<200	94.6%	93.2%	59.4%
Queensland	Redland (C)	2,558	85.0%	83.3%	54.5%
Queensland	Richmond (S)	<200	93.3%	91.1%	56.1%
Queensland	Rockhampton (R)	4,450	78.3%	74.6%	39.4%
Queensland	Scenic Rim (R)	795	84.5%	82.3%	48.7%
Queensland	Somerset (R)	584	81.8%	79.3%	50.4%
Queensland	South Burnett (R)	1,254	78.0%	74.1%	47.4%
Queensland	Southern Downs (R)	1,052	80.8%	78.1%	46.9%
Queensland	Sunshine Coast (R)	4,050	79.7%	77.1%	47.2%
Queensland	Tablelands (R)	1,373	69.8%	65.0%	43.0%
Queensland	Toowoomba (R)	4,716	83.5%	80.3%	46.0%
Queensland	Torres (S)	2,138	88.8%	85.5%	59.5%
Queensland	Torres Strait Island (R)	1,856	89.2%	85.2%	63.0%
Queensland	Townsville (C)	11,600	80.3%	75.5%	42.0%
Queensland	Weipa (T)	702	82.2%	77.8%	47.8%
Queensland	Western Downs (R)	1,359	78.8%	76.5%	40.6%
Queensland	Whitsunday (R)	957	72.0%	69.7%	48.5%
Queensland	Winton (S)	<200	95.0%	92.5%	75.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Woorabinda (S)	660	76.2%	69.1%	51.7%
Queensland	Wujal Wujal (S)	<200	93.3%	92.7%	77.0%
Queensland	Yarrabah (S)	1,797	80.0%	75.3%	49.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.
 ** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Adelaide (C)	419	84.2%	78.3%	68.3%
South Australia	Adelaide Hills (DC)	<200	91.0%	91.0%	73.0%
South Australia	Adelaide Plains (DC)	<200	79.1%	74.4%	56.4%
South Australia	Alexandrina (DC)	217	80.6%	77.4%	59.8%
South Australia	Anangu Pitjantjatjara (AC)	560	87.0%	83.4%	74.2%
South Australia	Barossa (DC)	<200	87.8%	83.7%	69.2%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	350	78.3%	70.9%	54.5%
South Australia	Burnside (C)	<200	88.6%	86.7%	65.9%
South Australia	Campbelltown (C) (SA)	283	80.9%	77.7%	59.4%
South Australia	Ceduna (DC)	804	76.1%	67.9%	54.9%
South Australia	Charles Sturt (C)	1,292	79.4%	74.6%	58.6%
South Australia	Clare and Gilbert Valleys (DC)	<200	80.6%	79.0%	61.2%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	247	78.5%	70.9%	47.4%
South Australia	Copper Coast (DC)	323	81.4%	77.4%	61.2%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.2%	88.5%	57.6%
South Australia	Franklin Harbour (DC)	<200	>99%	>99%	69.7%
South Australia	Gawler (T)	339	79.6%	77.6%	61.9%
South Australia	Goyder (DC)	<200	76.9%	76.9%	73.7%
South Australia	Grant (DC)	<200	91.4%	88.6%	77.4%
South Australia	Holdfast Bay (C)	<200	82.3%	81.0%	63.5%
South Australia	Kangaroo Island (DC)	<200	89.2%	83.8%	61.3%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	77.8%	77.8%	60.7%
South Australia	Light (RegC)	<200	78.6%	78.6%	60.0%
South Australia	Lower Eyre Peninsula (DC)	<200	81.3%	71.9%	68.2%
South Australia	Loxton Waikerie (DC)	<200	81.9%	77.4%	55.0%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	716	77.7%	70.8%	56.9%
South Australia	Mid Murray (DC)	<200	75.8%	72.7%	71.8%
South Australia	Mitcham (C)	251	88.8%	82.9%	68.9%
South Australia	Mount Barker (DC)	<200	83.1%	82.0%	65.5%
South Australia	Mount Gambier (C)	499	83.8%	78.8%	60.1%
South Australia	Mount Remarkable (DC)	<200	92.5%	90.0%	68.6%
South Australia	Murray Bridge (RC)	686	76.7%	71.0%	54.3%
South Australia	Naracoorte and Lucindale (DC)	<200	74.5%	74.5%	65.0%
South Australia	Northern Areas (DC)	<200	88.3%	85.0%	57.1%
South Australia	Norwood Payneham St Peters (C)	<200	81.7%	77.1%	71.9%
South Australia	Onkaparinga (C)	1,794	79.4%	74.3%	56.8%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	87.0%	85.2%	58.7%
South Australia	Playford (C)	2,190	76.0%	70.5%	52.6%
South Australia	Port Adelaide Enfield (C)	2,175	78.6%	72.5%	56.5%
South Australia	Port Augusta (C)	2,312	84.6%	77.6%	53.8%
South Australia	Port Lincoln (C)	793	75.8%	68.3%	55.7%
South Australia	Port Pirie City and Dists (M)	467	72.6%	69.2%	50.6%
South Australia	Prospect (C)	<200	78.7%	74.3%	60.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	84.9%	79.6%	54.2%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	90.5%	89.5%	34.1%
South Australia	Salisbury (C)	2,031	80.6%	75.3%	58.8%
South Australia	Southern Mallee (DC)	<200	84.6%	84.6%	47.6%
South Australia	Streaky Bay (DC)	<200	86.7%	86.7%	61.5%
South Australia	Tatiara (DC)	<200	86.9%	73.8%	61.4%
South Australia	Tea Tree Gully (C)	598	81.1%	77.1%	59.8%
South Australia	The Coorong (DC)	236	83.5%	77.1%	60.8%
South Australia	Tumby Bay (DC)	<200	90.0%	86.7%	61.5%
South Australia	Unincorporated SA	356	84.8%	77.5%	62.4%
South Australia	Unley (C)	<200	87.0%	81.5%	65.0%
South Australia	Victor Harbor (C)	<200	79.5%	77.3%	66.7%
South Australia	Wakefield (DC)	<200	77.8%	73.0%	52.2%
South Australia	Walkerville (M)	<200	88.9%	74.1%	65.0%
South Australia	Wattle Range (DC)	<200	79.8%	73.6%	62.6%
South Australia	West Torrens (C)	466	81.1%	76.0%	60.5%
South Australia	Whyalla (C)	1,189	82.8%	74.0%	58.4%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	86.8%	84.2%	61.3%
South Australia	Yorke Peninsula (DC)	260	82.7%	76.2%	59.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
14 Jun 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Break O'Day (M)	<200	86.5%	84.0%	60.5%
Tasmania	Brighton (M)	1,201	87.8%	84.8%	56.2%
Tasmania	Burnie (C)	897	86.5%	83.9%	50.5%
Tasmania	Central Coast (M) (Tas.)	943	90.2%	89.0%	63.1%
Tasmania	Central Highlands (M) (Tas.)	<200	85.5%	78.3%	52.3%
Tasmania	Circular Head (M)	511	87.3%	84.1%	46.4%
Tasmania	Clarence (C)	1,264	87.8%	85.0%	57.9%
Tasmania	Derwent Valley (M)	275	87.3%	83.6%	45.7%
Tasmania	Devonport (C)	947	86.1%	83.1%	50.1%
Tasmania	Dorset (M)	<200	86.5%	84.7%	58.7%
Tasmania	Flinders (M) (Tas.)	<200	95.2%	93.6%	87.9%
Tasmania	George Town (M)	249	88.0%	87.1%	60.3%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.1%	86.1%	60.0%
Tasmania	Glenorchy (C)	1,663	90.3%	87.1%	60.7%
Tasmania	Hobart (C)	618	92.1%	90.0%	66.1%
Tasmania	Huon Valley (M)	1,000	90.3%	87.7%	65.0%
Tasmania	Kentish (M)	<200	84.9%	81.4%	54.1%
Tasmania	King Island (M)	<200	91.3%	87.0%	75.0%
Tasmania	Kingborough (M)	757	93.4%	90.9%	67.0%
Tasmania	Latrobe (M) (Tas.)	334	87.4%	84.1%	55.2%
Tasmania	Launceston (C)	1,567	87.9%	84.9%	56.0%
Tasmania	Meander Valley (M)	466	88.8%	86.7%	59.8%
Tasmania	Northern Midlands (M)	220	90.9%	90.0%	59.7%
Tasmania	Sorell (M)	424	90.1%	88.2%	53.8%
Tasmania	Southern Midlands (M)	210	90.0%	89.0%	44.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Tasman (M)	<200	93.6%	91.5%	74.1%
Tasmania	Waratah/Wynyard (M)	659	84.5%	82.2%	55.9%
Tasmania	West Coast (M)	<200	89.3%	85.8%	50.3%
Tasmania	West Tamar (M)	343	93.3%	91.5%	59.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
14 Jun 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Alpine (S)	<200	89.7%	89.7%	73.1%
Victoria	Ararat (RC)	<200	84.8%	81.9%	72.1%
Victoria	Ballarat (C)	1,081	93.6%	92.2%	63.8%
Victoria	Banyule (C)	704	90.5%	89.2%	66.9%
Victoria	Bass Coast (S)	263	89.7%	88.6%	66.1%
Victoria	Baw Baw (S)	405	87.9%	85.9%	54.6%
Victoria	Bayside (C)	<200	87.9%	86.4%	70.4%
Victoria	Benalla (RC)	<200	92.3%	90.2%	58.9%
Victoria	Boroondara (C)	287	94.1%	92.0%	76.1%
Victoria	Brimbank (C)	779	86.1%	84.5%	58.2%
Victoria	Buloke (S)	<200	87.8%	83.7%	70.7%
Victoria	Campaspe (S)	759	86.7%	83.9%	58.0%
Victoria	Cardinia (S)	553	93.9%	92.0%	56.8%
Victoria	Casey (C)	1,485	89.7%	88.1%	56.5%
Victoria	Central Goldfields (S)	<200	91.6%	91.6%	73.7%
Victoria	Colac-Otway (S)	<200	91.2%	89.0%	61.9%
Victoria	Corangamite (S)	<200	90.2%	89.0%	60.3%
Victoria	Darebin (C)	1,204	89.2%	85.5%	59.7%
Victoria	East Gippsland (S)	1,255	91.6%	89.3%	59.2%
Victoria	Frankston (C)	897	90.9%	89.2%	56.8%
Victoria	Gannawarra (S)	<200	94.4%	93.0%	55.4%
Victoria	Glen Eira (C)	278	90.3%	89.2%	71.4%
Victoria	Glenelg (S)	402	93.3%	91.8%	62.5%
Victoria	Golden Plains (S)	<200	93.3%	92.1%	67.1%
Victoria	Greater Bendigo (C)	1,452	92.1%	90.4%	61.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Greater Dandenong (C)	646	87.2%	85.3%	60.9%
Victoria	Greater Geelong (C)	1,908	91.8%	90.0%	64.0%
Victoria	Greater Shepparton (C)	1,894	87.2%	84.1%	53.8%
Victoria	Hepburn (S)	<200	94.2%	90.7%	64.1%
Victoria	Hindmarsh (S)	<200	95.4%	92.3%	68.3%
Victoria	Hobsons Bay (C)	385	88.3%	86.5%	67.7%
Victoria	Horsham (RC)	<200	89.5%	88.3%	60.7%
Victoria	Hume (C)	1,204	89.7%	88.0%	53.2%
Victoria	Indigo (S)	<200	94.2%	92.6%	67.0%
Victoria	Kingston (C) (Vic.)	422	93.6%	91.9%	69.7%
Victoria	Knox (C)	567	91.9%	90.7%	62.8%
Victoria	Latrobe (C) (Vic.)	1,015	87.6%	84.0%	47.0%
Victoria	Loddon (S)	<200	90.9%	90.9%	57.5%
Victoria	Macedon Ranges (S)	200	92.0%	90.5%	67.4%
Victoria	Manningham (C)	260	91.9%	89.6%	69.0%
Victoria	Mansfield (S)	<200	92.5%	92.5%	62.5%
Victoria	Maribyrnong (C)	383	89.6%	88.5%	66.6%
Victoria	Maroondah (C)	397	91.4%	90.2%	68.1%
Victoria	Melbourne (C)	704	89.9%	86.4%	68.4%
Victoria	Melton (C)	965	90.5%	88.5%	57.4%
Victoria	Mildura (RC)	1,769	89.4%	86.2%	47.3%
Victoria	Mitchell (S)	446	93.0%	91.7%	61.0%
Victoria	Moira (S)	383	90.3%	89.3%	59.1%
Victoria	Monash (C)	432	89.1%	87.7%	67.6%
Victoria	Moonee Valley (C)	368	91.0%	89.1%	67.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Moorabool (S)	252	90.5%	88.9%	62.8%
Victoria	Moreland (C)	788	92.8%	91.2%	66.0%
Victoria	Mornington Peninsula (S)	881	90.6%	89.3%	63.3%
Victoria	Mount Alexander (S)	<200	92.2%	89.7%	73.1%
Victoria	Moyne (S)	<200	93.0%	90.5%	63.6%
Victoria	Murrindindi (S)	<200	90.7%	89.7%	64.6%
Victoria	Nillumbik (S)	220	93.6%	92.7%	63.5%
Victoria	Northern Grampians (S)	<200	87.4%	86.3%	67.1%
Victoria	Port Phillip (C)	418	90.0%	88.0%	67.4%
Victoria	Pyrenees (S)	<200	88.9%	88.9%	68.1%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	215	85.1%	85.1%	65.6%
Victoria	Southern Grampians (S)	220	92.3%	91.4%	62.7%
Victoria	Stonnington (C)	300	87.3%	84.3%	73.9%
Victoria	Strathbogie (S)	<200	93.2%	92.2%	62.1%
Victoria	Surf Coast (S)	<200	94.3%	93.5%	75.7%
Victoria	Swan Hill (RC)	744	88.8%	86.6%	50.8%
Victoria	Towong (S)	<200	89.2%	87.8%	69.2%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	292	92.5%	90.1%	58.6%
Victoria	Warrnambool (C)	483	92.5%	89.6%	55.7%
Victoria	Wellington (S)	600	88.2%	85.3%	59.6%
Victoria	West Wimmera (S)	<200	>99%	>99%	64.0%
Victoria	Whitehorse (C)	394	93.7%	92.1%	69.3%
Victoria	Whittlesea (C)	1,379	92.7%	91.5%	56.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Wodonga (C)	676	87.9%	86.5%	55.7%
Victoria	Wyndham (C)	1,370	91.4%	89.5%	58.0%
Victoria	Yarra (C)	408	88.7%	86.5%	62.4%
Victoria	Yarra Ranges (S)	917	91.4%	90.5%	58.9%
Victoria	Yarriambiack (S)	<200	83.9%	83.9%	70.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Albany (C)	880	86.1%	81.1%	65.7%
Western Australia	Armadale (C)	1,915	88.9%	83.2%	62.6%
Western Australia	Ashburton (S)	519	91.1%	85.7%	76.0%
Western Australia	Augusta-Margaret River (S)	<200	87.4%	86.2%	74.3%
Western Australia	Bassendean (T)	324	87.0%	79.6%	62.4%
Western Australia	Bayswater (C)	751	85.6%	80.3%	66.2%
Western Australia	Belmont (C)	987	85.8%	79.7%	61.9%
Western Australia	Beverley (S)	<200	93.9%	93.9%	69.8%
Western Australia	Boddington (S)	<200	91.8%	89.0%	66.7%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	88.9%	88.9%	84.6%
Western Australia	Brookton (S)	<200	85.7%	84.1%	62.3%
Western Australia	Broome (S)	3,993	88.6%	83.2%	68.5%
Western Australia	Broomehill-Tambellup (S)	<200	82.4%	78.4%	50.0%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,130	90.9%	86.5%	66.1%
Western Australia	Busselton (C)	405	87.9%	83.5%	73.3%
Western Australia	Cambridge (T)	<200	93.0%	93.0%	77.4%
Western Australia	Canning (C)	990	86.8%	79.7%	64.1%
Western Australia	Capel (S)	258	88.8%	84.9%	71.6%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	853	85.8%	75.7%	59.5%
Western Australia	Chapman Valley (S)	<200	87.5%	81.3%	57.7%
Western Australia	Chittering (S)	<200	93.0%	91.2%	67.3%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Cockburn (C)	1,321	85.9%	80.6%	66.8%
Western Australia	Collie (S)	293	86.7%	81.6%	70.4%
Western Australia	Coolgardie (S)	249	86.3%	79.1%	58.6%
Western Australia	Coorow (S)	<200	84.6%	84.6%	76.2%
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	83.3%	**	**
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	87.5%	75.0%	52.4%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	90.2%	88.5%	66.0%
Western Australia	Dandaragan (S)	<200	95.7%	95.7%	81.4%
Western Australia	Dardanup (S)	219	92.2%	90.0%	76.4%
Western Australia	Denmark (S)	<200	82.6%	80.4%	61.1%
Western Australia	Derby-West Kimberley (S)	3,686	82.3%	73.3%	61.0%
Western Australia	Donnybrook-Balingup (S)	<200	94.4%	91.5%	75.0%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	86.2%	77.7%	46.2%
Western Australia	East Fremantle (T)	<200	81.0%	76.2%	60.7%
Western Australia	East Pilbara (S)	1,117	89.3%	81.6%	60.2%
Western Australia	Esperance (S)	341	86.2%	78.3%	63.2%
Western Australia	Exmouth (S)	<200	89.2%	83.8%	64.5%
Western Australia	Fremantle (C)	452	84.1%	79.2%	63.3%
Western Australia	Gingin (S)	<200	90.9%	87.9%	64.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	96.1%	88.2%	75.8%
Western Australia	Goomalling (S)	<200	90.6%	75.0%	54.2%
Western Australia	Gosnells (C)	2,318	88.0%	82.1%	63.8%
Western Australia	Greater Geraldton (C)	3,315	86.8%	78.6%	60.6%
Western Australia	Halls Creek (S)	1,990	76.5%	68.7%	60.3%
Western Australia	Harvey (S)	462	90.0%	86.4%	65.5%
Western Australia	Irwin (S)	<200	83.6%	76.1%	74.0%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	760	89.7%	86.4%	72.2%
Western Australia	Kalamunda (C)	698	88.8%	84.1%	68.1%
Western Australia	Kalgoorlie/Boulder (C)	1,783	82.6%	76.1%	58.5%
Western Australia	Karratha (C)	2,608	84.4%	77.1%	65.3%
Western Australia	Katanning (S)	297	90.2%	84.2%	64.3%
Western Australia	Kellerberrin (S)	<200	89.0%	86.3%	73.3%
Western Australia	Kojonup (S)	<200	94.4%	88.9%	58.1%
Western Australia	Kondinin (S)	<200	93.8%	93.8%	65.1%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,438	87.2%	78.4%	66.6%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	217	84.8%	76.0%	61.5%
Western Australia	Leonora (S)	218	81.2%	75.7%	48.7%
Western Australia	Mandurah (C)	1,223	86.2%	82.1%	65.2%
Western Australia	Manjimup (S)	<200	91.9%	90.8%	68.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Meekatharra (S)	322	90.7%	83.9%	62.1%
Western Australia	Melville (C)	482	87.8%	82.6%	63.8%
Western Australia	Menzies (S)	<200	81.8%	68.2%	51.7%
Western Australia	Merredin (S)	<200	83.1%	79.4%	66.7%
Western Australia	Mingenew (S)	<200	95.7%	95.7%	68.2%
Western Australia	Moora (S)	284	93.3%	89.1%	67.9%
Western Australia	Morawa (S)	<200	93.0%	86.0%	68.7%
Western Australia	Mosman Park (T)	<200	84.3%	80.4%	60.5%
Western Australia	Mount Magnet (S)	<200	88.6%	82.9%	61.7%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	**	**
Western Australia	Mundaring (S)	735	88.0%	79.6%	68.3%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	234	86.3%	81.2%	68.5%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	243	83.5%	77.8%	56.5%
Western Australia	Nedlands (C)	<200	91.5%	89.8%	73.5%
Western Australia	Ngaanyatjarraku (S)	669	85.9%	78.5%	63.8%
Western Australia	Northam (S)	527	83.5%	77.0%	58.9%
Western Australia	Northampton (S)	<200	89.9%	83.7%	53.4%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	61.9%
Western Australia	Perth (C)	855	86.0%	78.7%	74.1%
Western Australia	Pingelly (S)	<200	92.3%	80.2%	71.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Plantagenet (S)	<200	91.3%	87.4%	66.1%
Western Australia	Port Hedland (T)	2,641	85.7%	78.3%	66.6%
Western Australia	Quairading (S)	<200	87.5%	75.9%	50.7%
Western Australia	Ravensthorpe (S)	<200	90.3%	87.1%	77.8%
Western Australia	Rockingham (C)	1,755	89.9%	86.7%	70.2%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	371	93.3%	90.3%	71.2%
Western Australia	Shark Bay (S)	<200	87.2%	85.1%	50.0%
Western Australia	South Perth (C)	437	87.6%	81.7%	68.0%
Western Australia	Stirling (C)	1,884	85.4%	80.9%	66.9%
Western Australia	Subiaco (C)	<200	86.7%	81.7%	87.5%
Western Australia	Swan (C)	3,381	88.2%	83.6%	63.5%
Western Australia	Tammin (S)	<200	84.1%	75.0%	66.7%
Western Australia	Three Springs (S)	<200	95.2%	92.9%	77.1%
Western Australia	Toodyay (S)	<200	87.8%	85.4%	73.5%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	528	87.7%	83.0%	66.7%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	209	87.6%	84.7%	70.3%
Western Australia	Wagin (S)	<200	83.3%	80.0%	53.2%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,184	87.4%	82.6%	65.8%
Western Australia	Waroona (S)	<200	94.3%	94.3%	69.6%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
14 Jun 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.3%	87.8%	60.6%
Western Australia	Wongan-Ballidu (S)	<200	97.6%	95.1%	67.6%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,159	88.2%	83.6%	68.8%
Western Australia	Yalgoo (S)	<200	93.6%	84.6%	69.4%
Western Australia	Yilgarn (S)	<200	87.5%	87.5%	85.0%
Western Australia	York (S)	<200	79.2%	76.4%	56.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of any vaccine type.

People eligible with more than 2 doses. Total people received more than 2 doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 14 Jun 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 14 Jun 2022 including individuals aged 16 and over.