



Australian Government

Operation COVID Shield

LGA Vaccination Rates (AIR Indigenous Population)

20 July 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
19 Jul. 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,230	91.9%	89.6%	63.4%

Data as at:
19 Jul. 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Albury (C)	1,232	83.8%	80.4%	50.7%
New South Wales	Armidale Regional (A)	1,466	86.6%	83.7%	51.0%
New South Wales	Ballina (A)	1,130	81.9%	79.8%	44.9%
New South Wales	Balranald (A)	<200	94.4%	93.7%	56.4%
New South Wales	Bathurst Regional (A)	1,424	87.9%	84.8%	44.4%
New South Wales	Bayside (A)	1,164	90.6%	89.3%	55.4%
New South Wales	Bega Valley (A)	955	86.3%	83.9%	51.3%
New South Wales	Bellingen (A)	259	83.0%	81.5%	53.3%
New South Wales	Berrigan (A)	<200	91.5%	89.9%	63.8%
New South Wales	Blacktown (C)	7,304	88.2%	86.0%	47.9%
New South Wales	Bland (A)	226	94.7%	94.2%	58.7%
New South Wales	Blayney (A)	<200	91.1%	88.7%	53.7%
New South Wales	Blue Mountains (C)	900	91.2%	90.1%	61.2%
New South Wales	Bogan (A)	276	90.6%	87.7%	48.8%
New South Wales	Bourke (A)	773	81.4%	78.0%	47.5%
New South Wales	Brewarrina (A)	677	87.6%	84.3%	51.0%
New South Wales	Broken Hill (C)	1,357	89.5%	87.8%	54.7%
New South Wales	Burwood (A)	<200	89.7%	85.6%	67.7%
New South Wales	Byron (A)	413	78.5%	75.3%	50.5%
New South Wales	Cabonne (A)	354	92.7%	92.1%	53.1%
New South Wales	Camden (A)	1,571	93.4%	92.6%	50.6%
New South Wales	Campbelltown (C) (NSW)	4,289	89.1%	87.3%	48.2%
New South Wales	Canada Bay (A)	296	90.9%	89.5%	62.1%
New South Wales	Canterbury-Bankstown (A)	2,105	88.5%	86.8%	54.1%
New South Wales	Carrathool (A)	<200	93.2%	91.7%	57.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	8,107	87.6%	86.2%	49.8%
New South Wales	Central Darling (A)	475	87.6%	86.3%	43.4%
New South Wales	Cessnock (C)	2,861	89.9%	88.6%	51.0%
New South Wales	Clarence Valley (A)	2,364	80.0%	77.5%	50.2%
New South Wales	Cobar (A)	342	88.3%	88.0%	50.3%
New South Wales	Coffs Harbour (C)	2,829	83.5%	81.7%	49.2%
New South Wales	Coolamon (A)	<200	90.1%	89.2%	54.5%
New South Wales	Coonamble (A)	1,113	89.7%	87.6%	54.3%
New South Wales	Cootamundra-Gundagai Regional (A)	298	91.9%	90.6%	57.4%
New South Wales	Cowra (A)	629	88.2%	85.9%	44.2%
New South Wales	Cumberland (A)	1,162	87.1%	84.9%	55.0%
New South Wales	Dubbo Regional (A)	5,490	86.3%	84.4%	44.7%
New South Wales	Dungog (A)	336	92.9%	92.0%	55.3%
New South Wales	Edward River (A)	289	92.0%	90.7%	61.5%
New South Wales	Eurobodalla (A)	1,650	91.3%	89.1%	49.7%
New South Wales	Fairfield (C)	1,261	86.1%	84.1%	50.0%
New South Wales	Federation (A)	<200	90.2%	88.3%	68.1%
New South Wales	Forbes (A)	831	93.1%	91.9%	56.3%
New South Wales	Georges River (A)	701	92.0%	90.2%	60.4%
New South Wales	Gilgandra (A)	480	81.9%	79.8%	47.6%
New South Wales	Glen Innes Severn (A)	493	83.0%	80.9%	52.0%
New South Wales	Goulburn Mulwaree (A)	672	90.5%	89.6%	62.9%
New South Wales	Greater Hume Shire (A)	<200	85.6%	84.4%	60.7%
New South Wales	Griffith (C)	959	85.4%	83.1%	46.5%
New South Wales	Gunnedah (A)	1,248	88.5%	86.6%	44.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

New South Wales (continued)

Data as at:
19 Jul. 2022

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.2%	91.6%	61.0%
New South Wales	Hawkesbury (C)	1,507	90.3%	89.4%	51.7%
New South Wales	Hay (A)	<200	96.0%	94.9%	65.5%
New South Wales	Hilltops (A)	427	90.9%	88.1%	54.0%
New South Wales	Hornsby (A)	441	92.7%	90.9%	70.8%
New South Wales	Hunters Hill (A)	<200	84.4%	79.7%	62.7%
New South Wales	Inner West (A)	1,596	87.2%	84.8%	61.1%
New South Wales	Inverell (A)	1,140	82.2%	79.3%	51.2%
New South Wales	Junee (A)	269	90.0%	89.2%	63.9%
New South Wales	Kempsey (A)	2,381	79.5%	76.1%	41.6%
New South Wales	Kiama (A)	246	91.9%	91.9%	58.4%
New South Wales	Ku-ring-gai (A)	<200	90.2%	90.2%	76.4%
New South Wales	Kyogle (A)	355	70.4%	65.6%	45.1%
New South Wales	Lachlan (A)	974	88.5%	85.6%	52.3%
New South Wales	Lake Macquarie (C)	5,469	89.2%	87.9%	51.3%
New South Wales	Lane Cove (A)	<200	87.0%	84.8%	64.1%
New South Wales	Leeton (A)	361	87.3%	86.1%	43.7%
New South Wales	Lismore (C)	1,763	78.4%	74.9%	44.8%
New South Wales	Lithgow (C)	790	90.8%	88.9%	58.5%
New South Wales	Liverpool (C)	2,469	88.3%	86.2%	51.9%
New South Wales	Liverpool Plains (A)	729	91.8%	90.3%	60.0%
New South Wales	Lockhart (A)	<200	91.7%	90.3%	63.1%
New South Wales	Maitland (C)	2,853	89.7%	88.2%	47.7%
New South Wales	Mid-Coast (A)	3,886	81.5%	79.7%	48.3%
New South Wales	Mid-Western Regional (A)	830	87.8%	85.7%	48.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Moree Plains (A)	2,330	83.6%	79.7%	43.9%
New South Wales	Mosman (A)	<200	86.7%	84.4%	78.9%
New South Wales	Murray River (A)	314	88.9%	86.9%	57.9%
New South Wales	Murrumbidgee (A)	<200	92.5%	88.9%	59.9%
New South Wales	Muswellbrook (A)	881	88.4%	86.7%	47.0%
New South Wales	Nambucca Valley (A)	1,181	81.3%	79.3%	44.3%
New South Wales	Narrabri (A)	1,292	89.1%	86.6%	45.8%
New South Wales	Narrandera (A)	437	86.7%	84.7%	40.7%
New South Wales	Narromine (A)	688	87.2%	84.6%	40.5%
New South Wales	Newcastle (C)	3,717	89.6%	88.1%	51.9%
New South Wales	North Sydney (A)	<200	92.4%	91.8%	74.5%
New South Wales	Northern Beaches (A)	806	88.8%	88.3%	64.7%
New South Wales	Oberon (A)	<200	88.6%	87.6%	55.4%
New South Wales	Orange (C)	1,924	86.5%	83.8%	47.6%
New South Wales	Parkes (A)	1,158	89.2%	87.8%	55.5%
New South Wales	Parramatta (C)	1,267	86.8%	84.7%	60.1%
New South Wales	Penrith (C)	5,104	91.3%	89.7%	50.5%
New South Wales	Port Macquarie-Hastings (A)	2,220	83.8%	82.7%	51.1%
New South Wales	Port Stephens (A)	2,311	87.4%	85.8%	49.1%
New South Wales	Queanbeyan-Palerang Regional (A)	1,215	90.9%	88.9%	57.5%
New South Wales	Randwick (C)	1,473	87.0%	84.7%	60.0%
New South Wales	Richmond Valley (A)	1,428	75.8%	73.0%	44.9%
New South Wales	Ryde (C)	356	89.0%	88.2%	66.1%
New South Wales	Shellharbour (C)	1,716	87.8%	85.7%	46.3%
New South Wales	Shoalhaven (C)	3,842	87.5%	85.6%	51.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Singleton (A)	986	88.6%	86.9%	48.4%
New South Wales	Snowy Monaro Regional (A)	360	90.3%	88.3%	60.3%
New South Wales	Snowy Valleys (A)	377	87.5%	85.4%	51.9%
New South Wales	Strathfield (A)	<200	89.3%	85.1%	59.2%
New South Wales	Sutherland Shire (A)	1,616	93.3%	92.6%	60.6%
New South Wales	Sydney (C)	2,739	86.1%	83.3%	58.5%
New South Wales	Tamworth Regional (A)	4,392	88.9%	86.7%	50.2%
New South Wales	Temora (A)	<200	95.2%	92.0%	61.4%
New South Wales	Tenterfield (A)	308	76.3%	73.1%	36.3%
New South Wales	The Hills Shire (A)	587	92.2%	92.2%	61.0%
New South Wales	Tweed (A)	2,586	80.8%	79.2%	51.5%
New South Wales	Unincorporated NSW	<200	86.4%	84.7%	56.0%
New South Wales	Upper Hunter Shire (A)	390	85.9%	84.4%	49.1%
New South Wales	Upper Lachlan Shire (A)	<200	92.4%	90.3%	59.5%
New South Wales	Uralla (A)	304	90.5%	89.5%	60.7%
New South Wales	Wagga Wagga (C)	2,564	89.2%	87.1%	49.2%
New South Wales	Walcha (A)	<200	89.1%	85.9%	59.1%
New South Wales	Walgett (A)	1,404	84.6%	81.8%	40.9%
New South Wales	Warren (A)	303	85.8%	84.8%	49.8%
New South Wales	Warrumbungle Shire (A)	661	84.9%	82.5%	43.6%
New South Wales	Waverley (A)	222	83.8%	82.9%	64.5%
New South Wales	Weddin (A)	<200	93.8%	92.2%	54.2%
New South Wales	Wentworth (A)	544	87.5%	84.6%	39.0%
New South Wales	Willoughby (C)	<200	84.0%	80.7%	71.1%
New South Wales	Wingecarribee (A)	619	88.9%	87.6%	56.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Wollondilly (A)	1,067	92.4%	91.4%	49.4%
New South Wales	Wollongong (C)	3,726	88.5%	86.9%	51.3%
New South Wales	Woollahra (A)	<200	88.7%	88.7%	67.3%
New South Wales	Yass Valley (A)	272	93.0%	92.3%	58.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Northern Territory	Alice Springs (T)	6,675	88.2%	84.2%	68.6%
Northern Territory	Barkly (R)	2,793	81.5%	75.3%	53.7%
Northern Territory	Belyuen (S)	<200	89.8%	86.7%	76.2%
Northern Territory	Central Desert (R)	1,487	87.4%	82.5%	58.9%
Northern Territory	Coomalie (S)	241	87.1%	82.2%	66.8%
Northern Territory	Darwin (C)	8,130	91.1%	87.6%	71.0%
Northern Territory	East Arnhem (R)	4,450	88.2%	81.6%	63.9%
Northern Territory	Katherine (T)	3,563	88.6%	84.8%	63.3%
Northern Territory	Litchfield (M)	1,390	91.8%	89.6%	72.7%
Northern Territory	MacDonnell (R)	2,546	89.9%	86.4%	69.3%
Northern Territory	Palmerston (C)	4,402	90.5%	87.1%	66.4%
Northern Territory	Roper Gulf (R)	2,384	91.1%	86.0%	63.0%
Northern Territory	Tiwi Islands (R)	1,278	95.9%	94.2%	83.6%
Northern Territory	Unincorporated NT	2,284	93.4%	90.6%	75.0%
Northern Territory	Victoria Daly (R)	663	91.3%	87.5%	75.0%
Northern Territory	Wagait (S)	<200	95.5%	95.5%	85.7%
Northern Territory	West Arnhem (R)	2,349	91.3%	85.0%	63.7%
Northern Territory	West Daly (R)	1,182	95.9%	92.1%	74.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	92.5%	90.7%	67.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Aurukun (S)	661	89.9%	84.0%	40.5%
Queensland	Balonne (S)	567	86.6%	82.9%	56.6%
Queensland	Banana (S)	476	81.1%	77.1%	40.5%
Queensland	Barcaldine (R)	<200	85.7%	83.3%	66.7%
Queensland	Barcoo (S)	<200	88.9%	88.9%	79.2%
Queensland	Blackall-Tambo (R)	<200	93.7%	91.6%	66.7%
Queensland	Boulia (S)	<200	80.0%	78.7%	52.5%
Queensland	Brisbane (C)	13,689	85.0%	81.9%	55.7%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,839	78.8%	75.9%	46.4%
Queensland	Burdekin (S)	778	75.2%	71.1%	43.0%
Queensland	Burke (S)	<200	89.6%	85.7%	43.1%
Queensland	Cairns (R)	12,125	80.6%	76.3%	40.1%
Queensland	Carpentaria (S)	636	89.6%	82.9%	41.6%
Queensland	Cassowary Coast (R)	2,282	73.6%	69.9%	39.4%
Queensland	Central Highlands (R) (Qld)	768	72.9%	69.4%	33.0%
Queensland	Charters Towers (R)	770	81.3%	77.7%	50.8%
Queensland	Cherbourg (S)	726	76.4%	72.7%	41.5%
Queensland	Cloncurry (S)	534	86.0%	79.4%	45.8%
Queensland	Cook (S)	629	86.2%	79.7%	51.6%
Queensland	Croydon (S)	<200	89.8%	89.8%	50.9%
Queensland	Diamantina (S)	<200	96.0%	94.0%	69.6%
Queensland	Doomadgee (S)	678	84.1%	72.0%	41.7%
Queensland	Douglas (S)	669	74.7%	69.2%	48.2%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	83.4%	74.5%	58.1%
Queensland	Fraser Coast (R)	3,306	81.5%	78.1%	48.3%
Queensland	Gladstone (R)	2,392	78.5%	75.1%	40.2%
Queensland	Gold Coast (C)	6,956	82.7%	80.8%	46.2%
Queensland	Goondiwindi (R)	416	82.0%	77.6%	42.7%
Queensland	Gympie (R)	1,235	73.0%	70.9%	51.7%
Queensland	Hinchinbrook (S)	490	79.2%	74.7%	50.8%
Queensland	Hope Vale (S)	484	88.6%	83.5%	54.7%
Queensland	Ipswich (C)	7,207	84.0%	80.7%	46.7%
Queensland	Isaac (R)	470	82.6%	80.4%	31.9%
Queensland	Kowanyama (S)	613	91.0%	86.8%	55.0%
Queensland	Livingstone (S)	861	82.5%	79.9%	46.9%
Queensland	Lockhart River (S)	332	89.2%	84.6%	57.7%
Queensland	Lockyer Valley (R)	1,120	85.4%	82.0%	50.0%
Queensland	Logan (C)	8,036	81.1%	77.9%	45.0%
Queensland	Longreach (R)	<200	84.4%	83.7%	61.5%
Queensland	Mackay (R)	4,492	81.5%	78.7%	36.6%
Queensland	Mapoon (S)	<200	84.2%	78.9%	72.4%
Queensland	Maranoa (R)	849	88.6%	85.3%	52.8%
Queensland	Mareeba (S)	2,241	76.2%	68.8%	41.4%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,302	85.1%	82.2%	52.8%
Queensland	Mornington (S)	469	88.3%	80.0%	51.9%
Queensland	Mount Isa (C)	3,196	79.6%	72.7%	40.1%
Queensland	Murweh (S)	361	89.8%	85.6%	64.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Napranum (S)	392	85.5%	78.8%	48.7%
Queensland	Noosa (S)	405	76.5%	73.8%	45.6%
Queensland	North Burnett (R)	466	83.9%	81.3%	60.6%
Queensland	Northern Peninsula Area (R)	1,364	79.0%	69.0%	31.0%
Queensland	Palm Island (S)	1,262	81.5%	74.9%	53.1%
Queensland	Paroo (S)	435	83.4%	79.8%	44.3%
Queensland	Pormpuraaw (S)	365	95.6%	94.2%	66.6%
Queensland	Quilpie (S)	<200	95.9%	94.5%	60.9%
Queensland	Redland (C)	2,569	85.0%	83.2%	55.6%
Queensland	Richmond (S)	<200	93.5%	91.3%	54.8%
Queensland	Rockhampton (R)	4,493	78.5%	74.9%	40.6%
Queensland	Scenic Rim (R)	804	84.2%	82.2%	48.9%
Queensland	Somerset (R)	582	82.0%	79.4%	50.3%
Queensland	South Burnett (R)	1,275	78.0%	74.4%	47.7%
Queensland	Southern Downs (R)	1,062	80.8%	78.2%	47.9%
Queensland	Sunshine Coast (R)	4,081	79.9%	77.2%	47.8%
Queensland	Tablelands (R)	1,380	69.8%	65.1%	44.2%
Queensland	Toowoomba (R)	4,748	83.6%	80.4%	46.5%
Queensland	Torres (S)	2,134	88.7%	85.4%	60.1%
Queensland	Torres Strait Island (R)	1,858	89.5%	85.6%	64.1%
Queensland	Townsville (C)	11,638	80.3%	75.6%	42.9%
Queensland	Weipa (T)	698	81.9%	78.1%	48.7%
Queensland	Western Downs (R)	1,355	78.4%	76.2%	41.0%
Queensland	Whitsunday (R)	971	72.4%	70.1%	49.8%
Queensland	Winton (S)	<200	95.2%	92.8%	75.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Woorabinda (S)	664	76.5%	69.3%	53.4%
Queensland	Wujal Wujal (S)	<200	93.7%	93.1%	79.6%
Queensland	Yarrabah (S)	1,789	80.3%	75.6%	50.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Adelaide (C)	426	84.7%	78.9%	70.5%
South Australia	Adelaide Hills (DC)	<200	91.1%	90.1%	73.3%
South Australia	Adelaide Plains (DC)	<200	79.7%	74.4%	54.5%
South Australia	Alexandrina (DC)	216	80.1%	77.8%	59.3%
South Australia	Anangu Pitjantjatjara (AC)	548	87.0%	83.2%	77.4%
South Australia	Barossa (DC)	<200	87.8%	83.8%	65.9%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	352	78.1%	70.5%	53.0%
South Australia	Burnside (C)	<200	86.4%	84.5%	69.0%
South Australia	Campbelltown (C) (SA)	279	80.3%	77.1%	60.7%
South Australia	Ceduna (DC)	795	76.0%	68.2%	57.9%
South Australia	Charles Sturt (C)	1,305	79.2%	74.6%	60.1%
South Australia	Clare and Gilbert Valleys (DC)	<200	80.3%	78.7%	64.6%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	241	78.8%	71.8%	48.0%
South Australia	Copper Coast (DC)	324	82.7%	77.8%	64.8%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.3%	88.7%	60.8%
South Australia	Franklin Harbour (DC)	<200	>99%	>99%	67.6%
South Australia	Gawler (T)	343	79.3%	77.3%	61.6%
South Australia	Goyder (DC)	<200	74.1%	74.1%	70.0%
South Australia	Grant (DC)	<200	91.9%	89.2%	78.8%
South Australia	Holdfast Bay (C)	<200	82.2%	80.9%	63.0%
South Australia	Kangaroo Island (DC)	<200	89.2%	83.8%	61.3%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	77.8%	77.8%	60.7%
South Australia	Light (RegC)	<200	79.5%	79.5%	60.3%
South Australia	Lower Eyre Peninsula (DC)	<200	81.8%	72.7%	69.6%
South Australia	Loxton Waikerie (DC)	<200	82.6%	79.3%	56.3%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	723	78.1%	71.5%	58.7%
South Australia	Mid Murray (DC)	<200	74.5%	72.4%	71.4%
South Australia	Mitcham (C)	255	89.4%	83.5%	69.7%
South Australia	Mount Barker (DC)	<200	83.3%	82.2%	64.9%
South Australia	Mount Gambier (C)	494	83.8%	78.5%	60.7%
South Australia	Mount Remarkable (DC)	<200	92.3%	89.7%	68.6%
South Australia	Murray Bridge (RC)	687	76.6%	70.9%	54.1%
South Australia	Naracoorte and Lucindale (DC)	<200	75.4%	75.4%	60.5%
South Australia	Northern Areas (DC)	<200	88.1%	86.4%	53.1%
South Australia	Norwood Payneham St Peters (C)	<200	83.4%	77.1%	71.2%
South Australia	Onkaparinga (C)	1,799	79.4%	74.0%	58.4%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	86.5%	84.6%	54.5%
South Australia	Playford (C)	2,194	76.5%	71.0%	52.8%
South Australia	Port Adelaide Enfield (C)	2,174	78.9%	73.1%	57.7%
South Australia	Port Augusta (C)	2,311	84.9%	77.9%	54.7%
South Australia	Port Lincoln (C)	783	75.5%	68.1%	56.5%
South Australia	Port Pirie City and Dists (M)	459	73.4%	70.2%	50.9%
South Australia	Prospect (C)	<200	79.4%	75.0%	61.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	85.3%	80.0%	55.5%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	90.7%	90.7%	35.6%
South Australia	Salisbury (C)	2,046	80.6%	75.3%	58.9%
South Australia	Southern Mallee (DC)	<200	65.7%	62.9%	45.5%
South Australia	Streaky Bay (DC)	<200	85.2%	85.2%	65.2%
South Australia	Tatiara (DC)	<200	86.9%	73.8%	63.6%
South Australia	Tea Tree Gully (C)	606	81.8%	77.9%	61.1%
South Australia	The Coorong (DC)	237	83.1%	76.8%	63.3%
South Australia	Tumby Bay (DC)	<200	90.0%	86.7%	57.7%
South Australia	Unincorporated SA	352	85.2%	78.1%	63.4%
South Australia	Unley (C)	<200	87.2%	81.8%	66.1%
South Australia	Victor Harbor (C)	<200	78.8%	76.5%	68.0%
South Australia	Wakefield (DC)	<200	78.5%	73.8%	56.3%
South Australia	Walkerville (M)	<200	88.5%	**	**
South Australia	Wattle Range (DC)	<200	79.8%	73.6%	63.0%
South Australia	West Torrens (C)	463	81.4%	76.5%	62.4%
South Australia	Whyalla (C)	1,186	82.9%	74.4%	58.9%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.6%	82.1%	53.1%
South Australia	Yorke Peninsula (DC)	255	83.1%	76.9%	63.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Tasmania

Data as at:
19 Jul. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Break O'Day (M)	<200	87.7%	85.1%	61.1%
Tasmania	Brighton (M)	1,198	88.2%	85.2%	57.3%
Tasmania	Burnie (C)	891	86.2%	83.8%	51.0%
Tasmania	Central Coast (M) (Tas.)	943	90.2%	88.9%	63.1%
Tasmania	Central Highlands (M) (Tas.)	<200	84.9%	77.9%	55.2%
Tasmania	Circular Head (M)	513	87.1%	83.8%	47.0%
Tasmania	Clarence (C)	1,273	88.1%	85.3%	58.7%
Tasmania	Derwent Valley (M)	280	87.5%	83.9%	49.6%
Tasmania	Devonport (C)	949	85.9%	83.1%	51.7%
Tasmania	Dorset (M)	<200	86.7%	85.5%	59.6%
Tasmania	Flinders (M) (Tas.)	<200	95.2%	93.7%	87.3%
Tasmania	George Town (M)	247	88.3%	87.4%	59.5%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.9%	86.9%	61.2%
Tasmania	Glenorchy (C)	1,657	90.2%	87.0%	61.4%
Tasmania	Hobart (C)	614	92.0%	90.1%	68.1%
Tasmania	Huon Valley (M)	997	90.1%	88.1%	65.2%
Tasmania	Kentish (M)	202	85.1%	82.2%	55.5%
Tasmania	King Island (M)	<200	91.3%	87.0%	75.0%
Tasmania	Kingborough (M)	755	93.6%	91.1%	67.2%
Tasmania	Latrobe (M) (Tas.)	329	87.8%	84.5%	57.0%
Tasmania	Launceston (C)	1,574	88.1%	84.9%	57.0%
Tasmania	Meander Valley (M)	469	88.9%	87.2%	60.8%
Tasmania	Northern Midlands (M)	221	91.0%	90.0%	60.3%
Tasmania	Sorell (M)	426	89.9%	87.8%	54.4%
Tasmania	Southern Midlands (M)	209	90.0%	88.5%	44.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Tasman (M)	<200	93.8%	91.7%	74.7%
Tasmania	Waratah/Wynyard (M)	653	84.8%	82.2%	56.8%
Tasmania	West Coast (M)	<200	88.8%	86.4%	49.0%
Tasmania	West Tamar (M)	346	93.6%	91.9%	60.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Victoria

Data as at:
19 Jul. 2022

Australia's COVID-19
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Alpine (S)	<200	89.5%	89.5%	71.4%
Victoria	Ararat (RC)	<200	85.4%	83.5%	70.9%
Victoria	Ballarat (C)	1,088	93.8%	92.4%	64.1%
Victoria	Banyule (C)	705	90.5%	88.9%	66.8%
Victoria	Bass Coast (S)	260	90.0%	88.8%	67.1%
Victoria	Baw Baw (S)	409	88.0%	85.6%	55.4%
Victoria	Bayside (C)	<200	87.4%	84.9%	69.0%
Victoria	Benalla (RC)	<200	92.5%	90.4%	62.1%
Victoria	Boroondara (C)	281	94.0%	91.8%	76.4%
Victoria	Brimbank (C)	788	86.8%	85.0%	58.3%
Victoria	Buloke (S)	<200	91.7%	87.5%	71.4%
Victoria	Campaspe (S)	755	86.9%	84.2%	59.7%
Victoria	Cardinia (S)	566	93.6%	92.0%	58.1%
Victoria	Casey (C)	1,482	89.5%	88.0%	57.1%
Victoria	Central Goldfields (S)	<200	93.4%	92.3%	70.2%
Victoria	Colac-Otway (S)	<200	91.2%	89.0%	61.7%
Victoria	Corangamite (S)	<200	90.7%	89.5%	62.3%
Victoria	Darebin (C)	1,203	89.4%	85.7%	60.0%
Victoria	East Gippsland (S)	1,255	91.4%	89.0%	58.9%
Victoria	Frankston (C)	895	90.7%	88.9%	57.3%
Victoria	Gannawarra (S)	<200	94.3%	92.9%	54.6%
Victoria	Glen Eira (C)	273	90.5%	89.4%	72.1%
Victoria	Glenelg (S)	404	93.3%	91.6%	62.6%
Victoria	Golden Plains (S)	<200	93.3%	92.1%	68.9%
Victoria	Greater Bendigo (C)	1,464	92.2%	90.4%	62.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Greater Dandenong (C)	645	87.0%	85.3%	60.6%
Victoria	Greater Geelong (C)	1,905	91.9%	90.0%	64.3%
Victoria	Greater Shepparton (C)	1,898	87.0%	84.0%	54.1%
Victoria	Hepburn (S)	<200	94.2%	89.5%	64.9%
Victoria	Hindmarsh (S)	<200	95.6%	92.6%	68.3%
Victoria	Hobsons Bay (C)	390	88.5%	86.4%	67.5%
Victoria	Horsham (RC)	<200	90.0%	88.7%	63.8%
Victoria	Hume (C)	1,207	89.6%	88.0%	54.3%
Victoria	Indigo (S)	<200	94.2%	92.5%	68.5%
Victoria	Kingston (C) (Vic.)	424	93.4%	91.5%	69.8%
Victoria	Knox (C)	563	91.8%	90.4%	63.0%
Victoria	Latrobe (C) (Vic.)	1,029	88.0%	84.7%	47.1%
Victoria	Loddon (S)	<200	90.9%	90.9%	60.0%
Victoria	Macedon Ranges (S)	206	92.2%	91.3%	67.9%
Victoria	Manningham (C)	260	91.9%	89.6%	70.8%
Victoria	Mansfield (S)	<200	91.7%	91.7%	63.6%
Victoria	Maribyrnong (C)	384	89.6%	88.8%	65.4%
Victoria	Maroondah (C)	406	91.9%	90.6%	68.2%
Victoria	Melbourne (C)	699	90.0%	86.6%	69.2%
Victoria	Melton (C)	959	90.5%	88.6%	57.7%
Victoria	Mildura (RC)	1,792	89.5%	86.0%	47.8%
Victoria	Mitchell (S)	449	93.1%	91.5%	61.8%
Victoria	Moira (S)	377	90.5%	89.4%	60.7%
Victoria	Monash (C)	436	88.8%	87.2%	68.8%
Victoria	Moonee Valley (C)	365	91.2%	89.0%	69.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Moorabool (S)	259	91.1%	88.8%	63.0%
Victoria	Moreland (C)	799	92.7%	91.2%	66.4%
Victoria	Mornington Peninsula (S)	880	90.6%	89.2%	63.3%
Victoria	Mount Alexander (S)	<200	92.8%	90.1%	75.0%
Victoria	Moyne (S)	<200	92.9%	91.0%	61.7%
Victoria	Murrindindi (S)	<200	91.5%	91.5%	61.9%
Victoria	Nillumbik (S)	223	93.3%	92.4%	63.4%
Victoria	Northern Grampians (S)	<200	87.9%	86.9%	68.6%
Victoria	Port Phillip (C)	421	90.0%	87.4%	67.9%
Victoria	Pyrenees (S)	<200	88.9%	88.9%	68.1%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	214	85.0%	85.0%	66.5%
Victoria	Southern Grampians (S)	226	92.0%	91.2%	63.6%
Victoria	Stonnington (C)	294	87.1%	84.0%	73.7%
Victoria	Strathbogie (S)	<200	93.5%	91.7%	64.6%
Victoria	Surf Coast (S)	<200	94.2%	93.4%	78.8%
Victoria	Swan Hill (RC)	746	89.0%	86.9%	50.9%
Victoria	Towong (S)	<200	89.0%	87.7%	70.3%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	295	92.5%	90.5%	60.9%
Victoria	Warrnambool (C)	474	92.4%	89.5%	57.8%
Victoria	Wellington (S)	603	88.2%	85.2%	61.3%
Victoria	West Wimmera (S)	<200	>99%	>99%	65.4%
Victoria	Whitehorse (C)	407	93.9%	92.6%	70.2%
Victoria	Whittlesea (C)	1,382	92.6%	91.2%	57.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Wodonga (C)	677	87.6%	86.3%	57.0%
Victoria	Wyndham (C)	1,402	91.5%	89.7%	58.9%
Victoria	Yarra (C)	410	88.8%	86.3%	62.8%
Victoria	Yarra Ranges (S)	928	91.4%	90.5%	59.5%
Victoria	Yarriambiack (S)	<200	83.9%	83.9%	70.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Albany (C)	875	86.7%	82.4%	65.0%
Western Australia	Armadale (C)	1,926	89.1%	83.6%	61.6%
Western Australia	Ashburton (S)	521	91.6%	86.2%	73.4%
Western Australia	Augusta-Margaret River (S)	<200	86.5%	84.3%	74.3%
Western Australia	Bassendean (T)	317	87.1%	79.8%	60.0%
Western Australia	Bayswater (C)	752	85.5%	80.5%	65.5%
Western Australia	Belmont (C)	981	86.0%	80.2%	62.2%
Western Australia	Beverley (S)	<200	96.1%	94.1%	70.2%
Western Australia	Boddington (S)	<200	91.5%	88.7%	69.4%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	87.0%	87.0%	82.5%
Western Australia	Brookton (S)	<200	85.7%	84.1%	62.3%
Western Australia	Broome (S)	3,969	88.6%	83.3%	67.2%
Western Australia	Broomehill-Tambellup (S)	<200	81.3%	78.7%	53.4%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,109	90.9%	86.7%	66.5%
Western Australia	Busselton (C)	413	88.6%	84.0%	72.0%
Western Australia	Cambridge (T)	<200	91.9%	91.9%	78.9%
Western Australia	Canning (C)	990	87.1%	80.8%	63.7%
Western Australia	Capel (S)	264	89.0%	84.8%	70.4%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	862	86.4%	77.1%	59.6%
Western Australia	Chapman Valley (S)	<200	87.5%	84.4%	69.2%
Western Australia	Chittering (S)	<200	89.8%	88.1%	69.2%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Cockburn (C)	1,334	86.1%	80.6%	65.9%
Western Australia	Collie (S)	295	87.1%	82.7%	68.6%
Western Australia	Coolgardie (S)	251	86.1%	79.3%	57.1%
Western Australia	Coorow (S)	<200	84.6%	84.6%	81.8%
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	**	**	**
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	84.8%	75.8%	45.8%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	89.8%	88.1%	65.4%
Western Australia	Dandaragan (S)	<200	96.0%	96.0%	76.6%
Western Australia	Dardanup (S)	223	92.4%	89.7%	74.0%
Western Australia	Denmark (S)	<200	80.4%	78.3%	61.1%
Western Australia	Derby-West Kimberley (S)	3,662	82.4%	73.8%	54.9%
Western Australia	Donnybrook-Balingup (S)	<200	94.3%	94.3%	75.0%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	86.0%	77.4%	44.1%
Western Australia	East Fremantle (T)	<200	85.0%	77.5%	58.1%
Western Australia	East Pilbara (S)	1,117	89.4%	82.1%	62.8%
Western Australia	Esperance (S)	347	86.7%	78.7%	58.4%
Western Australia	Exmouth (S)	<200	94.3%	91.4%	67.7%
Western Australia	Fremantle (C)	452	84.5%	79.0%	64.3%
Western Australia	Gingin (S)	<200	90.8%	87.7%	66.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	96.0%	88.0%	72.3%
Western Australia	Goomalling (S)	<200	90.6%	75.0%	54.2%
Western Australia	Gosnells (C)	2,314	87.8%	82.3%	62.9%
Western Australia	Greater Geraldton (C)	3,283	87.0%	79.3%	59.5%
Western Australia	Halls Creek (S)	1,983	76.6%	68.8%	57.8%
Western Australia	Harvey (S)	475	90.1%	86.7%	65.6%
Western Australia	Irwin (S)	<200	84.6%	75.4%	75.5%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	762	90.4%	87.3%	70.6%
Western Australia	Kalamunda (C)	709	88.6%	83.8%	67.7%
Western Australia	Kalgoorlie/Boulder (C)	1,787	82.8%	76.2%	57.9%
Western Australia	Karratha (C)	2,617	84.4%	77.3%	64.3%
Western Australia	Katanning (S)	307	89.9%	84.7%	63.9%
Western Australia	Kellerberrin (S)	<200	88.9%	86.1%	70.5%
Western Australia	Kojonup (S)	<200	94.4%	91.5%	58.7%
Western Australia	Kondinin (S)	<200	93.8%	93.8%	65.9%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,442	87.5%	80.0%	64.9%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	212	83.5%	74.5%	62.8%
Western Australia	Leonora (S)	207	80.7%	75.4%	48.4%
Western Australia	Mandurah (C)	1,240	86.0%	81.8%	64.3%
Western Australia	Manjimup (S)	<200	93.1%	92.5%	66.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Meekatharra (S)	330	91.2%	84.5%	58.8%
Western Australia	Melville (C)	490	88.0%	83.5%	63.1%
Western Australia	Menzies (S)	<200	80.5%	65.9%	44.4%
Western Australia	Merredin (S)	<200	83.9%	79.5%	60.3%
Western Australia	Mingenew (S)	<200	95.5%	95.5%	66.7%
Western Australia	Moora (S)	284	93.3%	89.1%	68.8%
Western Australia	Morawa (S)	<200	92.0%	84.1%	66.2%
Western Australia	Mosman Park (T)	<200	84.9%	81.1%	57.1%
Western Australia	Mount Magnet (S)	<200	90.1%	83.7%	58.5%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	**	**
Western Australia	Mundaring (S)	734	88.4%	80.0%	67.2%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	240	86.7%	82.1%	65.1%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	244	83.6%	77.0%	54.6%
Western Australia	Nedlands (C)	<200	91.1%	91.1%	71.4%
Western Australia	Ngaanyatjarraku (S)	892	83.9%	76.9%	61.4%
Western Australia	Northam (S)	533	83.9%	77.3%	54.8%
Western Australia	Northampton (S)	<200	89.8%	83.6%	51.9%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	66.7%
Western Australia	Perth (C)	846	86.4%	79.2%	71.9%
Western Australia	Pingelly (S)	<200	92.4%	80.4%	71.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Plantagenet (S)	<200	92.1%	88.2%	68.5%
Western Australia	Port Hedland (T)	2,638	86.2%	79.6%	65.9%
Western Australia	Quairading (S)	<200	88.7%	77.4%	52.3%
Western Australia	Ravensthorpe (S)	<200	90.6%	87.5%	78.6%
Western Australia	Rockingham (C)	1,777	89.8%	86.7%	69.5%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	372	93.3%	90.3%	71.0%
Western Australia	Shark Bay (S)	<200	87.5%	85.4%	51.2%
Western Australia	South Perth (C)	442	88.0%	81.7%	68.4%
Western Australia	Stirling (C)	1,886	85.3%	81.1%	66.6%
Western Australia	Subiaco (C)	<200	86.4%	83.1%	87.8%
Western Australia	Swan (C)	3,396	88.3%	83.9%	63.4%
Western Australia	Tammin (S)	<200	87.8%	82.9%	67.6%
Western Australia	Three Springs (S)	<200	95.1%	92.7%	75.0%
Western Australia	Toodyay (S)	<200	87.8%	85.4%	72.9%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	531	87.9%	83.1%	66.1%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	210	87.6%	84.8%	68.5%
Western Australia	Wagin (S)	<200	83.3%	80.0%	54.2%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,208	87.5%	82.7%	64.5%
Western Australia	Waroonna (S)	<200	92.5%	92.5%	66.7%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
19 Jul. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.3%	87.7%	61.7%
Western Australia	Wongan-Ballidu (S)	<200	97.6%	95.1%	59.0%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,124	88.1%	83.6%	66.2%
Western Australia	Yalgoo (S)	<200	93.5%	85.7%	72.3%
Western Australia	Yilgarn (S)	<200	88.0%	84.0%	90.0%
Western Australia	York (S)	<200	79.7%	77.0%	51.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

People fully vaccinated. Total people fully vaccinated with 2 doses of any vaccine type.

People eligible with more than 2 doses. Total people received more than 2 doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 19 Jul. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 19 Jul. 2022 including individuals aged 16 and over.