



**Australian Government**  
**Operation COVID Shield**

# **LGA Vaccination Rates (AIR Indigenous Population)**

**27 July 2022**

## Data caveats:

### Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote.

### Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:  
26 Jul. 2022

# Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,231	91.8%	89.6%	63.7%

Data as at:  
26 Jul. 2022

# New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Albury (C)	1,232	83.8%	80.4%	51.0%
New South Wales	Armidale Regional (A)	1,464	86.5%	83.7%	51.4%
New South Wales	Ballina (A)	1,133	81.9%	79.9%	45.3%
New South Wales	Balranald (A)	<200	94.4%	93.7%	56.4%
New South Wales	Bathurst Regional (A)	1,434	88.0%	84.9%	44.6%
New South Wales	Bayside (A)	1,163	90.7%	89.4%	55.5%
New South Wales	Bega Valley (A)	957	86.3%	83.9%	51.2%
New South Wales	Bellingen (A)	259	83.0%	81.9%	53.8%
New South Wales	Berrigan (A)	<200	91.5%	89.9%	65.5%
New South Wales	Blacktown (C)	7,291	88.3%	86.0%	48.3%
New South Wales	Bland (A)	226	94.7%	94.2%	59.2%
New South Wales	Blayney (A)	<200	89.5%	87.2%	53.3%
New South Wales	Blue Mountains (C)	904	91.2%	90.0%	61.4%
New South Wales	Bogan (A)	277	90.6%	87.7%	48.6%
New South Wales	Bourke (A)	774	81.3%	77.8%	47.2%
New South Wales	Brewarrina (A)	673	87.5%	84.2%	51.1%
New South Wales	Broken Hill (C)	1,360	89.6%	87.9%	54.7%
New South Wales	Burwood (A)	<200	90.4%	86.3%	68.0%
New South Wales	Byron (A)	415	78.6%	75.4%	50.8%
New South Wales	Cabonne (A)	355	92.4%	91.8%	53.4%
New South Wales	Camden (A)	1,580	93.4%	92.5%	50.9%
New South Wales	Campbelltown (C) (NSW)	4,290	89.2%	87.4%	48.4%
New South Wales	Canada Bay (A)	295	90.8%	89.8%	62.1%
New South Wales	Canterbury-Bankstown (A)	2,101	88.6%	86.9%	54.1%
New South Wales	Carrathool (A)	<200	93.3%	91.8%	58.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	8,125	87.6%	86.2%	50.0%
New South Wales	Central Darling (A)	475	87.6%	86.3%	43.9%
New South Wales	Cessnock (C)	2,859	89.9%	88.6%	51.3%
New South Wales	Clarence Valley (A)	2,371	80.1%	77.5%	50.5%
New South Wales	Cobar (A)	344	88.4%	88.1%	50.0%
New South Wales	Coffs Harbour (C)	2,830	83.5%	81.6%	49.9%
New South Wales	Coolamon (A)	<200	90.0%	89.1%	56.1%
New South Wales	Coonamble (A)	1,113	89.6%	87.5%	54.2%
New South Wales	Cootamundra-Gundagai Regional (A)	297	91.9%	90.6%	57.6%
New South Wales	Cowra (A)	630	88.3%	86.0%	44.2%
New South Wales	Cumberland (A)	1,159	87.2%	85.2%	55.6%
New South Wales	Dubbo Regional (A)	5,497	86.4%	84.4%	45.1%
New South Wales	Dungog (A)	335	92.8%	91.9%	55.5%
New South Wales	Edward River (A)	287	92.0%	90.9%	61.9%
New South Wales	Eurobodalla (A)	1,653	91.3%	89.1%	50.3%
New South Wales	Fairfield (C)	1,262	86.1%	84.2%	50.4%
New South Wales	Federation (A)	<200	90.2%	88.3%	68.1%
New South Wales	Forbes (A)	829	93.1%	91.9%	56.6%
New South Wales	Georges River (A)	705	92.1%	90.2%	61.0%
New South Wales	Gilgandra (A)	478	81.6%	79.5%	47.5%
New South Wales	Glen Innes Severn (A)	497	82.9%	80.9%	51.6%
New South Wales	Goulburn Mulwaree (A)	671	90.6%	89.7%	62.9%
New South Wales	Greater Hume Shire (A)	<200	85.6%	84.4%	61.5%
New South Wales	Griffith (C)	961	85.3%	83.0%	46.5%
New South Wales	Gunnedah (A)	1,245	88.7%	86.7%	45.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.2%	91.7%	60.9%
New South Wales	Hawkesbury (C)	1,504	90.3%	89.4%	52.1%
New South Wales	Hay (A)	<200	96.0%	94.9%	65.5%
New South Wales	Hilltops (A)	428	90.9%	88.1%	54.1%
New South Wales	Hornsby (A)	446	92.6%	90.6%	71.2%
New South Wales	Hunters Hill (A)	<200	84.4%	79.7%	62.7%
New South Wales	Inner West (A)	1,605	87.4%	84.9%	61.5%
New South Wales	Inverell (A)	1,140	82.2%	79.3%	51.7%
New South Wales	Junee (A)	266	89.8%	89.1%	63.8%
New South Wales	Kempsey (A)	2,387	79.6%	76.2%	42.5%
New South Wales	Kiama (A)	249	91.6%	91.6%	58.8%
New South Wales	Ku-ring-gai (A)	<200	90.2%	90.2%	77.0%
New South Wales	Kyogle (A)	355	70.4%	65.6%	45.1%
New South Wales	Lachlan (A)	975	88.4%	85.5%	52.2%
New South Wales	Lake Macquarie (C)	5,479	89.2%	87.9%	51.6%
New South Wales	Lane Cove (A)	<200	87.1%	84.9%	63.3%
New South Wales	Leeton (A)	361	87.5%	86.4%	44.4%
New South Wales	Lismore (C)	1,761	78.4%	74.9%	45.3%
New South Wales	Lithgow (C)	793	90.7%	88.8%	58.3%
New South Wales	Liverpool (C)	2,476	88.3%	86.3%	52.2%
New South Wales	Liverpool Plains (A)	727	91.7%	90.2%	60.5%
New South Wales	Lockhart (A)	<200	91.7%	90.3%	63.1%
New South Wales	Maitland (C)	2,857	89.7%	88.2%	48.0%
New South Wales	Mid-Coast (A)	3,889	81.5%	79.7%	48.5%
New South Wales	Mid-Western Regional (A)	831	88.0%	85.8%	48.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Moree Plains (A)	2,338	83.6%	79.8%	44.2%
New South Wales	Mosman (A)	<200	86.7%	84.4%	78.9%
New South Wales	Murray River (A)	310	88.4%	86.5%	59.0%
New South Wales	Murrumbidgee (A)	<200	92.5%	88.9%	60.5%
New South Wales	Muswellbrook (A)	879	88.4%	86.7%	47.1%
New South Wales	Nambucca Valley (A)	1,185	81.2%	79.2%	44.6%
New South Wales	Narrabri (A)	1,295	89.2%	86.6%	46.0%
New South Wales	Narrandera (A)	439	86.6%	84.5%	40.8%
New South Wales	Narromine (A)	686	87.3%	84.7%	40.8%
New South Wales	Newcastle (C)	3,730	89.7%	88.2%	52.3%
New South Wales	North Sydney (A)	<200	92.4%	91.8%	75.0%
New South Wales	Northern Beaches (A)	805	88.8%	88.3%	65.4%
New South Wales	Oberon (A)	<200	89.4%	87.5%	54.9%
New South Wales	Orange (C)	1,925	86.5%	83.8%	47.8%
New South Wales	Parkes (A)	1,160	89.2%	87.8%	56.1%
New South Wales	Parramatta (C)	1,268	86.8%	84.7%	60.4%
New South Wales	Penrith (C)	5,121	91.2%	89.7%	50.8%
New South Wales	Port Macquarie-Hastings (A)	2,223	83.9%	82.6%	51.4%
New South Wales	Port Stephens (A)	2,312	87.5%	85.8%	49.4%
New South Wales	Queanbeyan-Palerang Regional (A)	1,217	90.9%	88.8%	57.9%
New South Wales	Randwick (C)	1,473	87.0%	84.7%	60.3%
New South Wales	Richmond Valley (A)	1,427	75.8%	73.0%	44.8%
New South Wales	Ryde (C)	358	89.1%	88.3%	66.3%
New South Wales	Shellharbour (C)	1,725	87.8%	85.6%	46.4%
New South Wales	Shoalhaven (C)	3,844	87.5%	85.6%	52.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Singleton (A)	993	88.7%	87.0%	48.7%
New South Wales	Snowy Monaro Regional (A)	359	90.3%	88.3%	60.1%
New South Wales	Snowy Valleys (A)	378	87.6%	85.4%	52.0%
New South Wales	Strathfield (A)	<200	89.3%	85.2%	59.4%
New South Wales	Sutherland Shire (A)	1,618	93.2%	92.6%	60.9%
New South Wales	Sydney (C)	2,744	86.1%	83.3%	58.8%
New South Wales	Tamworth Regional (A)	4,399	88.9%	86.7%	50.8%
New South Wales	Temora (A)	<200	95.3%	92.1%	61.2%
New South Wales	Tenterfield (A)	309	76.4%	73.1%	36.6%
New South Wales	The Hills Shire (A)	590	92.2%	92.2%	61.2%
New South Wales	Tweed (A)	2,588	81.0%	79.3%	51.7%
New South Wales	Unincorporated NSW	<200	88.1%	86.4%	54.9%
New South Wales	Upper Hunter Shire (A)	389	85.9%	84.3%	49.5%
New South Wales	Upper Lachlan Shire (A)	<200	92.4%	90.3%	59.2%
New South Wales	Uralla (A)	305	90.5%	89.5%	60.8%
New South Wales	Wagga Wagga (C)	2,563	89.2%	87.0%	49.6%
New South Wales	Walcha (A)	<200	89.8%	85.9%	60.0%
New South Wales	Walgett (A)	1,406	84.6%	81.8%	41.0%
New South Wales	Warren (A)	305	85.9%	84.9%	49.4%
New South Wales	Warrumbungle Shire (A)	662	84.9%	82.6%	44.0%
New South Wales	Waverley (A)	221	84.6%	83.7%	64.1%
New South Wales	Weddin (A)	<200	93.8%	92.2%	54.2%
New South Wales	Wentworth (A)	544	87.5%	84.4%	38.9%
New South Wales	Willoughby (C)	<200	83.4%	80.1%	71.9%
New South Wales	Wingecarribee (A)	618	88.8%	87.5%	56.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
26 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Wollondilly (A)	1,071	92.2%	91.1%	49.5%
New South Wales	Wollongong (C)	3,729	88.6%	87.0%	51.5%
New South Wales	Woollahra (A)	<200	88.5%	88.5%	66.7%
New South Wales	Yass Valley (A)	272	93.0%	92.3%	58.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Northern Territory	Alice Springs (T)	6,639	88.3%	84.3%	68.7%
Northern Territory	Barkly (R)	2,791	81.4%	75.3%	53.8%
Northern Territory	Belyuen (S)	<200	88.9%	85.9%	75.3%
Northern Territory	Central Desert (R)	1,487	87.4%	82.5%	59.0%
Northern Territory	Coomalie (S)	245	87.3%	82.4%	67.0%
Northern Territory	Darwin (C)	7,835	91.1%	87.6%	71.7%
Northern Territory	East Arnhem (R)	4,458	88.2%	81.6%	64.2%
Northern Territory	Katherine (T)	3,407	88.8%	85.2%	63.9%
Northern Territory	Litchfield (M)	1,382	91.6%	89.4%	72.8%
Northern Territory	MacDonnell (R)	2,549	89.9%	86.4%	69.6%
Northern Territory	Palmerston (C)	4,403	90.7%	87.2%	66.6%
Northern Territory	Roper Gulf (R)	2,385	91.0%	86.0%	63.0%
Northern Territory	Tiwi Islands (R)	1,273	95.9%	94.2%	84.1%
Northern Territory	Unincorporated NT	2,561	93.2%	90.2%	73.3%
Northern Territory	Victoria Daly (R)	666	91.1%	87.4%	75.3%
Northern Territory	Wagait (S)	<200	95.5%	95.5%	90.5%
Northern Territory	West Arnhem (R)	2,339	91.3%	85.0%	64.0%
Northern Territory	West Daly (R)	1,176	95.8%	92.1%	74.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	92.5%	90.7%	68.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Aurukun (S)	663	90.0%	84.3%	41.5%
Queensland	Balonne (S)	568	86.6%	82.9%	56.7%
Queensland	Banana (S)	475	81.3%	77.3%	41.0%
Queensland	Barcaldine (R)	<200	85.7%	84.1%	66.7%
Queensland	Barcoo (S)	<200	88.9%	88.9%	79.2%
Queensland	Blackall-Tambo (R)	<200	92.7%	90.6%	66.7%
Queensland	Boulia (S)	<200	80.0%	78.7%	52.5%
Queensland	Brisbane (C)	13,704	85.0%	81.9%	56.0%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,839	78.8%	76.0%	46.5%
Queensland	Burdekin (S)	787	75.2%	71.0%	43.3%
Queensland	Burke (S)	<200	89.6%	85.7%	43.1%
Queensland	Cairns (R)	12,151	80.6%	76.3%	40.5%
Queensland	Carpentaria (S)	635	89.4%	82.7%	41.8%
Queensland	Cassowary Coast (R)	2,282	73.6%	70.0%	39.2%
Queensland	Central Highlands (R) (Qld)	768	73.0%	69.5%	33.1%
Queensland	Charters Towers (R)	770	81.4%	77.7%	51.1%
Queensland	Cherbourg (S)	727	76.5%	72.9%	41.5%
Queensland	Cloncurry (S)	531	86.1%	79.5%	46.4%
Queensland	Cook (S)	628	86.3%	79.5%	52.8%
Queensland	Croydon (S)	<200	89.7%	89.7%	50.0%
Queensland	Diamantina (S)	<200	96.0%	94.0%	69.6%
Queensland	Doomadgee (S)	679	83.9%	71.9%	41.9%
Queensland	Douglas (S)	669	74.6%	69.4%	47.9%
Queensland	Etheridge (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	83.4%	74.5%	59.0%
Queensland	Fraser Coast (R)	3,314	81.5%	78.2%	48.6%
Queensland	Gladstone (R)	2,396	78.4%	75.1%	40.6%
Queensland	Gold Coast (C)	6,973	82.7%	80.8%	46.6%
Queensland	Goondiwindi (R)	416	82.0%	77.6%	42.7%
Queensland	Gympie (R)	1,235	73.0%	70.9%	51.9%
Queensland	Hinchinbrook (S)	492	79.1%	74.6%	51.0%
Queensland	Hope Vale (S)	489	89.0%	83.8%	55.1%
Queensland	Ipswich (C)	7,203	84.1%	80.7%	47.1%
Queensland	Isaac (R)	470	82.8%	80.6%	32.5%
Queensland	Kowanyama (S)	617	90.9%	86.7%	55.2%
Queensland	Livingstone (S)	860	82.6%	79.9%	47.4%
Queensland	Lockhart River (S)	337	89.0%	84.6%	57.2%
Queensland	Lockyer Valley (R)	1,125	85.3%	82.0%	50.4%
Queensland	Logan (C)	8,031	81.0%	77.8%	45.4%
Queensland	Longreach (R)	<200	84.4%	83.7%	60.7%
Queensland	Mackay (R)	4,492	81.5%	78.7%	37.1%
Queensland	Mapoon (S)	<200	84.4%	79.3%	72.9%
Queensland	Maranoa (R)	853	88.6%	85.3%	53.2%
Queensland	Mareeba (S)	2,246	76.3%	69.2%	42.9%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,319	85.1%	82.2%	53.0%
Queensland	Mornington (S)	474	88.0%	80.0%	52.1%
Queensland	Mount Isa (C)	3,189	79.7%	72.7%	40.5%
Queensland	Murweh (S)	365	89.6%	85.8%	63.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Napranum (S)	392	85.5%	78.6%	48.8%
Queensland	Noosa (S)	405	76.3%	73.6%	45.5%
Queensland	North Burnett (R)	467	83.9%	81.2%	60.6%
Queensland	Northern Peninsula Area (R)	1,365	79.0%	69.1%	31.0%
Queensland	Palm Island (S)	1,263	81.6%	75.0%	53.2%
Queensland	Paroo (S)	434	83.6%	80.2%	44.6%
Queensland	Porompuraaw (S)	369	95.7%	94.3%	66.4%
Queensland	Quilpie (S)	<200	95.9%	94.5%	60.9%
Queensland	Redland (C)	2,585	85.0%	83.2%	55.8%
Queensland	Richmond (S)	<200	93.5%	91.3%	54.8%
Queensland	Rockhampton (R)	4,490	78.5%	75.0%	40.9%
Queensland	Scenic Rim (R)	810	84.3%	82.2%	48.6%
Queensland	Somerset (R)	579	82.2%	79.8%	50.7%
Queensland	South Burnett (R)	1,282	78.2%	74.5%	48.0%
Queensland	Southern Downs (R)	1,060	80.7%	78.0%	48.4%
Queensland	Sunshine Coast (R)	4,080	79.9%	77.2%	48.0%
Queensland	Tablelands (R)	1,382	69.6%	65.0%	44.8%
Queensland	Toowoomba (R)	4,749	83.6%	80.4%	47.0%
Queensland	Torres (S)	2,135	88.8%	85.3%	60.3%
Queensland	Torres Strait Island (R)	1,859	89.5%	85.6%	64.2%
Queensland	Townsville (C)	11,637	80.4%	75.7%	43.1%
Queensland	Weipa (T)	701	82.0%	78.2%	49.4%
Queensland	Western Downs (R)	1,355	78.4%	76.2%	41.8%
Queensland	Whitsunday (R)	977	72.4%	70.1%	50.1%
Queensland	Winton (S)	<200	95.2%	94.0%	74.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Woorabinda (S)	665	76.4%	69.5%	53.3%
Queensland	Wujal Wujal (S)	<200	93.7%	93.1%	79.6%
Queensland	Yarrabah (S)	1,784	80.2%	75.6%	50.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Adelaide (C)	424	84.9%	79.2%	71.6%
South Australia	Adelaide Hills (DC)	<200	91.1%	90.1%	74.4%
South Australia	Adelaide Plains (DC)	<200	79.7%	74.4%	54.5%
South Australia	Alexandrina (DC)	217	80.2%	77.9%	59.8%
South Australia	Anangu Pitjantjatjara (AC)	541	86.9%	83.2%	78.2%
South Australia	Barossa (DC)	<200	88.4%	84.4%	65.3%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	355	78.3%	71.0%	52.4%
South Australia	Burnside (C)	<200	86.4%	84.5%	69.0%
South Australia	Campbelltown (C) (SA)	273	79.9%	76.6%	62.5%
South Australia	Ceduna (DC)	795	75.8%	68.1%	58.4%
South Australia	Charles Sturt (C)	1,309	79.3%	74.7%	60.4%
South Australia	Clare and Gilbert Valleys (DC)	<200	80.3%	78.7%	64.6%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Cooper Pedy (DC)	237	78.5%	71.3%	48.5%
South Australia	Copper Coast (DC)	324	83.0%	78.1%	64.8%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.5%	88.0%	61.2%
South Australia	Franklin Harbour (DC)	<200	97.1%	97.1%	67.6%
South Australia	Gawler (T)	342	79.2%	77.2%	62.2%
South Australia	Goyder (DC)	<200	74.1%	74.1%	70.0%
South Australia	Grant (DC)	<200	91.7%	88.9%	78.1%
South Australia	Holdfast Bay (C)	<200	82.3%	81.0%	64.1%
South Australia	Kangaroo Island (DC)	<200	89.2%	83.8%	61.3%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
26 Jul. 2022

# South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	78.4%	78.4%	62.1%
South Australia	Light (RegC)	<200	79.7%	79.7%	59.3%
South Australia	Lower Eyre Peninsula (DC)	<200	81.8%	72.7%	69.6%
South Australia	Loxton Waikerie (DC)	<200	82.7%	78.8%	57.9%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	724	78.2%	71.7%	58.8%
South Australia	Mid Murray (DC)	<200	74.5%	72.4%	71.4%
South Australia	Mitcham (C)	256	89.5%	84.0%	69.5%
South Australia	Mount Barker (DC)	<200	83.3%	82.2%	64.9%
South Australia	Mount Gambier (C)	495	84.0%	78.8%	60.6%
South Australia	Mount Remarkable (DC)	<200	92.3%	89.7%	68.6%
South Australia	Murray Bridge (RC)	691	76.6%	70.8%	54.8%
South Australia	Naracoorte and Lucindale (DC)	<200	75.4%	75.4%	60.5%
South Australia	Northern Areas (DC)	<200	88.1%	86.4%	53.1%
South Australia	Norwood Payneham St Peters (C)	<200	83.3%	76.9%	70.9%
South Australia	Onkaparinga (C)	1,803	79.4%	74.0%	58.8%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	86.8%	84.9%	53.3%
South Australia	Playford (C)	2,205	76.6%	71.2%	53.1%
South Australia	Port Adelaide Enfield (C)	2,186	78.9%	73.1%	58.3%
South Australia	Port Augusta (C)	2,316	85.0%	78.1%	55.0%
South Australia	Port Lincoln (C)	782	75.7%	68.3%	56.7%
South Australia	Port Pirie City and Dists (M)	459	73.6%	70.4%	52.1%
South Australia	Prospect (C)	<200	79.4%	75.0%	61.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	85.5%	79.6%	55.0%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	90.7%	90.7%	36.8%
South Australia	Salisbury (C)	2,037	80.8%	75.5%	59.4%
South Australia	Southern Mallee (DC)	<200	65.7%	62.9%	45.5%
South Australia	Streaky Bay (DC)	<200	85.2%	85.2%	65.2%
South Australia	Tatiara (DC)	<200	87.1%	74.2%	60.9%
South Australia	Tea Tree Gully (C)	606	81.8%	77.9%	61.1%
South Australia	The Coorong (DC)	237	83.1%	76.8%	63.3%
South Australia	Tumby Bay (DC)	<200	90.0%	86.7%	57.7%
South Australia	Unincorporated SA	353	85.3%	78.5%	63.3%
South Australia	Unley (C)	<200	87.8%	82.4%	65.6%
South Australia	Victor Harbor (C)	<200	78.8%	76.5%	68.0%
South Australia	Wakefield (DC)	<200	78.5%	73.8%	56.3%
South Australia	Walkerville (M)	<200	88.5%	**	**
South Australia	Wattle Range (DC)	<200	79.8%	73.6%	63.0%
South Australia	West Torrens (C)	466	81.8%	76.2%	62.4%
South Australia	Whyalla (C)	1,186	82.9%	74.4%	58.8%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.6%	82.1%	53.1%
South Australia	Yorke Peninsula (DC)	255	83.1%	76.9%	64.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Tasmania

Data as at:  
26 Jul. 2022

Australia's COVID-19  
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Break O'Day (M)	<200	87.1%	85.2%	61.1%
Tasmania	Brighton (M)	1,200	88.2%	85.3%	57.5%
Tasmania	Burnie (C)	896	86.0%	83.7%	51.8%
Tasmania	Central Coast (M) (Tas.)	944	90.5%	89.0%	63.1%
Tasmania	Central Highlands (M) (Tas.)	<200	84.7%	77.6%	54.5%
Tasmania	Circular Head (M)	517	87.4%	83.8%	47.8%
Tasmania	Clarence (C)	1,271	88.0%	85.4%	58.9%
Tasmania	Derwent Valley (M)	280	87.5%	83.9%	50.0%
Tasmania	Devonport (C)	948	85.8%	83.0%	52.4%
Tasmania	Dorset (M)	<200	86.8%	85.6%	59.9%
Tasmania	Flinders (M) (Tas.)	<200	95.2%	93.7%	87.3%
Tasmania	George Town (M)	246	88.2%	87.4%	59.3%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.9%	86.9%	64.7%
Tasmania	Glenorchy (C)	1,661	90.2%	87.0%	61.8%
Tasmania	Hobart (C)	618	91.9%	90.0%	68.8%
Tasmania	Huon Valley (M)	995	90.1%	88.0%	65.2%
Tasmania	Kentish (M)	202	85.6%	82.2%	55.5%
Tasmania	King Island (M)	<200	91.3%	87.0%	75.0%
Tasmania	Kingborough (M)	759	93.7%	91.2%	67.5%
Tasmania	Latrobe (M) (Tas.)	331	87.9%	84.6%	57.0%
Tasmania	Launceston (C)	1,575	88.1%	85.0%	56.9%
Tasmania	Meander Valley (M)	470	88.9%	87.2%	61.3%
Tasmania	Northern Midlands (M)	221	91.0%	90.0%	60.8%
Tasmania	Sorell (M)	426	89.9%	87.8%	54.4%
Tasmania	Southern Midlands (M)	208	90.4%	88.9%	44.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Tasman (M)	<200	93.8%	91.7%	74.7%
Tasmania	Waratah/Wynyard (M)	652	85.0%	82.4%	57.2%
Tasmania	West Coast (M)	<200	88.9%	86.5%	49.0%
Tasmania	West Tamar (M)	346	93.6%	91.9%	60.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Victoria

Data as at:  
26 Jul. 2022

Australia's COVID-19  
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Alpine (S)	<200	89.5%	89.5%	71.4%
Victoria	Ararat (RC)	<200	85.4%	83.5%	70.9%
Victoria	Ballarat (C)	1,089	93.8%	92.4%	64.5%
Victoria	Banyule (C)	706	90.5%	89.1%	67.3%
Victoria	Bass Coast (S)	261	90.0%	88.9%	66.8%
Victoria	Baw Baw (S)	409	88.0%	85.6%	55.7%
Victoria	Bayside (C)	200	87.5%	85.0%	69.8%
Victoria	Benalla (RC)	<200	92.5%	90.5%	62.4%
Victoria	Boroondara (C)	279	93.9%	91.8%	77.3%
Victoria	Brimbank (C)	793	86.8%	85.0%	58.2%
Victoria	Buloke (S)	<200	91.7%	87.5%	71.4%
Victoria	Campaspe (S)	755	87.0%	84.4%	60.7%
Victoria	Cardinia (S)	568	93.5%	91.9%	58.3%
Victoria	Casey (C)	1,482	89.5%	87.9%	57.2%
Victoria	Central Goldfields (S)	<200	93.4%	92.3%	70.2%
Victoria	Colac-Otway (S)	<200	91.2%	89.0%	61.7%
Victoria	Corangamite (S)	<200	90.7%	89.5%	62.3%
Victoria	Darebin (C)	1,202	89.2%	85.5%	60.4%
Victoria	East Gippsland (S)	1,256	91.4%	89.0%	59.2%
Victoria	Frankston (C)	898	90.8%	88.9%	57.5%
Victoria	Gannawarra (S)	<200	94.4%	93.0%	55.0%
Victoria	Glen Eira (C)	273	90.1%	89.0%	72.4%
Victoria	Glenelg (S)	406	93.3%	91.6%	63.1%
Victoria	Golden Plains (S)	<200	93.3%	92.0%	69.3%
Victoria	Greater Bendigo (C)	1,465	92.2%	90.4%	62.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Greater Dandenong (C)	646	87.2%	85.4%	60.8%
Victoria	Greater Geelong (C)	1,908	91.9%	90.0%	64.6%
Victoria	Greater Shepparton (C)	1,906	87.0%	84.1%	54.2%
Victoria	Hepburn (S)	<200	94.2%	89.5%	66.2%
Victoria	Hindmarsh (S)	<200	95.5%	92.5%	67.7%
Victoria	Hobsons Bay (C)	391	88.7%	87.0%	67.2%
Victoria	Horsham (RC)	<200	89.9%	88.7%	63.8%
Victoria	Hume (C)	1,216	89.7%	88.1%	54.3%
Victoria	Indigo (S)	<200	94.2%	92.5%	68.5%
Victoria	Kingston (C) (Vic.)	425	93.4%	91.8%	69.9%
Victoria	Knox (C)	563	92.0%	90.4%	63.4%
Victoria	Latrobe (C) (Vic.)	1,033	88.1%	84.8%	47.6%
Victoria	Loddon (S)	<200	91.0%	91.0%	60.5%
Victoria	Macedon Ranges (S)	206	92.2%	91.3%	69.5%
Victoria	Manningham (C)	260	91.9%	89.6%	71.2%
Victoria	Mansfield (S)	<200	91.7%	91.7%	63.6%
Victoria	Maribyrnong (C)	384	89.6%	88.8%	66.1%
Victoria	Maroondah (C)	406	91.9%	90.6%	68.2%
Victoria	Melbourne (C)	700	90.1%	86.7%	69.4%
Victoria	Melton (C)	962	90.5%	88.7%	58.4%
Victoria	Mildura (RC)	1,793	89.5%	86.0%	48.2%
Victoria	Mitchell (S)	452	92.9%	91.4%	62.5%
Victoria	Moira (S)	377	90.5%	89.4%	62.5%
Victoria	Monash (C)	440	88.9%	87.3%	68.6%
Victoria	Moonee Valley (C)	364	91.2%	89.0%	70.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Moorabool (S)	259	91.1%	88.8%	63.0%
Victoria	Moreland (C)	800	92.8%	91.3%	67.0%
Victoria	Mornington Peninsula (S)	881	90.5%	89.0%	63.4%
Victoria	Mount Alexander (S)	<200	92.8%	90.1%	75.0%
Victoria	Moyne (S)	<200	92.9%	91.0%	61.7%
Victoria	Murrindindi (S)	<200	91.5%	91.5%	62.9%
Victoria	Nillumbik (S)	223	93.3%	92.4%	63.4%
Victoria	Northern Grampians (S)	<200	88.0%	87.0%	69.0%
Victoria	Port Phillip (C)	420	90.0%	87.1%	67.5%
Victoria	Pyrenees (S)	<200	88.9%	88.9%	68.1%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	214	85.0%	85.0%	67.6%
Victoria	Southern Grampians (S)	227	92.1%	91.2%	63.8%
Victoria	Stonnington (C)	295	87.1%	84.1%	75.0%
Victoria	Strathbogie (S)	<200	93.5%	91.7%	63.6%
Victoria	Surf Coast (S)	<200	94.3%	93.5%	79.1%
Victoria	Swan Hill (RC)	748	89.0%	86.9%	51.2%
Victoria	Towong (S)	<200	89.3%	88.0%	69.7%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	296	92.6%	90.5%	60.7%
Victoria	Warrnambool (C)	476	92.4%	89.5%	57.7%
Victoria	Wellington (S)	600	88.2%	85.2%	61.1%
Victoria	West Wimmera (S)	<200	>99%	>99%	65.4%
Victoria	Whitehorse (C)	406	94.1%	92.9%	70.2%
Victoria	Whittlesea (C)	1,380	92.6%	91.2%	57.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Wodonga (C)	675	87.6%	86.2%	57.1%
Victoria	Wyndham (C)	1,404	91.5%	89.7%	59.2%
Victoria	Yarra (C)	412	88.3%	85.9%	63.6%
Victoria	Yarra Ranges (S)	934	91.3%	90.5%	59.6%
Victoria	Yarriambiack (S)	<200	84.5%	84.5%	71.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
26 Jul. 2022

# Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Albany (C)	871	86.7%	82.3%	65.2%
Western Australia	Armadale (C)	1,935	89.0%	83.6%	61.3%
Western Australia	Ashburton (S)	522	91.8%	86.4%	73.0%
Western Australia	Augusta-Margaret River (S)	<200	86.7%	84.4%	74.7%
Western Australia	Bassendean (T)	318	87.1%	79.9%	59.7%
Western Australia	Bayswater (C)	754	85.4%	80.4%	65.4%
Western Australia	Belmont (C)	981	85.9%	80.1%	62.3%
Western Australia	Beverley (S)	<200	96.1%	94.1%	68.8%
Western Australia	Boddington (S)	<200	91.8%	89.0%	68.8%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	87.0%	87.0%	82.5%
Western Australia	Brookton (S)	<200	85.7%	84.1%	62.3%
Western Australia	Broome (S)	3,955	88.6%	83.4%	67.4%
Western Australia	Broomehill-Tambellup (S)	<200	81.3%	78.7%	53.4%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,112	90.9%	86.5%	66.6%
Western Australia	Busselton (C)	413	88.6%	84.0%	71.6%
Western Australia	Cambridge (T)	<200	92.1%	92.1%	79.3%
Western Australia	Canning (C)	985	87.5%	81.0%	64.0%
Western Australia	Capel (S)	266	88.7%	84.6%	70.5%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	862	86.4%	77.3%	60.4%
Western Australia	Chapman Valley (S)	<200	87.5%	84.4%	69.2%
Western Australia	Chittering (S)	<200	89.7%	87.9%	68.6%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Cockburn (C)	1,333	86.0%	80.6%	65.9%
Western Australia	Collie (S)	296	87.2%	82.8%	68.5%
Western Australia	Coolgardie (S)	252	86.1%	79.4%	57.9%
Western Australia	Coorow (S)	<200	84.6%	84.6%	81.8%
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	**	**	**
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	84.8%	75.8%	45.8%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	89.7%	87.9%	66.7%
Western Australia	Dandaragan (S)	<200	95.9%	95.9%	78.3%
Western Australia	Dardanup (S)	223	92.4%	89.7%	74.0%
Western Australia	Denmark (S)	<200	80.4%	78.3%	61.1%
Western Australia	Derby-West Kimberley (S)	3,667	82.4%	73.9%	54.4%
Western Australia	Donnybrook-Balingup (S)	<200	94.1%	94.1%	75.8%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	86.2%	77.7%	47.8%
Western Australia	East Fremantle (T)	<200	85.7%	78.6%	60.6%
Western Australia	East Pilbara (S)	1,114	89.4%	82.0%	63.1%
Western Australia	Esperance (S)	346	86.7%	78.6%	59.0%
Western Australia	Exmouth (S)	<200	94.7%	89.5%	66.7%
Western Australia	Fremantle (C)	443	84.7%	79.5%	65.1%
Western Australia	Gingin (S)	<200	90.8%	87.7%	64.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	96.0%	89.3%	72.3%
Western Australia	Goomalling (S)	<200	90.6%	78.1%	54.2%
Western Australia	Gosnells (C)	2,317	87.8%	82.5%	62.9%
Western Australia	Greater Geraldton (C)	3,295	86.9%	79.3%	59.5%
Western Australia	Halls Creek (S)	1,982	76.6%	68.9%	58.0%
Western Australia	Harvey (S)	472	90.0%	86.9%	66.0%
Western Australia	Irwin (S)	<200	84.6%	75.4%	77.6%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	763	90.4%	87.3%	70.3%
Western Australia	Kalamunda (C)	711	88.2%	83.3%	68.1%
Western Australia	Kalgoorlie/Boulder (C)	1,790	82.9%	76.3%	58.2%
Western Australia	Karratha (C)	2,615	84.5%	77.6%	64.7%
Western Australia	Katanning (S)	307	89.9%	84.7%	63.0%
Western Australia	Kellerberrin (S)	<200	90.1%	87.3%	70.5%
Western Australia	Kojonup (S)	<200	94.4%	91.5%	58.7%
Western Australia	Kondinin (S)	<200	93.8%	93.8%	68.2%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,440	87.6%	80.3%	65.2%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	212	84.0%	75.0%	63.7%
Western Australia	Leonora (S)	201	80.6%	76.1%	49.3%
Western Australia	Mandurah (C)	1,236	86.0%	81.8%	63.9%
Western Australia	Manjimup (S)	<200	93.2%	92.6%	67.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Meekatharra (S)	330	91.2%	84.5%	59.7%
Western Australia	Melville (C)	493	87.8%	83.4%	63.6%
Western Australia	Menzies (S)	<200	80.5%	65.9%	44.4%
Western Australia	Merredin (S)	<200	83.9%	79.5%	61.1%
Western Australia	Mingenew (S)	<200	95.5%	95.5%	66.7%
Western Australia	Moora (S)	284	93.3%	89.1%	69.4%
Western Australia	Morawa (S)	<200	92.0%	85.2%	67.6%
Western Australia	Mosman Park (T)	<200	84.9%	81.1%	59.5%
Western Australia	Mount Magnet (S)	<200	90.7%	84.3%	58.5%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	**	**
Western Australia	Mundaring (S)	735	88.6%	80.4%	68.0%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	241	86.7%	82.2%	65.5%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	246	83.7%	77.6%	54.0%
Western Australia	Nedlands (C)	<200	91.1%	91.1%	71.4%
Western Australia	Ngaanyatjarraku (S)	930	83.4%	76.9%	61.7%
Western Australia	Northam (S)	530	83.8%	77.4%	53.8%
Western Australia	Northampton (S)	<200	89.8%	83.5%	51.9%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	66.7%
Western Australia	Perth (C)	850	86.4%	79.2%	71.8%
Western Australia	Pingelly (S)	<200	92.6%	80.9%	70.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Plantagenet (S)	<200	92.2%	88.3%	68.8%
Western Australia	Port Hedland (T)	2,643	86.2%	79.7%	66.1%
Western Australia	Quairading (S)	<200	88.7%	78.3%	52.3%
Western Australia	Ravensthorpe (S)	<200	90.0%	86.7%	80.8%
Western Australia	Rockingham (C)	1,777	89.8%	86.7%	69.8%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	371	93.3%	90.3%	71.5%
Western Australia	Shark Bay (S)	<200	87.5%	85.4%	51.2%
Western Australia	South Perth (C)	440	88.2%	82.0%	68.2%
Western Australia	Stirling (C)	1,888	85.3%	81.4%	66.8%
Western Australia	Subiaco (C)	<200	86.4%	83.1%	87.8%
Western Australia	Swan (C)	3,389	88.4%	84.0%	63.5%
Western Australia	Tammin (S)	<200	87.8%	82.9%	67.6%
Western Australia	Three Springs (S)	<200	95.1%	92.7%	75.0%
Western Australia	Toodyay (S)	<200	87.2%	84.6%	72.7%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	531	87.4%	82.7%	67.0%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	209	87.6%	84.7%	68.9%
Western Australia	Wagin (S)	<200	83.3%	80.0%	54.2%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,209	87.7%	82.8%	64.7%
Western Australia	Waroona (S)	<200	92.5%	92.5%	66.7%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
26 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.3%	87.8%	62.2%
Western Australia	Wongan-Ballidu (S)	<200	97.6%	95.1%	59.0%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,127	88.1%	83.5%	66.7%
Western Australia	Yalgoo (S)	<200	93.4%	85.5%	73.4%
Western Australia	Yilgarn (S)	<200	88.0%	84.0%	85.7%
Western Australia	York (S)	<200	79.5%	76.7%	51.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Metadata

**People with at least one dose.** The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

**People fully vaccinated.** Total people fully vaccinated with 2 doses of any vaccine type.

**People eligible with more than 2 doses.** Total people received more than 2 doses by the number of individuals eligible in the region.

**AIR Population.** A distinct count of persons recorded on the Australia Immunisation Register.

**Local Government Area (LGA).** Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

## Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 26 Jul. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 26 Jul. 2022 including individuals aged 16 and over.