



**Australian Government**

**Operation COVID Shield**

# **LGA Vaccination Rates (AIR Indigenous Population)**

**06 July 2022**

## Data caveats:

### Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote.

### Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:  
05 Jul. 2022

# Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Australian Capital Territory	Unincorporated ACT	5,229	91.8%	89.5%	62.8%

Data as at:  
05 Jul. 2022

# New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Albury (C)	1,230	83.7%	80.3%	49.8%
New South Wales	Armidale Regional (A)	1,471	86.7%	83.8%	50.9%
New South Wales	Ballina (A)	1,135	81.7%	79.6%	44.7%
New South Wales	Balranald (A)	<200	94.5%	93.7%	55.9%
New South Wales	Bathurst Regional (A)	1,436	87.7%	84.5%	43.8%
New South Wales	Bayside (A)	1,151	90.4%	89.2%	54.7%
New South Wales	Bega Valley (A)	956	86.2%	83.8%	50.4%
New South Wales	Bellingen (A)	260	83.1%	81.2%	53.6%
New South Wales	Berrigan (A)	<200	91.5%	90.0%	63.2%
New South Wales	Blacktown (C)	7,219	88.1%	85.8%	47.3%
New South Wales	Bland (A)	226	94.7%	94.2%	57.7%
New South Wales	Blayney (A)	<200	91.0%	88.6%	52.7%
New South Wales	Blue Mountains (C)	898	91.3%	90.3%	61.1%
New South Wales	Bogan (A)	273	90.5%	87.5%	47.7%
New South Wales	Bourke (A)	776	81.4%	78.0%	47.4%
New South Wales	Brewarrina (A)	674	87.5%	84.3%	50.9%
New South Wales	Broken Hill (C)	1,356	89.5%	87.7%	54.2%
New South Wales	Burwood (A)	<200	89.8%	85.7%	68.0%
New South Wales	Byron (A)	411	78.3%	75.2%	50.8%
New South Wales	Cabonne (A)	345	92.8%	92.2%	53.5%
New South Wales	Camden (A)	1,553	93.4%	92.7%	50.4%
New South Wales	Campbelltown (C) (NSW)	4,242	89.1%	87.3%	47.8%
New South Wales	Canada Bay (A)	296	90.5%	88.9%	60.5%
New South Wales	Canterbury-Bankstown (A)	2,083	88.5%	86.8%	53.2%
New South Wales	Carrathool (A)	<200	93.1%	91.6%	56.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Central Coast (C) (NSW)	8,080	87.6%	86.1%	48.9%
New South Wales	Central Darling (A)	474	87.8%	86.5%	42.4%
New South Wales	Cessnock (C)	2,829	90.1%	88.7%	50.4%
New South Wales	Clarence Valley (A)	2,354	80.0%	77.5%	50.0%
New South Wales	Cobar (A)	339	88.8%	88.5%	49.5%
New South Wales	Coffs Harbour (C)	2,823	83.5%	81.8%	48.5%
New South Wales	Coolamon (A)	<200	89.9%	89.0%	51.5%
New South Wales	Coonamble (A)	1,114	89.7%	87.7%	53.9%
New South Wales	Cootamundra-Gundagai Regional (A)	294	91.8%	90.5%	57.1%
New South Wales	Cowra (A)	631	88.3%	85.6%	43.6%
New South Wales	Cumberland (A)	1,166	86.9%	84.7%	53.3%
New South Wales	Dubbo Regional (A)	5,505	86.3%	84.3%	44.0%
New South Wales	Dungog (A)	337	92.9%	92.0%	54.8%
New South Wales	Edward River (A)	285	91.9%	90.5%	61.6%
New South Wales	Eurobodalla (A)	1,646	91.2%	88.8%	49.0%
New South Wales	Fairfield (C)	1,251	86.2%	84.1%	50.1%
New South Wales	Federation (A)	<200	90.1%	88.2%	66.9%
New South Wales	Forbes (A)	827	93.1%	91.9%	55.8%
New South Wales	Georges River (A)	692	91.9%	90.3%	59.0%
New South Wales	Gilgandra (A)	484	81.6%	79.5%	46.6%
New South Wales	Glen Innes Severn (A)	491	83.1%	80.7%	52.3%
New South Wales	Goulburn Mulwaree (A)	676	90.5%	89.8%	62.0%
New South Wales	Greater Hume Shire (A)	<200	85.6%	84.4%	60.0%
New South Wales	Griffith (C)	960	85.3%	83.0%	46.1%
New South Wales	Gunnedah (A)	1,248	88.6%	86.7%	44.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Gwydir (A)	<200	93.1%	91.5%	60.8%
New South Wales	Hawkesbury (C)	1,484	90.6%	89.6%	51.5%
New South Wales	Hay (A)	<200	96.0%	94.9%	65.5%
New South Wales	Hilltops (A)	422	90.8%	87.9%	54.2%
New South Wales	Hornsby (A)	441	92.5%	90.9%	70.3%
New South Wales	Hunters Hill (A)	<200	84.4%	79.7%	62.7%
New South Wales	Inner West (A)	1,588	87.2%	84.6%	60.7%
New South Wales	Inverell (A)	1,141	82.1%	79.2%	51.5%
New South Wales	Junee (A)	269	90.0%	89.2%	63.4%
New South Wales	Kempsey (A)	2,373	79.4%	76.1%	40.7%
New South Wales	Kiama (A)	241	92.1%	92.1%	58.6%
New South Wales	Ku-ring-gai (A)	<200	90.6%	90.6%	75.9%
New South Wales	Kyogle (A)	354	70.3%	65.5%	44.0%
New South Wales	Lachlan (A)	974	88.6%	85.7%	51.6%
New South Wales	Lake Macquarie (C)	5,411	89.4%	88.0%	50.8%
New South Wales	Lane Cove (A)	<200	87.8%	85.6%	63.6%
New South Wales	Leeton (A)	362	86.5%	85.4%	43.8%
New South Wales	Lismore (C)	1,778	78.5%	75.0%	43.9%
New South Wales	Lithgow (C)	783	90.9%	89.0%	57.6%
New South Wales	Liverpool (C)	2,457	88.1%	86.1%	51.1%
New South Wales	Liverpool Plains (A)	724	91.7%	90.1%	59.1%
New South Wales	Lockhart (A)	<200	90.4%	89.0%	63.1%
New South Wales	Maitland (C)	2,827	89.6%	88.1%	47.1%
New South Wales	Mid-Coast (A)	3,862	81.4%	79.6%	47.7%
New South Wales	Mid-Western Regional (A)	833	88.0%	85.8%	48.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Moree Plains (A)	2,332	83.6%	79.8%	43.2%
New South Wales	Mosman (A)	<200	86.7%	84.4%	78.9%
New South Wales	Murray River (A)	316	88.9%	87.0%	57.1%
New South Wales	Murrumbidgee (A)	<200	93.0%	89.4%	58.4%
New South Wales	Muswellbrook (A)	884	87.9%	86.3%	46.7%
New South Wales	Nambucca Valley (A)	1,176	81.2%	79.3%	43.6%
New South Wales	Narrabri (A)	1,292	89.1%	86.6%	45.4%
New South Wales	Narrandera (A)	429	87.2%	85.1%	40.8%
New South Wales	Narromine (A)	688	87.4%	84.7%	39.7%
New South Wales	Newcastle (C)	3,685	89.7%	88.1%	51.0%
New South Wales	North Sydney (A)	<200	92.4%	91.8%	73.2%
New South Wales	Northern Beaches (A)	799	88.5%	88.0%	64.4%
New South Wales	Oberon (A)	<200	88.6%	87.6%	56.0%
New South Wales	Orange (C)	1,925	86.5%	83.6%	46.6%
New South Wales	Parkes (A)	1,150	89.4%	87.9%	55.4%
New South Wales	Parramatta (C)	1,269	87.0%	84.9%	59.5%
New South Wales	Penrith (C)	5,078	91.3%	89.7%	50.0%
New South Wales	Port Macquarie-Hastings (A)	2,218	83.8%	82.7%	50.2%
New South Wales	Port Stephens (A)	2,299	87.5%	85.8%	48.8%
New South Wales	Queanbeyan-Palerang Regional (A)	1,213	90.9%	88.8%	56.8%
New South Wales	Randwick (C)	1,473	87.0%	84.7%	59.6%
New South Wales	Richmond Valley (A)	1,424	76.0%	73.2%	42.7%
New South Wales	Ryde (C)	355	89.0%	87.9%	66.3%
New South Wales	Shellharbour (C)	1,706	88.0%	85.8%	45.5%
New South Wales	Shoalhaven (C)	3,836	87.5%	85.5%	51.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Singleton (A)	981	89.1%	87.4%	48.1%
New South Wales	Snowy Monaro Regional (A)	362	90.3%	88.1%	59.1%
New South Wales	Snowy Valleys (A)	377	87.5%	85.4%	51.3%
New South Wales	Strathfield (A)	<200	89.2%	86.1%	58.5%
New South Wales	Sutherland Shire (A)	1,607	93.3%	92.8%	60.3%
New South Wales	Sydney (C)	2,745	86.0%	83.2%	57.8%
New South Wales	Tamworth Regional (A)	4,399	88.9%	86.8%	49.9%
New South Wales	Temora (A)	<200	95.2%	92.0%	59.6%
New South Wales	Tenterfield (A)	306	75.8%	72.9%	35.3%
New South Wales	The Hills Shire (A)	585	92.3%	92.3%	60.2%
New South Wales	Tweed (A)	2,586	80.9%	79.2%	50.7%
New South Wales	Unincorporated NSW	<200	85.0%	83.3%	56.0%
New South Wales	Upper Hunter Shire (A)	392	85.7%	84.2%	48.6%
New South Wales	Upper Lachlan Shire (A)	<200	92.4%	90.3%	58.8%
New South Wales	Uralla (A)	303	90.8%	89.8%	60.3%
New South Wales	Wagga Wagga (C)	2,559	89.0%	86.9%	49.0%
New South Wales	Walcha (A)	<200	89.1%	86.0%	58.6%
New South Wales	Walgett (A)	1,402	84.7%	81.9%	39.9%
New South Wales	Warren (A)	301	85.7%	84.4%	49.8%
New South Wales	Warrumbungle Shire (A)	658	85.0%	82.5%	43.7%
New South Wales	Waverley (A)	221	84.2%	83.3%	63.7%
New South Wales	Weddin (A)	<200	93.8%	92.2%	52.5%
New South Wales	Wentworth (A)	543	87.5%	84.2%	38.7%
New South Wales	Willoughby (C)	<200	83.6%	80.3%	69.7%
New South Wales	Wingecarribee (A)	615	88.8%	87.5%	56.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
05 Jul. 2022

# New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
New South Wales	Wollondilly (A)	1,054	92.3%	91.3%	48.8%
New South Wales	Wollongong (C)	3,702	88.6%	87.0%	50.7%
New South Wales	Woollahra (A)	<200	88.8%	88.8%	64.9%
New South Wales	Yass Valley (A)	271	93.0%	92.3%	58.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Northern Territory	Alice Springs (T)	6,870	88.0%	84.0%	67.7%
Northern Territory	Barkly (R)	2,801	81.4%	75.3%	53.4%
Northern Territory	Belyuen (S)	<200	89.8%	86.7%	76.2%
Northern Territory	Central Desert (R)	1,489	86.9%	82.1%	58.4%
Northern Territory	Coomalie (S)	240	86.7%	81.7%	64.6%
Northern Territory	Darwin (C)	8,451	91.1%	87.4%	70.6%
Northern Territory	East Arnhem (R)	4,364	88.2%	81.4%	62.9%
Northern Territory	Katherine (T)	3,710	88.7%	85.0%	63.4%
Northern Territory	Litchfield (M)	1,392	91.8%	89.6%	72.0%
Northern Territory	MacDonnell (R)	2,547	89.9%	86.3%	69.1%
Northern Territory	Palmerston (C)	4,399	90.5%	87.0%	66.3%
Northern Territory	Roper Gulf (R)	2,381	91.1%	86.0%	62.8%
Northern Territory	Tiwi Islands (R)	1,278	95.9%	94.2%	83.5%
Northern Territory	Unincorporated NT	2,024	93.7%	91.7%	76.3%
Northern Territory	Victoria Daly (R)	666	91.1%	87.5%	72.9%
Northern Territory	Wagait (S)	<200	95.2%	95.2%	85.0%
Northern Territory	West Arnhem (R)	2,354	91.4%	85.0%	63.4%
Northern Territory	West Daly (R)	1,183	95.9%	92.1%	75.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Other Territories	Unincorp. Other Territories	<200	94.3%	92.4%	67.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Aurukun (S)	653	89.7%	83.8%	40.5%
Queensland	Balonne (S)	569	86.3%	82.6%	56.5%
Queensland	Banana (S)	468	81.0%	76.7%	40.4%
Queensland	Barcaldine (R)	<200	85.6%	83.2%	67.3%
Queensland	Barcoo (S)	<200	85.7%	85.7%	79.2%
Queensland	Blackall-Tambo (R)	<200	93.6%	91.5%	66.3%
Queensland	Boulia (S)	<200	80.3%	78.9%	53.3%
Queensland	Brisbane (C)	13,656	84.9%	81.8%	55.2%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,829	78.8%	75.9%	46.2%
Queensland	Burdekin (S)	770	75.2%	70.9%	42.2%
Queensland	Burke (S)	<200	89.3%	85.3%	42.9%
Queensland	Cairns (R)	12,108	80.6%	76.3%	39.8%
Queensland	Carpentaria (S)	630	89.7%	82.9%	41.5%
Queensland	Cassowary Coast (R)	2,279	73.6%	70.0%	39.2%
Queensland	Central Highlands (R) (Qld)	756	73.0%	69.4%	32.7%
Queensland	Charters Towers (R)	772	81.2%	77.3%	50.6%
Queensland	Cherbourg (S)	726	76.6%	72.6%	41.8%
Queensland	Cloncurry (S)	533	85.9%	79.4%	45.5%
Queensland	Cook (S)	633	85.8%	79.8%	51.9%
Queensland	Croydon (S)	<200	90.0%	90.0%	51.9%
Queensland	Diamantina (S)	<200	96.0%	94.0%	69.6%
Queensland	Doomadgee (S)	678	84.1%	71.8%	42.2%
Queensland	Douglas (S)	665	74.6%	69.3%	47.8%
Queensland	Etheridge (S)	<200	83.3%	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

## Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Flinders (S) (Qld)	<200	82.8%	73.8%	58.7%
Queensland	Fraser Coast (R)	3,303	81.2%	77.9%	47.7%
Queensland	Gladstone (R)	2,394	78.5%	75.2%	40.0%
Queensland	Gold Coast (C)	6,943	82.6%	80.8%	45.7%
Queensland	Goondiwindi (R)	411	81.8%	77.1%	41.4%
Queensland	Gympie (R)	1,227	72.9%	70.7%	51.3%
Queensland	Hinchinbrook (S)	488	79.3%	74.8%	50.8%
Queensland	Hope Vale (S)	481	88.4%	83.2%	53.9%
Queensland	Ipswich (C)	7,186	84.0%	80.6%	46.3%
Queensland	Isaac (R)	468	82.3%	79.9%	31.5%
Queensland	Kowanyama (S)	620	91.0%	86.6%	53.6%
Queensland	Livingstone (S)	868	82.1%	79.7%	46.4%
Queensland	Lockhart River (S)	332	88.9%	84.6%	57.7%
Queensland	Lockyer Valley (R)	1,126	85.4%	82.1%	49.5%
Queensland	Logan (C)	8,019	81.0%	77.8%	44.3%
Queensland	Longreach (R)	<200	85.7%	84.3%	61.0%
Queensland	Mackay (R)	4,485	81.5%	78.6%	35.9%
Queensland	Mapoon (S)	<200	84.7%	80.2%	72.4%
Queensland	Maranoa (R)	853	88.4%	85.2%	51.8%
Queensland	Mareeba (S)	2,243	76.1%	68.6%	40.8%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,272	85.0%	82.1%	52.1%
Queensland	Mornington (S)	465	88.4%	79.8%	51.8%
Queensland	Mount Isa (C)	3,214	79.6%	72.7%	39.6%
Queensland	Murweh (S)	358	89.1%	85.2%	64.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Napranum (S)	394	85.5%	78.9%	46.9%
Queensland	Noosa (S)	405	76.8%	74.1%	44.8%
Queensland	North Burnett (R)	467	84.2%	81.6%	60.7%
Queensland	Northern Peninsula Area (R)	1,364	78.9%	68.8%	30.8%
Queensland	Palm Island (S)	1,262	81.6%	75.0%	52.3%
Queensland	Paroo (S)	433	83.6%	80.1%	44.7%
Queensland	Pormpuraaw (S)	364	95.9%	94.5%	66.3%
Queensland	Quilpie (S)	<200	95.9%	94.5%	59.4%
Queensland	Redland (C)	2,562	85.0%	83.3%	54.7%
Queensland	Richmond (S)	<200	93.3%	91.1%	56.1%
Queensland	Rockhampton (R)	4,479	78.4%	74.7%	39.8%
Queensland	Scenic Rim (R)	798	84.3%	82.2%	48.2%
Queensland	Somerset (R)	582	82.0%	79.4%	50.1%
Queensland	South Burnett (R)	1,274	78.3%	74.5%	47.4%
Queensland	Southern Downs (R)	1,056	80.7%	78.1%	47.5%
Queensland	Sunshine Coast (R)	4,072	79.9%	77.3%	47.4%
Queensland	Tablelands (R)	1,378	69.8%	65.0%	43.0%
Queensland	Toowoomba (R)	4,746	83.5%	80.3%	46.0%
Queensland	Torres (S)	2,144	88.7%	85.4%	59.6%
Queensland	Torres Strait Island (R)	1,852	89.4%	85.4%	63.9%
Queensland	Townsville (C)	11,617	80.3%	75.6%	42.2%
Queensland	Weipa (T)	706	82.0%	77.9%	47.9%
Queensland	Western Downs (R)	1,358	78.4%	76.4%	40.3%
Queensland	Whitsunday (R)	962	72.2%	70.1%	49.3%
Queensland	Winton (S)	<200	95.1%	92.7%	77.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Queensland	Woorabinda (S)	661	76.2%	69.0%	52.5%
Queensland	Wujal Wujal (S)	<200	93.7%	93.1%	78.5%
Queensland	Yarrabah (S)	1,792	80.0%	75.4%	50.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Adelaide (C)	421	84.3%	78.4%	71.0%
South Australia	Adelaide Hills (DC)	<200	91.2%	90.2%	72.5%
South Australia	Adelaide Plains (DC)	<200	79.4%	74.8%	54.1%
South Australia	Alexandrina (DC)	215	80.5%	78.1%	59.6%
South Australia	Anangu Pitjantjatjara (AC)	554	87.0%	83.4%	74.8%
South Australia	Barossa (DC)	<200	87.7%	83.6%	66.9%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	350	78.3%	70.9%	53.1%
South Australia	Burnside (C)	<200	88.1%	86.1%	66.7%
South Australia	Campbelltown (C) (SA)	282	80.5%	77.3%	60.7%
South Australia	Ceduna (DC)	801	75.9%	68.2%	56.3%
South Australia	Charles Sturt (C)	1,300	79.2%	74.5%	59.1%
South Australia	Clare and Gilbert Valleys (DC)	<200	80.0%	78.3%	63.8%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Coober Pedy (DC)	244	78.7%	71.3%	48.0%
South Australia	Copper Coast (DC)	323	82.4%	77.7%	62.9%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.3%	88.7%	60.8%
South Australia	Franklin Harbour (DC)	<200	>99%	>99%	67.6%
South Australia	Gawler (T)	341	79.8%	77.7%	61.1%
South Australia	Goyder (DC)	<200	74.1%	74.1%	70.0%
South Australia	Grant (DC)	<200	91.4%	88.6%	77.4%
South Australia	Holdfast Bay (C)	<200	82.2%	80.9%	63.0%
South Australia	Kangaroo Island (DC)	<200	89.2%	83.8%	61.3%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
05 Jul. 2022

# South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	77.8%	77.8%	60.7%
South Australia	Light (RegC)	<200	78.9%	78.9%	58.9%
South Australia	Lower Eyre Peninsula (DC)	<200	80.6%	71.0%	66.7%
South Australia	Loxton Waikerie (DC)	<200	82.4%	79.1%	54.9%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	719	77.9%	71.3%	58.2%
South Australia	Mid Murray (DC)	<200	74.5%	72.4%	71.4%
South Australia	Mitcham (C)	252	89.3%	83.3%	69.2%
South Australia	Mount Barker (DC)	<200	83.5%	82.4%	64.7%
South Australia	Mount Gambier (C)	497	84.1%	78.9%	61.1%
South Australia	Mount Remarkable (DC)	<200	92.5%	90.0%	71.4%
South Australia	Murray Bridge (RC)	686	76.4%	70.7%	54.3%
South Australia	Naracoorte and Lucindale (DC)	<200	75.4%	75.4%	59.5%
South Australia	Northern Areas (DC)	<200	87.9%	86.2%	52.1%
South Australia	Norwood Payneham St Peters (C)	<200	82.5%	77.3%	71.3%
South Australia	Onkaparinga (C)	1,792	79.2%	74.1%	57.7%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	86.5%	84.6%	56.8%
South Australia	Playford (C)	2,194	76.3%	70.8%	52.5%
South Australia	Port Adelaide Enfield (C)	2,169	78.7%	72.9%	57.4%
South Australia	Port Augusta (C)	2,304	84.8%	78.0%	54.1%
South Australia	Port Lincoln (C)	790	75.6%	68.1%	55.9%
South Australia	Port Pirie City and Dists (M)	465	73.3%	69.9%	51.1%
South Australia	Prospect (C)	<200	79.3%	75.6%	59.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
South Australia	Renmark Paringa (DC)	<200	85.3%	80.0%	54.6%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	90.7%	89.7%	34.9%
South Australia	Salisbury (C)	2,043	80.7%	75.4%	58.5%
South Australia	Southern Mallee (DC)	<200	65.7%	62.9%	45.5%
South Australia	Streaky Bay (DC)	<200	85.7%	85.7%	62.5%
South Australia	Tatiara (DC)	<200	86.9%	73.8%	63.6%
South Australia	Tea Tree Gully (C)	603	81.6%	77.6%	60.1%
South Australia	The Coorong (DC)	236	83.5%	77.1%	63.3%
South Australia	Tumby Bay (DC)	<200	90.0%	86.7%	57.7%
South Australia	Unincorporated SA	357	85.2%	77.9%	61.2%
South Australia	Unley (C)	<200	87.0%	81.5%	64.4%
South Australia	Victor Harbor (C)	<200	79.7%	77.4%	67.6%
South Australia	Wakefield (DC)	<200	78.5%	73.8%	56.3%
South Australia	Walkerville (M)	<200	88.5%	**	**
South Australia	Wattle Range (DC)	<200	79.8%	73.6%	63.7%
South Australia	West Torrens (C)	463	81.2%	76.2%	61.8%
South Australia	Whyalla (C)	1,188	82.9%	74.2%	58.3%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	87.2%	84.6%	54.5%
South Australia	Yorke Peninsula (DC)	259	82.6%	76.8%	62.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Tasmania

Data as at:  
05 Jul. 2022

Australia's COVID-19  
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Break O'Day (M)	<200	87.7%	84.4%	61.2%
Tasmania	Brighton (M)	1,199	88.0%	84.9%	56.5%
Tasmania	Burnie (C)	890	86.3%	83.8%	50.7%
Tasmania	Central Coast (M) (Tas.)	943	90.3%	89.0%	62.9%
Tasmania	Central Highlands (M) (Tas.)	<200	84.3%	77.1%	53.1%
Tasmania	Circular Head (M)	510	87.5%	84.1%	46.9%
Tasmania	Clarence (C)	1,267	88.2%	85.4%	58.6%
Tasmania	Derwent Valley (M)	279	87.1%	83.5%	47.8%
Tasmania	Devonport (C)	947	85.9%	83.1%	50.4%
Tasmania	Dorset (M)	<200	86.6%	85.4%	59.0%
Tasmania	Flinders (M) (Tas.)	<200	95.2%	93.6%	87.2%
Tasmania	George Town (M)	250	88.0%	87.2%	60.2%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.8%	86.7%	60.7%
Tasmania	Glenorchy (C)	1,660	90.2%	87.1%	61.2%
Tasmania	Hobart (C)	621	92.1%	90.0%	67.0%
Tasmania	Huon Valley (M)	995	90.4%	88.2%	64.8%
Tasmania	Kentish (M)	<200	84.9%	81.4%	54.0%
Tasmania	King Island (M)	<200	91.3%	87.0%	75.0%
Tasmania	Kingborough (M)	759	93.3%	90.8%	66.7%
Tasmania	Latrobe (M) (Tas.)	329	87.5%	84.2%	56.5%
Tasmania	Launceston (C)	1,568	88.1%	84.9%	56.6%
Tasmania	Meander Valley (M)	466	89.1%	87.3%	60.4%
Tasmania	Northern Midlands (M)	220	90.9%	90.0%	60.1%
Tasmania	Sorell (M)	421	90.0%	87.9%	53.7%
Tasmania	Southern Midlands (M)	208	89.9%	88.9%	44.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Tasmania	Tasman (M)	<200	93.8%	91.7%	74.7%
Tasmania	Waratah/Wynyard (M)	653	84.4%	81.9%	55.9%
Tasmania	West Coast (M)	<200	88.9%	86.5%	50.0%
Tasmania	West Tamar (M)	345	93.3%	91.9%	59.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Victoria

Data as at:  
05 Jul. 2022

Australia's COVID-19  
Vaccine Roadmap

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Alpine (S)	<200	89.4%	89.4%	72.4%
Victoria	Ararat (RC)	<200	85.1%	83.2%	71.4%
Victoria	Ballarat (C)	1,083	93.7%	92.2%	63.9%
Victoria	Banyule (C)	703	90.5%	89.0%	67.0%
Victoria	Bass Coast (S)	263	90.1%	89.0%	65.4%
Victoria	Baw Baw (S)	404	87.9%	85.6%	55.4%
Victoria	Bayside (C)	<200	87.3%	85.3%	69.5%
Victoria	Benalla (RC)	<200	92.4%	90.3%	60.0%
Victoria	Boroondara (C)	280	93.9%	91.8%	76.3%
Victoria	Brimbank (C)	787	86.7%	85.0%	57.6%
Victoria	Buloke (S)	<200	88.0%	84.0%	71.4%
Victoria	Campaspe (S)	759	86.7%	83.9%	58.6%
Victoria	Cardinia (S)	558	93.7%	92.1%	57.2%
Victoria	Casey (C)	1,481	89.7%	88.2%	56.5%
Victoria	Central Goldfields (S)	<200	92.2%	92.2%	71.1%
Victoria	Colac-Otway (S)	<200	91.2%	89.0%	62.1%
Victoria	Corangamite (S)	<200	90.5%	89.3%	61.3%
Victoria	Darebin (C)	1,203	89.2%	85.5%	60.1%
Victoria	East Gippsland (S)	1,254	91.5%	89.2%	58.9%
Victoria	Frankston (C)	896	90.8%	89.2%	56.7%
Victoria	Gannawarra (S)	<200	94.4%	93.0%	55.7%
Victoria	Glen Eira (C)	273	90.5%	89.4%	72.1%
Victoria	Glenelg (S)	399	93.2%	91.7%	62.7%
Victoria	Golden Plains (S)	<200	93.3%	92.1%	68.9%
Victoria	Greater Bendigo (C)	1,457	92.2%	90.4%	61.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Greater Dandenong (C)	649	86.9%	85.1%	60.7%
Victoria	Greater Geelong (C)	1,893	91.8%	89.9%	63.8%
Victoria	Greater Shepparton (C)	1,901	87.2%	84.1%	54.0%
Victoria	Hepburn (S)	<200	94.3%	89.8%	64.6%
Victoria	Hindmarsh (S)	<200	95.5%	92.4%	68.9%
Victoria	Hobsons Bay (C)	386	88.1%	86.3%	67.6%
Victoria	Horsham (RC)	<200	90.0%	88.7%	62.4%
Victoria	Hume (C)	1,207	89.6%	87.9%	53.5%
Victoria	Indigo (S)	<200	94.2%	92.5%	69.4%
Victoria	Kingston (C) (Vic.)	425	93.6%	91.8%	69.2%
Victoria	Knox (C)	564	92.0%	90.6%	62.9%
Victoria	Latrobe (C) (Vic.)	1,021	87.8%	84.2%	47.1%
Victoria	Loddon (S)	<200	91.0%	91.0%	58.0%
Victoria	Macedon Ranges (S)	200	92.0%	91.0%	68.1%
Victoria	Manningham (C)	258	91.9%	89.5%	70.1%
Victoria	Mansfield (S)	<200	91.8%	91.8%	64.4%
Victoria	Maribyrnong (C)	384	89.6%	88.5%	65.8%
Victoria	Maroondah (C)	405	91.6%	90.4%	68.0%
Victoria	Melbourne (C)	701	89.7%	86.6%	69.2%
Victoria	Melton (C)	964	90.4%	88.5%	57.4%
Victoria	Mildura (RC)	1,777	89.5%	86.0%	47.6%
Victoria	Mitchell (S)	446	93.0%	91.7%	60.4%
Victoria	Moira (S)	377	90.2%	89.1%	59.1%
Victoria	Monash (C)	434	89.2%	87.8%	68.6%
Victoria	Moonee Valley (C)	368	91.6%	89.4%	68.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Moorabool (S)	259	91.1%	88.8%	62.6%
Victoria	Moreland (C)	789	92.9%	91.3%	65.5%
Victoria	Mornington Peninsula (S)	879	90.6%	89.3%	63.0%
Victoria	Mount Alexander (S)	<200	92.9%	90.2%	74.3%
Victoria	Moyne (S)	<200	93.0%	90.4%	61.3%
Victoria	Murrindindi (S)	<200	90.5%	90.5%	63.2%
Victoria	Nillumbik (S)	224	93.3%	92.4%	62.6%
Victoria	Northern Grampians (S)	<200	87.9%	86.9%	68.6%
Victoria	Port Phillip (C)	420	90.0%	87.6%	66.8%
Victoria	Pyrenees (S)	<200	88.9%	88.9%	68.1%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	214	85.0%	85.0%	64.8%
Victoria	Southern Grampians (S)	220	92.3%	91.4%	64.2%
Victoria	Stonnington (C)	296	86.8%	83.8%	73.0%
Victoria	Strathbogie (S)	<200	93.5%	91.7%	63.6%
Victoria	Surf Coast (S)	<200	94.2%	93.4%	78.8%
Victoria	Swan Hill (RC)	745	89.0%	86.8%	50.7%
Victoria	Towong (S)	<200	89.2%	87.8%	69.2%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	292	92.5%	90.4%	61.2%
Victoria	Warrnambool (C)	475	92.4%	89.5%	57.1%
Victoria	Wellington (S)	602	88.2%	85.2%	60.9%
Victoria	West Wimmera (S)	<200	>99%	>99%	65.4%
Victoria	Whitehorse (C)	404	93.8%	92.6%	70.2%
Victoria	Whittlesea (C)	1,379	92.7%	91.4%	56.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Victoria	Wodonga (C)	682	87.7%	86.4%	56.5%
Victoria	Wyndham (C)	1,383	91.5%	89.6%	58.8%
Victoria	Yarra (C)	410	88.8%	86.3%	62.0%
Victoria	Yarra Ranges (S)	920	91.4%	90.5%	59.1%
Victoria	Yarriambiack (S)	<200	83.9%	83.9%	70.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts



Data as at:  
05 Jul. 2022

# Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Albany (C)	875	86.4%	81.7%	65.4%
Western Australia	Armadale (C)	1,923	89.1%	83.5%	62.1%
Western Australia	Ashburton (S)	521	91.7%	86.4%	74.4%
Western Australia	Augusta-Margaret River (S)	<200	87.5%	85.2%	74.3%
Western Australia	Bassendean (T)	322	87.3%	80.1%	60.7%
Western Australia	Bayswater (C)	752	85.6%	80.3%	65.1%
Western Australia	Belmont (C)	988	85.6%	79.9%	61.6%
Western Australia	Beverley (S)	<200	95.9%	93.9%	68.9%
Western Australia	Boddington (S)	<200	91.5%	88.7%	67.7%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	87.0%	87.0%	84.6%
Western Australia	Brookton (S)	<200	85.9%	84.4%	63.0%
Western Australia	Broome (S)	3,977	88.5%	83.2%	67.1%
Western Australia	Broomehill-Tambellup (S)	<200	82.4%	78.4%	51.7%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,120	91.0%	86.7%	65.3%
Western Australia	Busselton (C)	405	88.6%	83.7%	72.2%
Western Australia	Cambridge (T)	<200	93.2%	93.2%	78.2%
Western Australia	Canning (C)	993	86.8%	80.5%	63.0%
Western Australia	Capel (S)	261	88.9%	85.1%	70.0%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	863	86.4%	76.8%	58.0%
Western Australia	Chapman Valley (S)	<200	87.9%	84.8%	66.7%
Western Australia	Chittering (S)	<200	91.4%	89.7%	67.3%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Cockburn (C)	1,325	86.0%	80.7%	65.6%
Western Australia	Collie (S)	293	86.7%	82.3%	68.7%
Western Australia	Coolgardie (S)	249	85.9%	79.1%	57.3%
Western Australia	Coorow (S)	<200	84.6%	84.6%	77.3%
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	**	**	**
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	84.8%	75.8%	45.8%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	90.0%	88.3%	64.2%
Western Australia	Dandaragan (S)	<200	95.9%	95.9%	80.4%
Western Australia	Dardanup (S)	221	91.9%	89.1%	74.9%
Western Australia	Denmark (S)	<200	80.4%	78.3%	58.3%
Western Australia	Derby-West Kimberley (S)	3,671	82.4%	73.7%	55.8%
Western Australia	Donnybrook-Balingup (S)	<200	94.3%	91.4%	75.0%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	86.2%	77.7%	43.5%
Western Australia	East Fremantle (T)	<200	85.0%	77.5%	58.1%
Western Australia	East Pilbara (S)	1,126	89.3%	81.8%	61.8%
Western Australia	Esperance (S)	344	86.6%	78.8%	58.9%
Western Australia	Exmouth (S)	<200	89.2%	86.5%	67.7%
Western Australia	Fremantle (C)	450	84.7%	79.3%	64.2%
Western Australia	Gingin (S)	<200	90.8%	87.7%	66.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Gnowangerup (S)	<200	96.0%	88.0%	73.4%
Western Australia	Goomalling (S)	<200	90.6%	75.0%	54.2%
Western Australia	Gosnells (C)	2,310	87.9%	82.3%	62.7%
Western Australia	Greater Geraldton (C)	3,287	86.8%	79.1%	59.0%
Western Australia	Halls Creek (S)	1,983	76.7%	68.8%	58.3%
Western Australia	Harvey (S)	474	90.1%	86.5%	64.5%
Western Australia	Irwin (S)	<200	84.6%	75.4%	75.5%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	758	90.2%	87.2%	71.5%
Western Australia	Kalamunda (C)	704	89.2%	84.4%	67.6%
Western Australia	Kalgoorlie/Boulder (C)	1,774	82.6%	76.0%	57.1%
Western Australia	Karratha (C)	2,617	84.4%	77.3%	64.7%
Western Australia	Katanning (S)	303	90.1%	85.1%	63.7%
Western Australia	Kellerberrin (S)	<200	89.2%	86.5%	71.4%
Western Australia	Kojonup (S)	<200	94.4%	91.7%	57.1%
Western Australia	Kondinin (S)	<200	93.8%	93.8%	67.4%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,446	87.2%	79.7%	66.0%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	214	85.0%	75.7%	62.5%
Western Australia	Leonora (S)	207	80.7%	75.4%	48.0%
Western Australia	Mandurah (C)	1,235	86.2%	81.9%	63.3%
Western Australia	Manjimup (S)	<200	93.0%	91.9%	66.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Meekatharra (S)	326	90.8%	84.0%	59.3%
Western Australia	Melville (C)	489	87.9%	83.2%	62.2%
Western Australia	Menzies (S)	<200	80.5%	65.9%	44.4%
Western Australia	Merredin (S)	<200	83.2%	78.9%	63.3%
Western Australia	Mingenew (S)	<200	95.5%	95.5%	66.7%
Western Australia	Moora (S)	285	93.3%	89.1%	69.0%
Western Australia	Morawa (S)	<200	93.0%	86.0%	66.2%
Western Australia	Mosman Park (T)	<200	84.9%	81.1%	56.1%
Western Australia	Mount Magnet (S)	<200	89.5%	83.9%	58.0%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	**	**
Western Australia	Mundaring (S)	736	88.2%	79.9%	68.0%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	239	86.6%	81.6%	64.8%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	241	83.4%	77.2%	55.2%
Western Australia	Nedlands (C)	<200	91.1%	91.1%	71.4%
Western Australia	Ngaanyatjarraku (S)	667	85.9%	78.4%	63.0%
Western Australia	Northam (S)	535	83.7%	77.0%	56.4%
Western Australia	Northampton (S)	<200	89.8%	83.5%	52.9%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	61.9%
Western Australia	Perth (C)	850	86.2%	79.1%	71.7%
Western Australia	Pingelly (S)	<200	92.4%	80.4%	71.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Plantagenet (S)	<200	91.4%	87.5%	68.5%
Western Australia	Port Hedland (T)	2,629	86.1%	79.3%	66.2%
Western Australia	Quairading (S)	<200	88.6%	77.2%	52.4%
Western Australia	Ravensthorpe (S)	<200	90.3%	87.1%	81.5%
Western Australia	Rockingham (C)	1,766	89.8%	86.7%	69.7%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	373	93.3%	90.3%	69.8%
Western Australia	Shark Bay (S)	<200	87.5%	85.4%	51.2%
Western Australia	South Perth (C)	441	88.0%	81.6%	67.9%
Western Australia	Stirling (C)	1,885	85.2%	81.1%	66.5%
Western Australia	Subiaco (C)	<200	86.4%	83.1%	87.5%
Western Australia	Swan (C)	3,378	88.2%	83.8%	63.2%
Western Australia	Tammin (S)	<200	87.5%	82.5%	66.7%
Western Australia	Three Springs (S)	<200	95.1%	92.7%	75.0%
Western Australia	Toodyay (S)	<200	87.8%	85.4%	72.9%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	534	88.0%	83.1%	66.1%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	209	87.6%	84.2%	69.7%
Western Australia	Wagin (S)	<200	83.3%	80.0%	54.2%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,190	87.5%	82.6%	64.5%
Western Australia	Waroonna (S)	<200	92.5%	92.5%	66.7%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:  
05 Jul. 2022

# Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received more than 2 doses %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.1%	87.5%	60.0%
Western Australia	Wongan-Ballidu (S)	<200	97.6%	95.1%	62.2%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,137	88.0%	83.5%	66.6%
Western Australia	Yalgoo (S)	<200	93.5%	85.7%	73.4%
Western Australia	Yilgarn (S)	<200	87.5%	87.5%	90.0%
Western Australia	York (S)	<200	79.5%	76.7%	52.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

\*\* = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

# Metadata

**People with at least one dose.** The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people fully vaccinated and people with only one dose.

**People fully vaccinated.** Total people fully vaccinated with 2 doses of any vaccine type.

**People eligible with more than 2 doses.** Total people received more than 2 doses by the number of individuals eligible in the region.

**AIR Population.** A distinct count of persons recorded on the Australia Immunisation Register.

**Local Government Area (LGA).** Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

## Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 05 Jul. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 05 Jul. 2022 including individuals aged 16 and over.