



Australian Government

Department of Health and Aged Care

LGA Vaccination Rates (AIR Indigenous Population)

03 August 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
02 Aug. 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Australian Capital Territory	Unincorporated ACT	5,245	91.9%	89.7%	64.0%

Data as at:
02 Aug. 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Albury (C)	1,234	83.9%	80.3%	51.1%
New South Wales	Armidale Regional (A)	1,467	86.6%	83.8%	51.7%
New South Wales	Ballina (A)	1,136	81.8%	79.8%	45.7%
New South Wales	Balranald (A)	<200	94.5%	93.7%	56.8%
New South Wales	Bathurst Regional (A)	1,433	88.1%	85.0%	45.1%
New South Wales	Bayside (A)	1,166	90.7%	89.4%	55.8%
New South Wales	Bega Valley (A)	960	86.4%	84.1%	51.3%
New South Wales	Bellingen (A)	260	83.1%	81.9%	54.2%
New South Wales	Berrigan (A)	<200	91.5%	89.9%	65.5%
New South Wales	Blacktown (C)	7,301	88.3%	86.0%	48.4%
New South Wales	Bland (A)	227	94.7%	93.8%	59.6%
New South Wales	Blayney (A)	<200	89.5%	87.2%	55.3%
New South Wales	Blue Mountains (C)	910	91.2%	90.2%	61.5%
New South Wales	Bogan (A)	276	90.6%	87.7%	48.8%
New South Wales	Bourke (A)	773	81.2%	77.7%	47.0%
New South Wales	Brewarrina (A)	672	87.6%	84.4%	51.3%
New South Wales	Broken Hill (C)	1,359	89.6%	87.9%	55.2%
New South Wales	Burwood (A)	<200	90.3%	86.2%	69.4%
New South Wales	Byron (A)	417	78.7%	75.5%	50.5%
New South Wales	Cabonne (A)	356	92.4%	91.9%	53.5%
New South Wales	Camden (A)	1,584	93.3%	92.6%	51.1%
New South Wales	Campbelltown (C) (NSW)	4,294	89.2%	87.4%	48.6%
New South Wales	Canada Bay (A)	296	90.9%	89.9%	63.0%
New South Wales	Canterbury-Bankstown (A)	2,105	88.6%	86.9%	54.3%
New South Wales	Carrathool (A)	<200	92.6%	91.1%	58.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Central Coast (C) (NSW)	8,139	87.6%	86.2%	50.4%
New South Wales	Central Darling (A)	475	87.6%	86.3%	43.9%
New South Wales	Cessnock (C)	2,869	89.9%	88.5%	51.4%
New South Wales	Clarence Valley (A)	2,379	80.2%	77.7%	50.8%
New South Wales	Cobar (A)	345	88.4%	88.1%	49.8%
New South Wales	Coffs Harbour (C)	2,835	83.5%	81.6%	50.3%
New South Wales	Coolamon (A)	<200	90.1%	89.2%	56.6%
New South Wales	Coonamble (A)	1,115	89.6%	87.5%	54.1%
New South Wales	Cootamundra-Gundagai Regional (A)	297	91.9%	90.6%	58.0%
New South Wales	Cowra (A)	631	88.3%	86.2%	44.3%
New South Wales	Cumberland (A)	1,159	87.2%	85.2%	55.8%
New South Wales	Dubbo Regional (A)	5,498	86.3%	84.4%	45.6%
New South Wales	Dungog (A)	334	92.8%	91.9%	56.4%
New South Wales	Edward River (A)	289	92.0%	91.0%	62.6%
New South Wales	Eurobodalla (A)	1,650	91.3%	89.2%	50.7%
New South Wales	Fairfield (C)	1,260	86.1%	84.1%	50.8%
New South Wales	Federation (A)	<200	90.1%	88.2%	67.6%
New South Wales	Forbes (A)	827	93.2%	92.1%	57.0%
New South Wales	Georges River (A)	701	92.0%	90.3%	61.5%
New South Wales	Gilgandra (A)	478	81.6%	79.5%	48.0%
New South Wales	Glen Innes Severn (A)	495	83.4%	81.4%	52.0%
New South Wales	Goulburn Mulwaree (A)	674	90.7%	89.6%	62.9%
New South Wales	Greater Hume Shire (A)	<200	85.5%	84.9%	61.9%
New South Wales	Griffith (C)	959	85.3%	82.9%	46.8%
New South Wales	Gunnedah (A)	1,246	88.7%	86.8%	45.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Gwydir (A)	<200	93.2%	91.7%	61.5%
New South Wales	Hawkesbury (C)	1,502	90.3%	89.4%	52.8%
New South Wales	Hay (A)	<200	96.0%	94.9%	65.3%
New South Wales	Hilltops (A)	430	90.7%	87.9%	54.5%
New South Wales	Hornsby (A)	451	92.5%	90.5%	71.3%
New South Wales	Hunters Hill (A)	<200	85.5%	80.6%	64.0%
New South Wales	Inner West (A)	1,613	87.4%	85.0%	61.7%
New South Wales	Inverell (A)	1,140	82.5%	79.6%	51.6%
New South Wales	Junee (A)	265	89.8%	89.1%	64.5%
New South Wales	Kempsey (A)	2,389	79.6%	76.3%	43.4%
New South Wales	Kiama (A)	251	91.6%	91.6%	58.7%
New South Wales	Ku-ring-gai (A)	<200	90.1%	90.1%	77.3%
New South Wales	Kyogle (A)	358	70.1%	65.4%	44.9%
New South Wales	Lachlan (A)	976	88.4%	85.7%	52.8%
New South Wales	Lake Macquarie (C)	5,480	89.2%	87.9%	52.0%
New South Wales	Lane Cove (A)	<200	87.2%	85.1%	63.7%
New South Wales	Leeton (A)	364	87.6%	86.3%	44.4%
New South Wales	Lismore (C)	1,758	78.5%	75.0%	45.4%
New South Wales	Lithgow (C)	794	90.7%	88.8%	58.3%
New South Wales	Liverpool (C)	2,481	88.3%	86.4%	52.3%
New South Wales	Liverpool Plains (A)	725	91.7%	90.3%	60.7%
New South Wales	Lockhart (A)	<200	91.7%	90.3%	63.1%
New South Wales	Maitland (C)	2,858	89.6%	88.2%	48.4%
New South Wales	Mid-Coast (A)	3,885	81.6%	79.7%	48.9%
New South Wales	Mid-Western Regional (A)	829	88.1%	85.9%	48.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Moree Plains (A)	2,343	83.6%	79.8%	44.3%
New South Wales	Mosman (A)	<200	86.4%	84.1%	81.1%
New South Wales	Murray River (A)	311	88.4%	86.5%	58.7%
New South Wales	Murrumbidgee (A)	200	92.5%	89.5%	60.5%
New South Wales	Muswellbrook (A)	877	88.4%	86.7%	47.1%
New South Wales	Nambucca Valley (A)	1,189	81.0%	79.1%	44.9%
New South Wales	Narrabri (A)	1,293	89.2%	86.6%	46.4%
New South Wales	Narrandera (A)	440	86.6%	84.5%	41.2%
New South Wales	Narromine (A)	679	87.3%	84.7%	41.7%
New South Wales	Newcastle (C)	3,733	89.7%	88.1%	52.4%
New South Wales	North Sydney (A)	<200	92.5%	92.0%	76.2%
New South Wales	Northern Beaches (A)	804	88.8%	88.3%	66.0%
New South Wales	Oberon (A)	<200	89.4%	87.5%	56.0%
New South Wales	Orange (C)	1,925	86.6%	83.9%	48.3%
New South Wales	Parkes (A)	1,160	89.3%	87.9%	56.3%
New South Wales	Parramatta (C)	1,273	87.0%	84.9%	60.5%
New South Wales	Penrith (C)	5,133	91.1%	89.6%	51.1%
New South Wales	Port Macquarie-Hastings (A)	2,220	83.8%	82.6%	51.7%
New South Wales	Port Stephens (A)	2,318	87.5%	85.7%	49.5%
New South Wales	Queanbeyan-Palerang Regional (A)	1,212	90.8%	88.8%	57.9%
New South Wales	Randwick (C)	1,466	87.0%	84.7%	60.3%
New South Wales	Richmond Valley (A)	1,426	75.9%	73.1%	45.6%
New South Wales	Ryde (C)	360	89.2%	88.3%	66.9%
New South Wales	Shellharbour (C)	1,730	87.8%	85.7%	46.8%
New South Wales	Shoalhaven (C)	3,847	87.5%	85.5%	52.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Singleton (A)	998	88.6%	86.9%	48.9%
New South Wales	Snowy Monaro Regional (A)	360	90.3%	88.3%	60.7%
New South Wales	Snowy Valleys (A)	379	87.3%	85.2%	51.4%
New South Wales	Strathfield (A)	<200	89.5%	84.8%	59.0%
New South Wales	Sutherland Shire (A)	1,624	93.2%	92.6%	60.9%
New South Wales	Sydney (C)	2,752	86.1%	83.3%	59.1%
New South Wales	Tamworth Regional (A)	4,400	88.9%	86.7%	51.3%
New South Wales	Temora (A)	<200	95.3%	92.1%	61.2%
New South Wales	Tenterfield (A)	310	76.5%	73.5%	36.4%
New South Wales	The Hills Shire (A)	591	92.2%	92.2%	61.5%
New South Wales	Tweed (A)	2,587	81.0%	79.2%	52.0%
New South Wales	Unincorporated NSW	<200	88.1%	86.4%	54.9%
New South Wales	Upper Hunter Shire (A)	385	86.2%	84.7%	49.8%
New South Wales	Upper Lachlan Shire (A)	<200	92.4%	90.3%	60.0%
New South Wales	Uralla (A)	306	90.5%	89.5%	60.9%
New South Wales	Wagga Wagga (C)	2,563	89.2%	87.0%	49.8%
New South Wales	Walcha (A)	<200	89.8%	85.9%	60.0%
New South Wales	Walgett (A)	1,409	84.7%	81.9%	41.1%
New South Wales	Warren (A)	306	85.9%	85.0%	49.6%
New South Wales	Warrumbungle Shire (A)	668	84.9%	82.8%	44.2%
New South Wales	Waverley (A)	223	84.3%	83.0%	64.1%
New South Wales	Weddin (A)	<200	93.8%	92.2%	54.2%
New South Wales	Wentworth (A)	544	87.5%	84.4%	39.3%
New South Wales	Willoughby (C)	<200	84.0%	80.0%	71.7%
New South Wales	Wingecarribee (A)	620	89.0%	87.7%	56.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Wollondilly (A)	1,072	92.1%	91.0%	49.8%
New South Wales	Wollongong (C)	3,737	88.6%	87.0%	51.6%
New South Wales	Woollahra (A)	<200	88.7%	88.7%	67.3%
New South Wales	Yass Valley (A)	274	93.1%	92.3%	58.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Northern Territory	Alice Springs (T)	6,606	88.3%	84.3%	68.9%
Northern Territory	Barkly (R)	2,795	81.5%	75.3%	53.9%
Northern Territory	Belyuen (S)	<200	88.9%	85.9%	72.6%
Northern Territory	Central Desert (R)	1,472	87.4%	82.5%	59.2%
Northern Territory	Coomalie (S)	246	87.4%	82.5%	66.8%
Northern Territory	Darwin (C)	7,836	91.1%	87.7%	71.8%
Northern Territory	East Arnhem (R)	4,459	88.2%	81.6%	64.3%
Northern Territory	Katherine (T)	3,261	88.9%	85.2%	63.6%
Northern Territory	Litchfield (M)	1,382	91.6%	89.3%	72.8%
Northern Territory	MacDonnell (R)	2,546	89.9%	86.4%	69.6%
Northern Territory	Palmerston (C)	4,399	90.7%	87.2%	66.7%
Northern Territory	Roper Gulf (R)	2,378	91.0%	86.0%	63.0%
Northern Territory	Tiwi Islands (R)	1,274	95.9%	94.2%	84.0%
Northern Territory	Unincorporated NT	2,570	93.2%	90.3%	73.6%
Northern Territory	Victoria Daly (R)	667	91.3%	87.6%	75.9%
Northern Territory	Wagait (S)	<200	95.7%	95.7%	90.9%
Northern Territory	West Arnhem (R)	2,315	91.2%	84.8%	64.4%
Northern Territory	West Daly (R)	1,176	95.8%	92.1%	75.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Other Territories	Unincorp. Other Territories	<200	92.6%	90.7%	68.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Aurukun (S)	665	90.1%	84.5%	41.6%
Queensland	Balonne (S)	567	86.8%	83.1%	57.2%
Queensland	Banana (S)	477	81.3%	77.4%	41.3%
Queensland	Barcaldine (R)	<200	85.0%	83.5%	66.7%
Queensland	Barcoo (S)	<200	88.9%	88.9%	79.2%
Queensland	Blackall-Tambo (R)	<200	92.7%	90.6%	69.0%
Queensland	Boulia (S)	<200	80.0%	78.7%	52.5%
Queensland	Brisbane (C)	13,711	85.0%	82.0%	56.2%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,848	78.9%	76.0%	46.7%
Queensland	Burdekin (S)	790	75.4%	71.3%	43.1%
Queensland	Burke (S)	<200	89.6%	85.7%	44.6%
Queensland	Cairns (R)	12,166	80.6%	76.3%	40.9%
Queensland	Carpentaria (S)	631	89.5%	82.9%	41.6%
Queensland	Cassowary Coast (R)	2,281	73.7%	70.0%	39.5%
Queensland	Central Highlands (R) (Qld)	774	73.1%	69.5%	34.4%
Queensland	Charters Towers (R)	769	81.4%	77.6%	51.7%
Queensland	Cherbourg (S)	730	76.3%	72.7%	41.3%
Queensland	Cloncurry (S)	534	86.0%	79.4%	46.7%
Queensland	Cook (S)	629	86.2%	79.5%	53.0%
Queensland	Croydon (S)	<200	89.7%	89.7%	50.0%
Queensland	Diamantina (S)	<200	96.0%	94.0%	69.6%
Queensland	Doomadgee (S)	680	84.0%	71.9%	41.8%
Queensland	Douglas (S)	667	74.7%	69.4%	48.7%
Queensland	Etheridge (S)	<200	83.3%	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Flinders (S) (Qld)	<200	83.4%	74.5%	59.0%
Queensland	Fraser Coast (R)	3,314	81.5%	78.1%	49.1%
Queensland	Gladstone (R)	2,397	78.5%	75.2%	41.1%
Queensland	Gold Coast (C)	6,992	82.7%	80.8%	46.8%
Queensland	Goondiwindi (R)	413	81.8%	77.7%	43.4%
Queensland	Gympie (R)	1,238	72.9%	70.8%	52.2%
Queensland	Hinchinbrook (S)	493	79.1%	74.6%	51.4%
Queensland	Hope Vale (S)	490	89.0%	83.9%	55.5%
Queensland	Ipswich (C)	7,204	84.1%	80.7%	47.3%
Queensland	Isaac (R)	472	83.1%	80.9%	32.3%
Queensland	Kowanyama (S)	613	90.9%	86.6%	56.0%
Queensland	Livingstone (S)	859	82.5%	79.9%	47.6%
Queensland	Lockhart River (S)	336	89.0%	84.5%	57.8%
Queensland	Lockyer Valley (R)	1,128	85.3%	82.0%	50.6%
Queensland	Logan (C)	8,054	81.0%	77.8%	45.5%
Queensland	Longreach (R)	<200	85.0%	84.3%	60.7%
Queensland	Mackay (R)	4,495	81.6%	78.7%	37.4%
Queensland	Mapoon (S)	<200	84.4%	80.0%	73.1%
Queensland	Maranoa (R)	854	88.8%	85.5%	53.7%
Queensland	Mareeba (S)	2,244	76.4%	69.3%	43.4%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,321	85.1%	82.2%	53.2%
Queensland	Mornington (S)	475	88.0%	80.2%	52.3%
Queensland	Mount Isa (C)	3,188	79.6%	72.6%	41.2%
Queensland	Murweh (S)	365	89.6%	86.0%	63.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Napranum (S)	393	85.2%	78.4%	49.2%
Queensland	Noosa (S)	402	76.1%	73.6%	45.8%
Queensland	North Burnett (R)	468	84.0%	81.2%	61.0%
Queensland	Northern Peninsula Area (R)	1,367	79.0%	69.2%	30.8%
Queensland	Palm Island (S)	1,265	81.5%	74.9%	53.2%
Queensland	Paroo (S)	434	83.6%	80.4%	44.2%
Queensland	Pormpuraaw (S)	366	95.6%	94.3%	66.4%
Queensland	Quilpie (S)	<200	95.9%	94.5%	60.9%
Queensland	Redland (C)	2,583	85.2%	83.4%	56.0%
Queensland	Richmond (S)	<200	93.3%	91.1%	56.1%
Queensland	Rockhampton (R)	4,501	78.5%	75.0%	41.2%
Queensland	Scenic Rim (R)	813	84.4%	82.3%	49.0%
Queensland	Somerset (R)	586	82.3%	79.5%	50.4%
Queensland	South Burnett (R)	1,286	78.3%	74.6%	47.9%
Queensland	Southern Downs (R)	1,057	80.7%	78.1%	48.9%
Queensland	Sunshine Coast (R)	4,088	79.9%	77.2%	48.4%
Queensland	Tablelands (R)	1,378	69.4%	64.8%	45.4%
Queensland	Toowoomba (R)	4,752	83.6%	80.4%	47.2%
Queensland	Torres (S)	2,118	88.6%	85.2%	60.4%
Queensland	Torres Strait Island (R)	1,859	89.5%	85.5%	64.6%
Queensland	Townsville (C)	11,647	80.5%	75.8%	43.4%
Queensland	Weipa (T)	698	82.1%	78.1%	49.4%
Queensland	Western Downs (R)	1,356	78.4%	76.2%	42.0%
Queensland	Whitsunday (R)	978	72.4%	70.1%	50.1%
Queensland	Winton (S)	<200	95.2%	94.0%	75.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Woorabinda (S)	664	76.4%	69.6%	54.2%
Queensland	Wujal Wujal (S)	<200	93.7%	93.1%	79.8%
Queensland	Yarrabah (S)	1,778	80.3%	75.6%	50.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
South Australia	Adelaide (C)	427	85.0%	79.4%	71.6%
South Australia	Adelaide Hills (DC)	<200	91.1%	90.1%	74.4%
South Australia	Adelaide Plains (DC)	<200	79.7%	74.4%	55.6%
South Australia	Alexandrina (DC)	217	80.6%	77.9%	59.8%
South Australia	Anangu Pitjantjatjara (AC)	541	86.9%	83.2%	78.4%
South Australia	Barossa (DC)	<200	88.6%	84.6%	64.3%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	356	78.4%	71.1%	52.2%
South Australia	Burnside (C)	<200	86.5%	84.6%	69.3%
South Australia	Campbelltown (C) (SA)	274	79.9%	76.6%	62.2%
South Australia	Ceduna (DC)	799	75.8%	68.0%	58.8%
South Australia	Charles Sturt (C)	1,311	79.2%	74.7%	60.6%
South Australia	Clare and Gilbert Valleys (DC)	<200	80.3%	78.7%	64.6%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Coober Pedy (DC)	237	78.5%	71.3%	48.5%
South Australia	Copper Coast (DC)	325	83.4%	78.8%	65.6%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	91.5%	88.0%	61.2%
South Australia	Franklin Harbour (DC)	<200	97.1%	97.1%	67.6%
South Australia	Gawler (T)	344	79.4%	77.3%	62.1%
South Australia	Goyder (DC)	<200	74.1%	74.1%	70.0%
South Australia	Grant (DC)	<200	91.7%	88.9%	78.1%
South Australia	Holdfast Bay (C)	<200	82.1%	81.4%	65.4%
South Australia	Kangaroo Island (DC)	<200	88.9%	83.3%	70.0%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	78.4%	78.4%	62.1%
South Australia	Light (RegC)	<200	80.5%	79.2%	57.4%
South Australia	Lower Eyre Peninsula (DC)	<200	82.4%	73.5%	70.8%
South Australia	Loxton Waikerie (DC)	<200	82.6%	78.7%	58.6%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	727	78.5%	72.2%	58.5%
South Australia	Mid Murray (DC)	<200	75.0%	72.0%	73.2%
South Australia	Mitcham (C)	254	89.4%	83.9%	69.2%
South Australia	Mount Barker (DC)	<200	83.5%	82.4%	66.9%
South Australia	Mount Gambier (C)	494	84.0%	78.7%	61.0%
South Australia	Mount Remarkable (DC)	<200	92.3%	89.7%	68.6%
South Australia	Murray Bridge (RC)	693	76.6%	70.9%	55.5%
South Australia	Naracoorte and Lucindale (DC)	<200	75.4%	75.4%	62.8%
South Australia	Northern Areas (DC)	<200	88.3%	85.0%	53.1%
South Australia	Norwood Payneham St Peters (C)	<200	83.6%	77.4%	72.3%
South Australia	Onkaparinga (C)	1,798	79.5%	74.2%	59.2%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	86.8%	84.9%	53.3%
South Australia	Playford (C)	2,215	76.7%	71.4%	53.1%
South Australia	Port Adelaide Enfield (C)	2,185	79.1%	73.3%	58.7%
South Australia	Port Augusta (C)	2,322	85.0%	78.1%	55.1%
South Australia	Port Lincoln (C)	781	75.7%	68.4%	56.8%
South Australia	Port Pirie City and Dists (M)	463	73.9%	70.2%	53.1%
South Australia	Prospect (C)	<200	81.5%	75.6%	62.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
South Australia	Renmark Paringa (DC)	<200	85.3%	79.3%	54.2%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	90.7%	90.7%	36.8%
South Australia	Salisbury (C)	2,038	81.0%	75.5%	59.6%
South Australia	Southern Mallee (DC)	<200	65.7%	62.9%	45.5%
South Australia	Streaky Bay (DC)	<200	84.6%	84.6%	63.6%
South Australia	Tatiara (DC)	<200	87.1%	74.2%	60.9%
South Australia	Tea Tree Gully (C)	608	81.7%	77.8%	61.1%
South Australia	The Coorong (DC)	235	83.0%	76.6%	63.8%
South Australia	Tumby Bay (DC)	<200	90.0%	86.7%	61.5%
South Australia	Unincorporated SA	352	85.2%	78.4%	63.1%
South Australia	Unley (C)	<200	87.8%	83.0%	65.3%
South Australia	Victor Harbor (C)	<200	78.6%	76.3%	68.7%
South Australia	Wakefield (DC)	<200	78.5%	73.8%	56.3%
South Australia	Walkerville (M)	<200	88.5%	**	**
South Australia	Wattle Range (DC)	<200	80.0%	74.6%	60.6%
South Australia	West Torrens (C)	469	81.9%	76.5%	62.7%
South Australia	Whyalla (C)	1,185	82.9%	74.3%	58.6%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.6%	82.1%	53.1%
South Australia	Yorke Peninsula (DC)	256	83.2%	77.0%	63.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Tasmania

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Tasmania	Break O'Day (M)	<200	87.1%	85.2%	61.1%
Tasmania	Brighton (M)	1,199	88.2%	85.4%	58.2%
Tasmania	Burnie (C)	896	86.0%	83.6%	51.9%
Tasmania	Central Coast (M) (Tas.)	950	90.5%	89.1%	63.1%
Tasmania	Central Highlands (M) (Tas.)	<200	84.7%	77.6%	54.5%
Tasmania	Circular Head (M)	516	87.6%	84.1%	48.5%
Tasmania	Clarence (C)	1,278	88.0%	85.3%	59.4%
Tasmania	Derwent Valley (M)	283	87.3%	84.1%	49.8%
Tasmania	Devonport (C)	947	86.1%	83.2%	52.9%
Tasmania	Dorset (M)	<200	86.8%	85.6%	60.6%
Tasmania	Flinders (M) (Tas.)	<200	95.2%	93.7%	87.3%
Tasmania	George Town (M)	244	88.1%	87.3%	59.2%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.8%	86.7%	65.9%
Tasmania	Glenorchy (C)	1,660	90.4%	87.0%	62.4%
Tasmania	Hobart (C)	618	91.9%	90.1%	69.2%
Tasmania	Huon Valley (M)	995	90.2%	88.1%	65.3%
Tasmania	Kentish (M)	202	85.6%	82.7%	55.5%
Tasmania	King Island (M)	<200	91.3%	87.0%	75.0%
Tasmania	Kingborough (M)	763	93.7%	91.2%	67.9%
Tasmania	Latrobe (M) (Tas.)	332	87.7%	84.3%	57.0%
Tasmania	Launceston (C)	1,582	88.4%	85.0%	57.0%
Tasmania	Meander Valley (M)	472	89.2%	87.3%	61.2%
Tasmania	Northern Midlands (M)	217	90.8%	89.9%	61.5%
Tasmania	Sorell (M)	427	89.9%	87.8%	54.3%
Tasmania	Southern Midlands (M)	209	90.4%	89.0%	45.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Tasmania	Tasman (M)	<200	93.8%	91.8%	73.0%
Tasmania	Waratah/Wynyard (M)	653	85.1%	82.5%	57.1%
Tasmania	West Coast (M)	<200	88.9%	86.5%	50.3%
Tasmania	West Tamar (M)	345	93.6%	91.9%	61.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Victoria

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Alpine (S)	<200	89.5%	89.5%	71.4%
Victoria	Ararat (RC)	<200	85.7%	83.8%	70.5%
Victoria	Ballarat (C)	1,091	93.7%	92.3%	64.7%
Victoria	Banyule (C)	708	90.5%	89.1%	67.4%
Victoria	Bass Coast (S)	262	90.1%	88.9%	67.4%
Victoria	Baw Baw (S)	407	88.0%	85.5%	56.0%
Victoria	Bayside (C)	201	87.6%	85.1%	69.4%
Victoria	Benalla (RC)	<200	92.5%	90.4%	62.1%
Victoria	Boroondara (C)	283	94.3%	92.2%	77.8%
Victoria	Brimbank (C)	795	86.8%	85.2%	58.5%
Victoria	Buloke (S)	<200	91.7%	87.5%	71.4%
Victoria	Campaspe (S)	751	87.1%	84.4%	60.8%
Victoria	Cardinia (S)	568	93.5%	92.1%	58.6%
Victoria	Casey (C)	1,487	89.6%	88.0%	57.2%
Victoria	Central Goldfields (S)	<200	93.4%	92.3%	71.4%
Victoria	Colac-Otway (S)	<200	91.2%	89.0%	62.3%
Victoria	Corangamite (S)	<200	90.7%	89.5%	62.3%
Victoria	Darebin (C)	1,196	89.1%	85.5%	60.7%
Victoria	East Gippsland (S)	1,253	91.4%	89.0%	59.4%
Victoria	Frankston (C)	899	90.8%	88.9%	58.1%
Victoria	Gannawarra (S)	<200	94.4%	93.0%	56.5%
Victoria	Glen Eira (C)	278	89.6%	88.5%	72.8%
Victoria	Glenelg (S)	402	93.3%	91.5%	62.7%
Victoria	Golden Plains (S)	<200	93.3%	91.5%	69.5%
Victoria	Greater Bendigo (C)	1,464	92.1%	90.2%	63.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Greater Dandenong (C)	649	87.2%	85.5%	60.4%
Victoria	Greater Geelong (C)	1,892	91.8%	90.0%	64.3%
Victoria	Greater Shepparton (C)	1,908	86.9%	83.9%	54.4%
Victoria	Hepburn (S)	<200	94.2%	89.5%	66.2%
Victoria	Hindmarsh (S)	<200	95.5%	92.5%	67.7%
Victoria	Hobsons Bay (C)	389	88.7%	86.9%	67.0%
Victoria	Horsham (RC)	<200	89.4%	88.1%	63.8%
Victoria	Hume (C)	1,217	89.7%	88.2%	54.5%
Victoria	Indigo (S)	<200	94.2%	92.5%	68.5%
Victoria	Kingston (C) (Vic.)	423	93.9%	92.2%	71.2%
Victoria	Knox (C)	559	91.8%	90.3%	63.5%
Victoria	Latrobe (C) (Vic.)	1,034	88.1%	84.8%	48.3%
Victoria	Loddon (S)	<200	91.0%	91.0%	60.5%
Victoria	Macedon Ranges (S)	208	92.3%	91.3%	69.8%
Victoria	Manningham (C)	259	92.3%	90.0%	71.2%
Victoria	Mansfield (S)	<200	91.8%	91.8%	62.2%
Victoria	Maribyrnong (C)	383	89.6%	88.8%	66.6%
Victoria	Maroondah (C)	404	92.1%	90.8%	68.7%
Victoria	Melbourne (C)	699	90.0%	86.4%	70.2%
Victoria	Melton (C)	964	90.7%	88.8%	58.7%
Victoria	Mildura (RC)	1,793	89.5%	86.1%	48.5%
Victoria	Mitchell (S)	459	93.0%	91.5%	62.6%
Victoria	Moira (S)	377	90.5%	89.4%	62.5%
Victoria	Monash (C)	440	88.9%	87.3%	68.6%
Victoria	Moonee Valley (C)	366	91.0%	88.8%	70.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Moorabool (S)	259	91.1%	88.8%	63.5%
Victoria	Moreland (C)	800	92.8%	91.3%	67.1%
Victoria	Mornington Peninsula (S)	883	90.5%	89.0%	63.3%
Victoria	Mount Alexander (S)	<200	92.8%	90.1%	75.0%
Victoria	Moyne (S)	<200	92.9%	91.0%	63.1%
Victoria	Murrindindi (S)	<200	91.5%	91.5%	62.9%
Victoria	Nillumbik (S)	223	93.3%	92.4%	63.4%
Victoria	Northern Grampians (S)	<200	88.1%	87.1%	69.3%
Victoria	Port Phillip (C)	419	89.7%	87.4%	67.8%
Victoria	Pyrenees (S)	<200	88.9%	88.9%	66.7%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	215	85.1%	85.1%	67.8%
Victoria	Southern Grampians (S)	227	92.1%	91.2%	63.8%
Victoria	Stonnington (C)	298	86.9%	83.9%	75.2%
Victoria	Strathbogie (S)	<200	93.4%	91.5%	64.9%
Victoria	Surf Coast (S)	<200	94.1%	93.2%	78.2%
Victoria	Swan Hill (RC)	748	89.0%	86.9%	51.5%
Victoria	Towong (S)	<200	89.3%	88.0%	69.7%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	296	92.6%	90.5%	61.0%
Victoria	Warrnambool (C)	479	92.5%	89.6%	58.0%
Victoria	Wellington (S)	601	88.4%	85.2%	61.1%
Victoria	West Wimmera (S)	<200	>99%	>99%	66.7%
Victoria	Whitehorse (C)	406	94.1%	92.9%	70.7%
Victoria	Whittlesea (C)	1,387	92.6%	91.2%	58.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Wodonga (C)	678	87.6%	86.3%	57.7%
Victoria	Wyndham (C)	1,410	91.5%	89.6%	59.7%
Victoria	Yarra (C)	420	88.3%	86.0%	62.4%
Victoria	Yarra Ranges (S)	936	91.3%	90.5%	59.9%
Victoria	Yarriambiack (S)	<200	84.5%	84.5%	71.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Albany (C)	873	86.6%	82.2%	64.7%
Western Australia	Armadale (C)	1,934	89.1%	83.6%	61.4%
Western Australia	Ashburton (S)	521	91.7%	86.4%	72.6%
Western Australia	Augusta-Margaret River (S)	<200	86.8%	84.6%	72.7%
Western Australia	Bassendean (T)	317	87.1%	79.8%	60.9%
Western Australia	Bayswater (C)	759	85.5%	80.5%	66.3%
Western Australia	Belmont (C)	977	86.0%	80.1%	62.9%
Western Australia	Beverley (S)	<200	96.1%	94.1%	68.8%
Western Australia	Boddington (S)	<200	91.4%	91.4%	67.2%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	87.0%	87.0%	82.5%
Western Australia	Brookton (S)	<200	86.2%	84.6%	61.8%
Western Australia	Broome (S)	3,942	88.6%	83.4%	67.5%
Western Australia	Broomehill-Tambellup (S)	<200	81.6%	78.9%	54.2%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,112	91.0%	86.5%	66.5%
Western Australia	Busselton (C)	412	88.6%	84.0%	71.8%
Western Australia	Cambridge (T)	<200	92.1%	92.1%	79.3%
Western Australia	Canning (C)	983	87.9%	81.2%	63.4%
Western Australia	Capel (S)	266	89.1%	85.0%	71.1%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	864	86.5%	77.4%	61.1%
Western Australia	Chapman Valley (S)	<200	87.5%	84.4%	69.2%
Western Australia	Chittering (S)	<200	89.7%	87.9%	68.6%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Cockburn (C)	1,336	86.0%	80.8%	66.0%
Western Australia	Collie (S)	297	87.2%	83.2%	67.4%
Western Australia	Coolgardie (S)	250	86.4%	79.2%	58.5%
Western Australia	Coorow (S)	<200	84.6%	84.6%	81.8%
Western Australia	Corrigin (S)	<200	**	**	**
Western Australia	Cottesloe (T)	<200	**	**	**
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	84.8%	75.8%	45.8%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	89.7%	87.9%	68.6%
Western Australia	Dandaragan (S)	<200	95.9%	95.9%	78.3%
Western Australia	Dardanup (S)	221	92.8%	89.6%	73.7%
Western Australia	Denmark (S)	<200	80.4%	78.3%	61.1%
Western Australia	Derby-West Kimberley (S)	3,678	82.3%	73.8%	54.1%
Western Australia	Donnybrook-Balingup (S)	<200	94.1%	94.1%	75.8%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	86.0%	77.4%	47.8%
Western Australia	East Fremantle (T)	<200	85.7%	78.6%	60.6%
Western Australia	East Pilbara (S)	1,115	89.3%	81.9%	63.8%
Western Australia	Esperance (S)	342	86.5%	78.4%	60.0%
Western Australia	Exmouth (S)	<200	94.7%	89.5%	66.7%
Western Australia	Fremantle (C)	439	84.7%	79.5%	65.7%
Western Australia	Gingin (S)	<200	90.8%	87.7%	64.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Gnowangerup (S)	<200	95.9%	89.0%	74.6%
Western Australia	Goomalling (S)	<200	90.3%	77.4%	52.2%
Western Australia	Gosnells (C)	2,317	87.8%	82.5%	63.1%
Western Australia	Greater Geraldton (C)	3,278	87.0%	79.4%	59.9%
Western Australia	Halls Creek (S)	1,981	76.7%	69.0%	58.3%
Western Australia	Harvey (S)	475	90.1%	86.9%	66.3%
Western Australia	Irwin (S)	<200	84.4%	75.0%	77.1%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	764	90.3%	87.2%	70.4%
Western Australia	Kalamunda (C)	703	88.2%	83.2%	68.4%
Western Australia	Kalgoorlie/Boulder (C)	1,794	83.0%	76.5%	59.0%
Western Australia	Karratha (C)	2,606	84.7%	77.8%	65.4%
Western Australia	Katanning (S)	309	89.6%	84.5%	63.6%
Western Australia	Kellerberrin (S)	<200	89.9%	87.0%	71.7%
Western Australia	Kojonup (S)	<200	94.4%	91.5%	58.7%
Western Australia	Kondinin (S)	<200	93.8%	93.8%	68.2%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,442	87.9%	80.7%	65.5%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	208	83.7%	74.5%	62.3%
Western Australia	Leonora (S)	<200	80.3%	76.3%	50.7%
Western Australia	Mandurah (C)	1,238	86.2%	82.0%	64.0%
Western Australia	Manjimup (S)	<200	93.2%	92.7%	67.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Meekatharra (S)	333	91.3%	84.4%	59.3%
Western Australia	Melville (C)	493	87.8%	83.6%	63.8%
Western Australia	Menzies (S)	<200	80.5%	68.3%	40.7%
Western Australia	Merredin (S)	<200	83.6%	79.2%	61.3%
Western Australia	Mingenew (S)	<200	95.5%	95.5%	66.7%
Western Australia	Moora (S)	277	93.1%	88.8%	71.9%
Western Australia	Morawa (S)	<200	91.0%	84.6%	68.3%
Western Australia	Mosman Park (T)	<200	84.9%	81.1%	59.5%
Western Australia	Mount Magnet (S)	<200	91.1%	84.4%	57.0%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	95.2%	75.0%
Western Australia	Mundaring (S)	729	88.5%	80.2%	68.6%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	239	86.6%	82.0%	65.6%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	245	83.7%	78.0%	53.8%
Western Australia	Nedlands (C)	<200	91.1%	91.1%	71.4%
Western Australia	Ngaanyatjarraku (S)	943	83.6%	77.3%	61.8%
Western Australia	Northam (S)	532	84.0%	77.6%	54.1%
Western Australia	Northampton (S)	<200	89.8%	82.8%	51.9%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	66.7%
Western Australia	Perth (C)	850	86.8%	79.3%	71.6%
Western Australia	Pingelly (S)	<200	92.5%	81.7%	70.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Plantagenet (S)	<200	92.2%	89.1%	70.8%
Western Australia	Port Hedland (T)	2,639	86.2%	79.9%	65.9%
Western Australia	Quairading (S)	<200	88.7%	79.1%	52.3%
Western Australia	Ravensthorpe (S)	<200	90.0%	86.7%	80.8%
Western Australia	Rockingham (C)	1,777	89.8%	86.8%	69.8%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	368	93.2%	90.2%	71.5%
Western Australia	Shark Bay (S)	<200	87.5%	85.4%	53.7%
Western Australia	South Perth (C)	439	88.2%	82.0%	68.2%
Western Australia	Stirling (C)	1,891	85.4%	81.4%	67.1%
Western Australia	Subiaco (C)	<200	86.7%	83.3%	88.0%
Western Australia	Swan (C)	3,380	88.4%	84.1%	63.7%
Western Australia	Tammin (S)	<200	87.8%	82.9%	67.6%
Western Australia	Three Springs (S)	<200	95.0%	92.5%	73.0%
Western Australia	Toodyay (S)	<200	87.7%	82.7%	71.6%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	526	87.3%	82.7%	67.4%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	208	87.5%	84.6%	69.3%
Western Australia	Wagin (S)	<200	83.6%	78.7%	54.2%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,201	87.7%	82.9%	64.8%
Western Australia	Waroonna (S)	<200	93.3%	93.3%	66.3%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
02 Aug. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.3%	87.7%	62.2%
Western Australia	Wongan-Ballidu (S)	<200	97.5%	97.5%	59.0%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,120	88.1%	83.5%	67.5%
Western Australia	Yalgoo (S)	<200	93.4%	85.5%	75.0%
Western Australia	Yilgarn (S)	<200	88.0%	84.0%	85.7%
Western Australia	York (S)	<200	79.7%	77.0%	50.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people received two doses and people with only one dose.

People received two doses. Total people with two doses of any vaccine type.

People eligible received three doses. Total people received three doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 02 Aug. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 02 Aug. 2022 including individuals aged 16 and over.