



Australian Government

Department of Health and Aged Care

Local Government Area (LGA) COVID-19 Vaccine Rates

21 September 2022

Data caveats:

Note on areas with large remote and very remote areas:

The process of geocoding addresses in very remote areas and remote areas can lead to artificially low vaccine dose count records in those areas (as addresses cannot be 'pinpointed' to a specific client location, and therefore LGA). The areas have been highlighted to indicate they are remote or very remote.

Methodology underpinning LGA Remoteness classification:

LGA 'remoteness' is calculated by assigning a modal remoteness value for each LGA, based on where the majority of the population in each LGA live - using 2016 Census meshblock population counts. Remote and Very Remote classifications accord with the same values if using the Modified Monash Model of remoteness.

Population cell values less than 200 have been suppressed for Privacy. Similarly, Coverage rates have been suppressed for regions with populations under 20.

Data as at:
20 Sep. 2022

Australian Capital Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Australian Capital Territory	Unincorporated ACT	5,234	91.9%	89.7%	65.0%

Data as at:
20 Sep. 2022

New South Wales

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Albury (C)	1,241	84.0%	80.4%	51.7%
New South Wales	Armidale Regional (A)	1,465	86.8%	84.1%	52.3%
New South Wales	Ballina (A)	1,118	81.9%	79.7%	46.7%
New South Wales	Balranald (A)	<200	95.3%	94.5%	56.7%
New South Wales	Bathurst Regional (A)	1,448	87.9%	85.0%	47.1%
New South Wales	Bayside (A)	1,179	90.8%	89.5%	55.8%
New South Wales	Bega Valley (A)	971	86.3%	83.7%	52.0%
New South Wales	Bellingen (A)	261	83.1%	82.0%	55.4%
New South Wales	Berrigan (A)	<200	91.4%	89.8%	66.1%
New South Wales	Blacktown (C)	7,300	88.4%	86.1%	49.6%
New South Wales	Bland (A)	231	94.4%	93.5%	60.2%
New South Wales	Blayney (A)	<200	89.6%	87.3%	57.6%
New South Wales	Blue Mountains (C)	907	91.1%	90.1%	63.2%
New South Wales	Bogan (A)	271	90.8%	88.2%	50.0%
New South Wales	Bourke (A)	758	82.3%	78.9%	49.9%
New South Wales	Brewarrina (A)	670	87.5%	83.7%	52.8%
New South Wales	Broken Hill (C)	1,358	89.6%	88.0%	55.5%
New South Wales	Burwood (A)	<200	90.3%	86.1%	69.1%
New South Wales	Byron (A)	416	78.8%	75.0%	51.3%
New South Wales	Cabonne (A)	355	92.4%	91.8%	54.5%
New South Wales	Camden (A)	1,609	93.3%	92.4%	52.3%
New South Wales	Campbelltown (C) (NSW)	4,323	89.1%	87.4%	50.0%
New South Wales	Canada Bay (A)	303	90.8%	89.4%	62.6%
New South Wales	Canterbury-Bankstown (A)	2,099	88.7%	87.1%	55.7%
New South Wales	Carrathool (A)	<200	92.6%	91.9%	59.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Central Coast (C) (NSW)	8,178	87.7%	86.3%	51.8%
New South Wales	Central Darling (A)	463	87.7%	86.4%	48.0%
New South Wales	Cessnock (C)	2,882	90.1%	88.8%	52.5%
New South Wales	Clarence Valley (A)	2,393	80.2%	77.8%	52.2%
New South Wales	Cobar (A)	351	88.0%	87.7%	51.1%
New South Wales	Coffs Harbour (C)	2,856	83.6%	81.8%	50.9%
New South Wales	Coolamon (A)	<200	90.4%	89.6%	55.3%
New South Wales	Coonamble (A)	1,110	89.6%	87.6%	54.2%
New South Wales	Cootamundra-Gundagai Regional (A)	306	92.2%	90.8%	59.0%
New South Wales	Cowra (A)	641	88.8%	86.3%	44.5%
New South Wales	Cumberland (A)	1,162	87.3%	85.2%	56.4%
New South Wales	Dubbo Regional (A)	5,545	86.4%	84.4%	46.7%
New South Wales	Dungog (A)	342	92.4%	91.5%	56.2%
New South Wales	Edward River (A)	293	92.2%	91.1%	62.8%
New South Wales	Eurobodalla (A)	1,656	91.6%	89.6%	51.3%
New South Wales	Fairfield (C)	1,268	86.4%	84.5%	51.3%
New South Wales	Federation (A)	<200	89.3%	88.7%	67.1%
New South Wales	Forbes (A)	824	93.4%	92.1%	58.1%
New South Wales	Georges River (A)	706	92.1%	89.8%	62.3%
New South Wales	Gilgandra (A)	478	82.2%	80.1%	48.8%
New South Wales	Glen Innes Severn (A)	498	83.7%	81.7%	53.8%
New South Wales	Goulburn Mulwaree (A)	673	90.3%	89.5%	63.7%
New South Wales	Greater Hume Shire (A)	<200	85.8%	85.2%	62.0%
New South Wales	Griffith (C)	962	85.9%	83.4%	46.7%
New South Wales	Gunnedah (A)	1,248	88.6%	86.6%	45.9%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Gwydir (A)	<200	93.6%	92.0%	63.7%
New South Wales	Hawkesbury (C)	1,522	90.3%	89.4%	53.6%
New South Wales	Hay (A)	<200	96.0%	94.8%	65.9%
New South Wales	Hilltops (A)	441	91.2%	88.4%	56.2%
New South Wales	Hornsby (A)	455	92.7%	91.2%	70.8%
New South Wales	Hunters Hill (A)	<200	85.5%	80.6%	64.0%
New South Wales	Inner West (A)	1,633	87.4%	85.2%	62.9%
New South Wales	Inverell (A)	1,137	82.4%	79.7%	53.0%
New South Wales	Junee (A)	266	89.8%	89.1%	65.4%
New South Wales	Kempsey (A)	2,396	80.0%	76.5%	45.3%
New South Wales	Kiama (A)	248	91.9%	91.9%	60.5%
New South Wales	Ku-ring-gai (A)	<200	89.6%	89.6%	77.3%
New South Wales	Kyogle (A)	352	70.2%	65.3%	47.0%
New South Wales	Lachlan (A)	974	88.3%	85.7%	53.4%
New South Wales	Lake Macquarie (C)	5,527	89.3%	88.0%	53.4%
New South Wales	Lane Cove (A)	<200	88.8%	86.7%	65.9%
New South Wales	Leeton (A)	368	87.0%	86.1%	45.6%
New South Wales	Lismore (C)	1,750	78.8%	75.5%	47.0%
New South Wales	Lithgow (C)	798	91.5%	89.6%	59.1%
New South Wales	Liverpool (C)	2,515	88.2%	86.2%	53.7%
New South Wales	Liverpool Plains (A)	727	91.5%	90.1%	62.2%
New South Wales	Lockhart (A)	<200	91.8%	90.4%	62.1%
New South Wales	Maitland (C)	2,864	90.0%	88.6%	49.5%
New South Wales	Mid-Coast (A)	3,891	82.0%	80.1%	50.4%
New South Wales	Mid-Western Regional (A)	835	88.3%	86.3%	49.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Moree Plains (A)	2,303	83.8%	80.0%	45.4%
New South Wales	Mosman (A)	<200	86.7%	84.4%	86.8%
New South Wales	Murray River (A)	316	88.0%	86.1%	58.7%
New South Wales	Murrumbidgee (A)	200	92.5%	89.5%	61.0%
New South Wales	Muswellbrook (A)	876	88.2%	86.5%	47.6%
New South Wales	Nambucca Valley (A)	1,176	81.3%	79.4%	46.8%
New South Wales	Narrabri (A)	1,288	89.1%	86.6%	47.3%
New South Wales	Narrandera (A)	439	86.8%	84.7%	42.5%
New South Wales	Narromine (A)	699	86.8%	84.3%	42.5%
New South Wales	Newcastle (C)	3,719	89.8%	88.2%	53.8%
New South Wales	North Sydney (A)	<200	91.9%	91.3%	76.6%
New South Wales	Northern Beaches (A)	818	88.9%	88.5%	66.7%
New South Wales	Oberon (A)	<200	89.2%	88.2%	57.3%
New South Wales	Orange (C)	1,927	86.9%	84.1%	49.8%
New South Wales	Parkes (A)	1,162	89.5%	88.1%	56.6%
New South Wales	Parramatta (C)	1,291	87.5%	85.2%	61.8%
New South Wales	Penrith (C)	5,186	91.4%	89.9%	52.1%
New South Wales	Port Macquarie-Hastings (A)	2,239	84.0%	82.6%	53.5%
New South Wales	Port Stephens (A)	2,327	87.7%	86.0%	50.7%
New South Wales	Queanbeyan-Palerang Regional (A)	1,220	90.9%	88.9%	58.6%
New South Wales	Randwick (C)	1,467	86.8%	84.3%	61.7%
New South Wales	Richmond Valley (A)	1,425	75.7%	73.1%	47.0%
New South Wales	Ryde (C)	357	89.4%	88.2%	68.5%
New South Wales	Shellharbour (C)	1,745	88.1%	86.2%	47.7%
New South Wales	Shoalhaven (C)	3,835	87.7%	85.9%	53.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Singleton (A)	1,018	88.6%	87.0%	50.0%
New South Wales	Snowy Monaro Regional (A)	363	90.9%	88.7%	60.3%
New South Wales	Snowy Valleys (A)	378	87.8%	86.0%	51.1%
New South Wales	Strathfield (A)	<200	89.3%	84.6%	65.0%
New South Wales	Sutherland Shire (A)	1,640	93.4%	92.7%	61.7%
New South Wales	Sydney (C)	2,761	86.2%	83.3%	60.0%
New South Wales	Tamworth Regional (A)	4,423	89.0%	86.9%	52.5%
New South Wales	Temora (A)	<200	94.7%	90.8%	60.5%
New South Wales	Tenterfield (A)	315	77.1%	74.3%	37.9%
New South Wales	The Hills Shire (A)	606	92.6%	92.4%	61.4%
New South Wales	Tweed (A)	2,603	81.1%	79.6%	53.7%
New South Wales	Unincorporated NSW	<200	87.5%	85.7%	56.3%
New South Wales	Upper Hunter Shire (A)	391	86.7%	85.2%	50.8%
New South Wales	Upper Lachlan Shire (A)	<200	92.5%	90.4%	61.1%
New South Wales	Uralla (A)	305	91.1%	90.2%	62.2%
New South Wales	Wagga Wagga (C)	2,583	89.3%	87.3%	51.6%
New South Wales	Walcha (A)	<200	89.8%	85.8%	59.6%
New South Wales	Walgett (A)	1,399	84.7%	81.8%	42.6%
New South Wales	Warren (A)	301	85.7%	84.4%	50.2%
New South Wales	Warrumbungle Shire (A)	676	84.6%	82.7%	46.0%
New South Wales	Waverley (A)	223	84.8%	83.4%	65.9%
New South Wales	Weddin (A)	<200	93.9%	92.4%	57.4%
New South Wales	Wentworth (A)	543	87.3%	84.2%	39.8%
New South Wales	Willoughby (C)	<200	83.6%	79.5%	71.6%
New South Wales	Wingecarribee (A)	618	89.2%	87.9%	59.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

New South Wales (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
New South Wales	Wollondilly (A)	1,076	92.2%	91.4%	50.1%
New South Wales	Wollongong (C)	3,751	88.8%	87.3%	52.8%
New South Wales	Woollahra (A)	<200	87.6%	87.6%	67.9%
New South Wales	Yass Valley (A)	267	92.9%	92.1%	60.6%

Data as at:
20 Sep. 2022

Northern Territory

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Northern Territory	Alice Springs (T)	6,287	88.4%	84.5%	71.3%
Northern Territory	Barkly (R)	2,609	80.8%	74.6%	55.8%
Northern Territory	Belyuen (S)	<200	88.9%	86.9%	72.9%
Northern Territory	Central Desert (R)	1,369	86.7%	81.9%	61.5%
Northern Territory	Coomalie (S)	250	86.4%	81.2%	68.5%
Northern Territory	Darwin (C)	7,186	90.7%	87.6%	72.5%
Northern Territory	East Arnhem (R)	4,311	87.9%	81.4%	67.5%
Northern Territory	Katherine (T)	2,976	88.4%	85.0%	63.6%
Northern Territory	Litchfield (M)	1,363	91.8%	89.5%	74.4%
Northern Territory	MacDonnell (R)	2,435	89.8%	86.4%	72.0%
Northern Territory	Palmerston (C)	4,310	90.8%	87.5%	67.4%
Northern Territory	Roper Gulf (R)	2,310	91.0%	85.8%	63.5%
Northern Territory	Tiwi Islands (R)	1,207	96.0%	94.1%	85.0%
Northern Territory	Unincorporated NT	3,232	93.5%	90.2%	75.4%
Northern Territory	Victoria Daly (R)	637	91.1%	87.6%	77.1%
Northern Territory	Wagait (S)	<200	95.7%	95.7%	90.9%
Northern Territory	West Arnhem (R)	1,983	90.7%	83.7%	66.4%
Northern Territory	West Daly (R)	1,170	95.8%	92.0%	74.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Other Territories

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Other Territories	Unincorp. Other Territories	<200	92.6%	90.2%	70.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Queensland

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Aurukun (S)	629	90.3%	84.4%	45.8%
Queensland	Balonne (S)	568	86.4%	83.1%	57.1%
Queensland	Banana (S)	478	81.6%	77.2%	42.5%
Queensland	Barcaldine (R)	<200	85.4%	83.7%	66.7%
Queensland	Barcoo (S)	<200	88.9%	88.9%	79.2%
Queensland	Blackall-Tambo (R)	<200	92.8%	90.7%	68.2%
Queensland	Boulia (S)	<200	78.9%	77.5%	54.5%
Queensland	Brisbane (C)	13,758	85.1%	82.1%	56.9%
Queensland	Bulloo (S)	<200	**	**	**
Queensland	Bundaberg (R)	2,867	78.9%	76.2%	47.7%
Queensland	Burdekin (S)	781	76.1%	72.0%	44.5%
Queensland	Burke (S)	<200	88.5%	84.6%	43.9%
Queensland	Cairns (R)	12,130	80.9%	76.7%	42.7%
Queensland	Carpentaria (S)	606	90.1%	84.0%	43.0%
Queensland	Cassowary Coast (R)	2,249	74.0%	70.4%	40.4%
Queensland	Central Highlands (R) (Qld)	764	73.6%	70.2%	34.0%
Queensland	Charters Towers (R)	771	81.5%	77.7%	53.1%
Queensland	Cherbourg (S)	733	76.3%	72.7%	42.0%
Queensland	Cloncurry (S)	537	86.0%	80.3%	47.6%
Queensland	Cook (S)	596	86.7%	80.7%	56.4%
Queensland	Croydon (S)	<200	88.7%	88.7%	47.3%
Queensland	Diamantina (S)	<200	95.9%	93.9%	71.1%
Queensland	Doomadgee (S)	678	84.4%	73.2%	43.0%
Queensland	Douglas (S)	672	74.7%	69.3%	49.8%
Queensland	Etheridge (S)	<200	83.3%	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Flinders (S) (Qld)	<200	82.6%	74.3%	58.5%
Queensland	Fraser Coast (R)	3,303	81.7%	78.3%	50.1%
Queensland	Gladstone (R)	2,383	78.8%	75.8%	42.2%
Queensland	Gold Coast (C)	7,022	82.6%	80.7%	47.4%
Queensland	Goondiwindi (R)	431	82.6%	79.1%	42.9%
Queensland	Gympie (R)	1,250	72.9%	70.8%	53.1%
Queensland	Hinchinbrook (S)	498	79.5%	74.3%	51.9%
Queensland	Hope Vale (S)	489	88.3%	83.4%	55.8%
Queensland	Ipswich (C)	7,255	84.2%	81.0%	48.3%
Queensland	Isaac (R)	476	83.0%	81.5%	33.3%
Queensland	Kowanyama (S)	561	90.6%	85.6%	59.4%
Queensland	Livingstone (S)	860	82.4%	79.8%	47.7%
Queensland	Lockhart River (S)	328	89.0%	84.5%	61.6%
Queensland	Lockyer Valley (R)	1,132	85.1%	81.5%	50.8%
Queensland	Logan (C)	8,093	81.0%	77.9%	46.0%
Queensland	Longreach (R)	<200	84.9%	84.2%	63.1%
Queensland	Mackay (R)	4,495	81.6%	78.7%	38.2%
Queensland	Mapoon (S)	<200	83.5%	79.1%	72.7%
Queensland	Maranoa (R)	843	88.3%	84.8%	54.1%
Queensland	Mareeba (S)	2,383	77.1%	70.2%	47.1%
Queensland	McKinlay (S)	<200	**	**	**
Queensland	Moreton Bay (R)	10,355	85.1%	82.3%	54.2%
Queensland	Mornington (S)	367	88.6%	81.7%	49.7%
Queensland	Mount Isa (C)	3,168	80.0%	73.4%	42.4%
Queensland	Murweh (S)	364	90.1%	86.3%	64.0%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Napranum (S)	407	84.5%	77.6%	50.2%
Queensland	Noosa (S)	394	76.1%	73.4%	47.2%
Queensland	North Burnett (R)	472	83.7%	81.1%	60.3%
Queensland	Northern Peninsula Area (R)	1,368	78.9%	69.2%	31.9%
Queensland	Palm Island (S)	1,258	81.9%	75.2%	53.7%
Queensland	Paroo (S)	433	84.3%	81.1%	44.3%
Queensland	Porpuraaw (S)	339	96.8%	95.3%	67.4%
Queensland	Quilpie (S)	<200	94.8%	93.5%	66.7%
Queensland	Redland (C)	2,575	85.4%	83.7%	57.3%
Queensland	Richmond (S)	<200	93.2%	90.9%	57.5%
Queensland	Rockhampton (R)	4,498	78.5%	75.2%	42.5%
Queensland	Scenic Rim (R)	822	84.3%	82.1%	49.9%
Queensland	Somerset (R)	587	81.6%	78.9%	51.4%
Queensland	South Burnett (R)	1,298	78.2%	74.6%	47.8%
Queensland	Southern Downs (R)	1,064	81.0%	78.2%	49.5%
Queensland	Sunshine Coast (R)	4,121	79.9%	77.2%	49.4%
Queensland	Tablelands (R)	1,382	69.3%	64.6%	46.0%
Queensland	Toowoomba (R)	4,773	83.8%	80.7%	47.6%
Queensland	Torres (S)	2,109	88.7%	85.1%	60.9%
Queensland	Torres Strait Island (R)	1,843	89.6%	85.6%	66.2%
Queensland	Townsville (C)	11,570	80.7%	76.1%	44.1%
Queensland	Weipa (T)	685	82.0%	78.2%	49.7%
Queensland	Western Downs (R)	1,362	78.9%	76.7%	41.8%
Queensland	Whitsunday (R)	977	73.8%	71.5%	50.6%
Queensland	Winton (S)	<200	95.1%	93.9%	75.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Queensland (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Queensland	Woorabinda (S)	643	76.2%	70.1%	54.3%
Queensland	Wujal Wujal (S)	<200	93.7%	92.6%	82.7%
Queensland	Yarrabah (S)	1,720	80.8%	76.0%	53.2%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

South Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
South Australia	Adelaide (C)	436	84.6%	78.4%	71.9%
South Australia	Adelaide Hills (DC)	<200	91.5%	90.6%	75.0%
South Australia	Adelaide Plains (DC)	<200	80.3%	75.0%	55.6%
South Australia	Alexandrina (DC)	221	80.5%	77.8%	61.0%
South Australia	Anangu Pitjantjatjara (AC)	492	86.2%	82.5%	86.1%
South Australia	Barossa (DC)	<200	88.7%	85.4%	67.4%
South Australia	Barunga West (DC)	<200	**	**	**
South Australia	Berri and Barmera (DC)	351	77.8%	70.7%	54.3%
South Australia	Burnside (C)	<200	86.3%	84.3%	69.8%
South Australia	Campbelltown (C) (SA)	273	79.9%	76.6%	62.7%
South Australia	Ceduna (DC)	767	76.5%	68.8%	59.7%
South Australia	Charles Sturt (C)	1,328	79.4%	75.0%	60.8%
South Australia	Clare and Gilbert Valleys (DC)	<200	79.7%	79.7%	63.0%
South Australia	Cleve (DC)	<200	**	**	**
South Australia	Coober Pedy (DC)	232	78.9%	71.6%	48.8%
South Australia	Copper Coast (DC)	321	83.5%	80.1%	66.9%
South Australia	Elliston (DC)	<200	**	**	**
South Australia	Flinders Ranges (DC)	<200	92.4%	87.3%	62.1%
South Australia	Franklin Harbour (DC)	<200	>99%	>99%	67.6%
South Australia	Gawler (T)	352	78.7%	76.4%	63.3%
South Australia	Goyder (DC)	<200	75.0%	75.0%	66.7%
South Australia	Grant (DC)	<200	94.3%	91.4%	78.1%
South Australia	Holdfast Bay (C)	<200	82.0%	81.4%	66.4%
South Australia	Kangaroo Island (DC)	<200	88.9%	83.3%	73.3%
South Australia	Karoonda East Murray (DC)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
South Australia	Kimba (DC)	<200	**	**	**
South Australia	Kingston (DC) (SA)	<200	78.4%	78.4%	65.5%
South Australia	Light (RegC)	<200	80.3%	78.9%	58.3%
South Australia	Lower Eyre Peninsula (DC)	<200	82.4%	73.5%	68.0%
South Australia	Loxton Waikerie (DC)	<200	82.6%	78.3%	58.7%
South Australia	Maralinga Tjarutja (AC)	<200	**	**	**
South Australia	Marion (C)	733	78.4%	72.3%	59.5%
South Australia	Mid Murray (DC)	<200	75.0%	74.0%	73.3%
South Australia	Mitcham (C)	254	89.8%	84.3%	69.8%
South Australia	Mount Barker (DC)	<200	83.5%	82.4%	69.7%
South Australia	Mount Gambier (C)	502	83.5%	78.7%	62.3%
South Australia	Mount Remarkable (DC)	<200	92.7%	87.8%	69.4%
South Australia	Murray Bridge (RC)	705	76.9%	71.1%	55.2%
South Australia	Naracoorte and Lucindale (DC)	<200	76.7%	76.7%	58.7%
South Australia	Northern Areas (DC)	<200	88.5%	85.2%	51.9%
South Australia	Norwood Payneham St Peters (C)	<200	84.5%	78.9%	71.7%
South Australia	Onkaparinga (C)	1,818	79.6%	74.5%	60.9%
South Australia	Orroroo/Carrieton (DC)	<200	**	**	**
South Australia	Peterborough (DC)	<200	86.8%	84.9%	53.3%
South Australia	Playford (C)	2,220	76.8%	71.6%	54.5%
South Australia	Port Adelaide Enfield (C)	2,192	79.0%	73.4%	59.3%
South Australia	Port Augusta (C)	2,309	85.2%	78.6%	56.9%
South Australia	Port Lincoln (C)	768	75.8%	68.5%	56.8%
South Australia	Port Pirie City and Dists (M)	462	74.2%	70.6%	54.3%
South Australia	Prospect (C)	<200	80.9%	76.5%	64.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

South Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
South Australia	Renmark Paringa (DC)	<200	85.4%	79.5%	53.3%
South Australia	Robe (DC)	<200	**	**	**
South Australia	Roxby Downs (M)	<200	91.2%	90.1%	39.0%
South Australia	Salisbury (C)	2,058	81.2%	75.8%	60.0%
South Australia	Southern Mallee (DC)	<200	69.4%	61.1%	45.5%
South Australia	Streaky Bay (DC)	<200	88.0%	88.0%	63.6%
South Australia	Tatiara (DC)	<200	85.7%	71.4%	60.0%
South Australia	Tea Tree Gully (C)	616	82.0%	78.4%	63.7%
South Australia	The Coorong (DC)	235	83.4%	76.2%	61.5%
South Australia	Tumby Bay (DC)	<200	93.1%	89.7%	65.4%
South Australia	Unincorporated SA	349	84.5%	77.7%	64.2%
South Australia	Unley (C)	<200	87.4%	82.5%	67.5%
South Australia	Victor Harbor (C)	<200	78.8%	76.5%	68.3%
South Australia	Wakefield (DC)	<200	77.6%	73.1%	57.1%
South Australia	Walkerville (M)	<200	88.9%	74.1%	68.4%
South Australia	Wattle Range (DC)	<200	80.7%	74.1%	61.2%
South Australia	West Torrens (C)	464	82.8%	77.2%	64.6%
South Australia	Whyalla (C)	1,199	83.1%	74.5%	59.0%
South Australia	Wudinna (DC)	<200	**	**	**
South Australia	Yankalilla (DC)	<200	84.6%	82.1%	56.3%
South Australia	Yorke Peninsula (DC)	259	83.0%	77.6%	64.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Tasmania

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Tasmania	Break O'Day (M)	<200	87.1%	85.8%	62.9%
Tasmania	Brighton (M)	1,210	88.3%	85.5%	58.3%
Tasmania	Burnie (C)	902	86.4%	84.4%	53.3%
Tasmania	Central Coast (M) (Tas.)	957	90.7%	89.3%	64.2%
Tasmania	Central Highlands (M) (Tas.)	<200	85.1%	78.2%	57.4%
Tasmania	Circular Head (M)	516	87.4%	84.5%	47.9%
Tasmania	Clarence (C)	1,281	88.1%	85.5%	59.4%
Tasmania	Derwent Valley (M)	284	87.3%	84.2%	50.6%
Tasmania	Devonport (C)	952	86.3%	83.6%	54.4%
Tasmania	Dorset (M)	<200	86.3%	85.1%	59.9%
Tasmania	Flinders (M) (Tas.)	<200	95.2%	93.7%	87.3%
Tasmania	George Town (M)	245	87.8%	86.5%	61.3%
Tasmania	Glamorgan/Spring Bay (M)	<200	88.7%	86.6%	65.5%
Tasmania	Glenorchy (C)	1,660	90.4%	87.0%	62.5%
Tasmania	Hobart (C)	612	91.8%	89.9%	69.8%
Tasmania	Huon Valley (M)	1,005	90.1%	88.2%	65.3%
Tasmania	Kentish (M)	204	85.8%	83.3%	55.7%
Tasmania	King Island (M)	<200	91.3%	87.0%	80.0%
Tasmania	Kingborough (M)	763	94.0%	91.6%	68.3%
Tasmania	Latrobe (M) (Tas.)	332	87.0%	84.3%	57.2%
Tasmania	Launceston (C)	1,597	88.5%	85.4%	58.6%
Tasmania	Meander Valley (M)	469	89.6%	87.2%	61.3%
Tasmania	Northern Midlands (M)	221	90.5%	89.1%	62.9%
Tasmania	Sorell (M)	430	90.0%	87.9%	55.8%
Tasmania	Southern Midlands (M)	209	90.0%	89.0%	46.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Tasmania (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Tasmania	Tasman (M)	<200	93.9%	91.8%	72.2%
Tasmania	Waratah/Wynyard (M)	652	85.1%	82.7%	59.3%
Tasmania	West Coast (M)	<200	88.3%	86.5%	50.0%
Tasmania	West Tamar (M)	342	93.9%	92.1%	61.6%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Victoria

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Alpine (S)	<200	88.4%	88.4%	75.0%
Victoria	Ararat (RC)	<200	86.5%	83.7%	72.1%
Victoria	Ballarat (C)	1,091	93.7%	92.5%	65.8%
Victoria	Banyule (C)	709	90.4%	89.0%	68.4%
Victoria	Bass Coast (S)	258	90.7%	89.5%	70.1%
Victoria	Baw Baw (S)	402	88.3%	85.8%	56.1%
Victoria	Bayside (C)	203	87.7%	84.7%	69.8%
Victoria	Benalla (RC)	<200	92.7%	90.7%	62.5%
Victoria	Boroondara (C)	280	95.0%	92.5%	79.2%
Victoria	Brimbank (C)	793	87.5%	86.0%	59.7%
Victoria	Buloke (S)	<200	91.5%	87.2%	73.2%
Victoria	Campaspe (S)	748	88.0%	84.9%	61.1%
Victoria	Cardinia (S)	579	93.8%	92.2%	58.4%
Victoria	Casey (C)	1,485	89.5%	87.9%	58.1%
Victoria	Central Goldfields (S)	<200	93.6%	93.6%	69.0%
Victoria	Colac-Otway (S)	<200	91.9%	89.7%	62.0%
Victoria	Corangamite (S)	<200	90.7%	89.5%	62.3%
Victoria	Darebin (C)	1,202	89.2%	85.8%	62.0%
Victoria	East Gippsland (S)	1,244	91.2%	88.8%	59.8%
Victoria	Frankston (C)	912	90.4%	88.6%	58.9%
Victoria	Gannawarra (S)	<200	93.5%	92.1%	55.5%
Victoria	Glen Eira (C)	285	89.5%	88.1%	72.1%
Victoria	Glenelg (S)	413	93.2%	91.3%	62.3%
Victoria	Golden Plains (S)	<200	93.3%	91.4%	71.8%
Victoria	Greater Bendigo (C)	1,475	92.4%	90.6%	63.8%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Greater Dandenong (C)	653	87.1%	85.0%	61.0%
Victoria	Greater Geelong (C)	1,904	92.1%	90.3%	65.6%
Victoria	Greater Shepparton (C)	1,915	87.3%	84.4%	55.1%
Victoria	Hepburn (S)	<200	94.2%	90.7%	65.4%
Victoria	Hindmarsh (S)	<200	97.0%	93.9%	67.7%
Victoria	Hobsons Bay (C)	399	88.5%	87.0%	67.4%
Victoria	Horsham (RC)	<200	89.4%	88.8%	65.0%
Victoria	Hume (C)	1,221	89.7%	88.1%	55.7%
Victoria	Indigo (S)	<200	94.3%	92.6%	69.9%
Victoria	Kingston (C) (Vic.)	423	94.1%	92.4%	71.8%
Victoria	Knox (C)	570	91.6%	90.0%	62.9%
Victoria	Latrobe (C) (Vic.)	1,044	87.9%	84.6%	48.9%
Victoria	Loddon (S)	<200	93.2%	92.0%	61.7%
Victoria	Macedon Ranges (S)	213	93.0%	91.5%	72.8%
Victoria	Manningham (C)	260	91.9%	89.6%	73.0%
Victoria	Mansfield (S)	<200	92.0%	92.0%	65.2%
Victoria	Maribyrnong (C)	393	90.1%	89.3%	67.9%
Victoria	Maroondah (C)	404	92.1%	90.8%	68.9%
Victoria	Melbourne (C)	691	90.2%	87.1%	72.1%
Victoria	Melton (C)	977	90.7%	88.8%	59.7%
Victoria	Mildura (RC)	1,778	89.4%	86.1%	49.7%
Victoria	Mitchell (S)	456	93.2%	91.4%	62.1%
Victoria	Moira (S)	380	90.5%	89.5%	62.9%
Victoria	Monash (C)	446	88.3%	86.8%	68.2%
Victoria	Moonee Valley (C)	373	91.2%	89.0%	71.5%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Moorabool (S)	261	90.4%	87.7%	65.1%
Victoria	Moreland (C)	803	92.8%	91.3%	67.9%
Victoria	Mornington Peninsula (S)	882	90.9%	89.5%	64.4%
Victoria	Mount Alexander (S)	<200	93.0%	89.6%	77.7%
Victoria	Moyne (S)	<200	92.4%	90.5%	62.7%
Victoria	Murrindindi (S)	<200	91.8%	91.8%	67.3%
Victoria	Nillumbik (S)	228	93.4%	92.5%	62.6%
Victoria	Northern Grampians (S)	<200	87.5%	86.5%	71.1%
Victoria	Port Phillip (C)	426	89.9%	87.1%	68.5%
Victoria	Pyrenees (S)	<200	88.7%	88.7%	68.1%
Victoria	Queenscliffe (B)	<200	**	**	**
Victoria	South Gippsland (S)	219	84.9%	84.9%	67.2%
Victoria	Southern Grampians (S)	226	92.9%	92.5%	64.6%
Victoria	Stonnington (C)	295	86.4%	84.1%	76.1%
Victoria	Strathbogie (S)	<200	93.2%	91.3%	64.9%
Victoria	Surf Coast (S)	<200	95.1%	94.3%	80.2%
Victoria	Swan Hill (RC)	757	88.9%	86.9%	52.3%
Victoria	Towong (S)	<200	88.5%	87.2%	70.6%
Victoria	Unincorporated Vic	<200	**	**	**
Victoria	Wangaratta (RC)	304	92.1%	90.1%	62.3%
Victoria	Warrnambool (C)	485	92.6%	89.5%	58.3%
Victoria	Wellington (S)	606	88.8%	85.5%	61.9%
Victoria	West Wimmera (S)	<200	>99%	>99%	66.7%
Victoria	Whitehorse (C)	400	94.0%	92.5%	71.3%
Victoria	Whittlesea (C)	1,407	92.6%	91.1%	58.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Victoria (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Victoria	Wodonga (C)	678	87.9%	86.6%	57.8%
Victoria	Wyndham (C)	1,437	91.6%	89.8%	60.2%
Victoria	Yarra (C)	436	89.2%	86.2%	63.3%
Victoria	Yarra Ranges (S)	937	91.4%	90.5%	60.5%
Victoria	Yarriambiack (S)	<200	84.5%	84.5%	71.4%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Western Australia

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Albany (C)	859	87.0%	82.5%	67.0%
Western Australia	Armadale (C)	1,937	89.1%	83.9%	62.8%
Western Australia	Ashburton (S)	503	92.0%	86.9%	74.1%
Western Australia	Augusta-Margaret River (S)	<200	87.4%	83.9%	74.0%
Western Australia	Bassendean (T)	309	87.7%	81.9%	63.3%
Western Australia	Bayswater (C)	771	86.0%	81.2%	68.3%
Western Australia	Belmont (C)	991	86.0%	80.0%	64.3%
Western Australia	Beverley (S)	<200	96.0%	96.0%	68.8%
Western Australia	Boddington (S)	<200	93.8%	93.8%	68.9%
Western Australia	Boyup Brook (S)	<200	**	**	**
Western Australia	Bridgetown-Greenbushes (S)	<200	87.0%	87.0%	82.5%
Western Australia	Brookton (S)	<200	85.9%	84.4%	63.0%
Western Australia	Broome (S)	3,785	88.5%	83.4%	69.7%
Western Australia	Broomehill-Tambellup (S)	<200	82.9%	80.3%	55.0%
Western Australia	Bruce Rock (S)	<200	**	**	**
Western Australia	Bunbury (C)	1,120	91.2%	86.6%	67.5%
Western Australia	Busselton (C)	421	88.6%	84.3%	72.2%
Western Australia	Cambridge (T)	<200	92.4%	92.4%	78.7%
Western Australia	Canning (C)	984	88.3%	81.5%	63.5%
Western Australia	Capel (S)	277	88.4%	83.0%	71.6%
Western Australia	Carnamah (S)	<200	**	**	**
Western Australia	Carnarvon (S)	856	87.0%	77.6%	62.0%
Western Australia	Chapman Valley (S)	<200	87.1%	83.9%	72.0%
Western Australia	Chittering (S)	<200	89.8%	88.1%	69.2%
Western Australia	Claremont (T)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Cockburn (C)	1,352	85.9%	81.1%	65.9%
Western Australia	Collie (S)	293	86.7%	83.3%	69.2%
Western Australia	Coolgardie (S)	243	86.8%	81.1%	62.4%
Western Australia	Coorow (S)	<200	84.6%	84.6%	81.8%
Western Australia	Corrigin (S)	<200	90.9%	90.9%	70.0%
Western Australia	Cottesloe (T)	<200	**	**	**
Western Australia	Cranbrook (S)	<200	**	**	**
Western Australia	Cuballing (S)	<200	**	**	**
Western Australia	Cue (S)	<200	84.8%	75.8%	56.0%
Western Australia	Cunderdin (S)	<200	**	**	**
Western Australia	Dalwallinu (S)	<200	90.7%	88.9%	72.9%
Western Australia	Dandaragan (S)	<200	95.9%	95.9%	80.9%
Western Australia	Dardanup (S)	218	93.1%	89.9%	73.8%
Western Australia	Denmark (S)	<200	80.0%	77.8%	62.9%
Western Australia	Derby-West Kimberley (S)	3,495	82.0%	74.0%	57.1%
Western Australia	Donnybrook-Balingup (S)	<200	93.1%	93.1%	73.8%
Western Australia	Dowerin (S)	<200	**	**	**
Western Australia	Dumbleyung (S)	<200	**	**	**
Western Australia	Dundas (S)	<200	87.0%	78.3%	51.4%
Western Australia	East Fremantle (T)	<200	85.7%	77.6%	57.9%
Western Australia	East Pilbara (S)	1,100	89.8%	82.7%	63.3%
Western Australia	Esperance (S)	346	87.3%	79.2%	60.9%
Western Australia	Exmouth (S)	<200	97.2%	91.7%	72.7%
Western Australia	Fremantle (C)	443	84.0%	80.1%	67.1%
Western Australia	Gingin (S)	<200	90.6%	87.5%	64.3%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Gnowangerup (S)	<200	95.9%	89.2%	75.4%
Western Australia	Goomalling (S)	<200	90.6%	81.3%	54.2%
Western Australia	Gosnells (C)	2,317	88.4%	83.0%	64.3%
Western Australia	Greater Geraldton (C)	3,268	87.2%	79.7%	61.4%
Western Australia	Halls Creek (S)	1,821	76.7%	68.8%	63.1%
Western Australia	Harvey (S)	472	90.7%	87.1%	65.9%
Western Australia	Irwin (S)	<200	84.6%	76.9%	78.0%
Western Australia	Jerramungup (S)	<200	**	**	**
Western Australia	Joondalup (C)	765	90.2%	87.5%	71.1%
Western Australia	Kalamunda (C)	702	88.2%	83.5%	69.1%
Western Australia	Kalgoorlie/Boulder (C)	1,764	83.4%	76.8%	61.4%
Western Australia	Karratha (C)	2,615	85.0%	78.3%	68.3%
Western Australia	Katanning (S)	314	89.8%	85.0%	64.3%
Western Australia	Kellerberrin (S)	<200	91.4%	88.6%	72.6%
Western Australia	Kojonup (S)	<200	95.7%	92.9%	60.3%
Western Australia	Kondinin (S)	<200	89.8%	89.8%	68.2%
Western Australia	Koorda (S)	<200	**	**	**
Western Australia	Kulin (S)	<200	**	**	**
Western Australia	Kwinana (C)	1,423	88.3%	81.3%	68.8%
Western Australia	Lake Grace (S)	<200	**	**	**
Western Australia	Laverton (S)	<200	84.3%	75.4%	69.0%
Western Australia	Leonora (S)	202	80.2%	75.7%	56.9%
Western Australia	Mandurah (C)	1,254	86.2%	81.7%	65.3%
Western Australia	Manjimup (S)	<200	91.7%	91.1%	68.1%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Meekatharra (S)	320	90.9%	83.8%	61.9%
Western Australia	Melville (C)	504	88.3%	83.7%	63.0%
Western Australia	Menzies (S)	<200	79.5%	69.2%	48.0%
Western Australia	Merredin (S)	<200	83.3%	79.0%	62.5%
Western Australia	Mingenew (S)	<200	95.5%	95.5%	66.7%
Western Australia	Moora (S)	277	93.5%	89.2%	74.0%
Western Australia	Morawa (S)	<200	91.0%	83.3%	68.8%
Western Australia	Mosman Park (T)	<200	86.8%	81.1%	58.1%
Western Australia	Mount Magnet (S)	<200	91.0%	84.3%	55.8%
Western Australia	Mount Marshall (S)	<200	**	**	**
Western Australia	Mukinbudin (S)	<200	>99%	95.2%	75.0%
Western Australia	Mundaring (S)	713	89.2%	81.2%	71.2%
Western Australia	Murchison (S)	<200	**	**	**
Western Australia	Murray (S)	242	86.8%	82.2%	67.8%
Western Australia	Nannup (S)	<200	**	**	**
Western Australia	Narembeen (S)	<200	**	**	**
Western Australia	Narrogin (S)	249	83.5%	78.3%	54.2%
Western Australia	Nedlands (C)	<200	90.7%	90.7%	71.4%
Western Australia	Ngaanyatjarraku (S)	1,088	83.3%	77.1%	64.9%
Western Australia	Northam (S)	533	83.3%	77.1%	55.0%
Western Australia	Northampton (S)	<200	90.1%	82.4%	56.5%
Western Australia	Nungarin (S)	<200	**	**	**
Western Australia	Peppermint Grove (S)	<200	**	**	**
Western Australia	Perenjori (S)	<200	91.3%	91.3%	66.7%
Western Australia	Perth (C)	849	87.8%	80.7%	74.0%
Western Australia	Pingelly (S)	<200	92.6%	81.9%	72.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Plantagenet (S)	<200	92.2%	88.4%	72.8%
Western Australia	Port Hedland (T)	2,653	86.5%	80.4%	67.2%
Western Australia	Quairading (S)	<200	87.9%	78.4%	56.3%
Western Australia	Ravensthorpe (S)	<200	92.6%	88.9%	79.2%
Western Australia	Rockingham (C)	1,792	89.8%	86.4%	70.7%
Western Australia	Sandstone (S)	<200	**	**	**
Western Australia	Serpentine-Jarrahdale (S)	374	93.3%	90.6%	71.3%
Western Australia	Shark Bay (S)	<200	87.5%	85.4%	53.7%
Western Australia	South Perth (C)	438	89.0%	83.1%	71.0%
Western Australia	Stirling (C)	1,903	85.5%	81.5%	68.4%
Western Australia	Subiaco (C)	<200	88.3%	86.7%	90.2%
Western Australia	Swan (C)	3,367	88.4%	84.1%	64.9%
Western Australia	Tammin (S)	<200	88.1%	83.3%	68.6%
Western Australia	Three Springs (S)	<200	97.3%	94.6%	77.1%
Western Australia	Toodyay (S)	<200	89.2%	81.9%	73.5%
Western Australia	Trayning (S)	<200	**	**	**
Western Australia	Upper Gascoyne (S)	<200	**	**	**
Western Australia	Victoria Park (T)	528	86.7%	82.4%	69.6%
Western Australia	Victoria Plains (S)	<200	**	**	**
Western Australia	Vincent (C)	211	86.7%	83.9%	71.6%
Western Australia	Wagin (S)	<200	83.9%	77.4%	54.2%
Western Australia	Wandering (S)	<200	**	**	**
Western Australia	Wanneroo (C)	2,220	87.7%	83.2%	65.8%
Western Australia	Waroonna (S)	<200	95.2%	95.2%	64.0%
Western Australia	West Arthur (S)	<200	**	**	**

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. Shading denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Data as at:
20 Sep. 2022

Western Australia (continued)

Medicare Address ASGS State Name	Medicare Address LGA 2020 Name	Indigenous AIR Population	Indigenous Individuals received dose 1 %	Indigenous Individuals received dose 2 %	Indigenous individual received dose 3 %
Western Australia	Westonia (S)	<200	**	**	**
Western Australia	Wickepin (S)	<200	**	**	**
Western Australia	Williams (S)	<200	**	**	**
Western Australia	Wiluna (S)	<200	92.4%	88.0%	64.7%
Western Australia	Wongan-Ballidu (S)	<200	97.5%	97.5%	59.0%
Western Australia	Woodanilling (S)	<200	**	**	**
Western Australia	Wyalkatchem (S)	<200	**	**	**
Western Australia	Wyndham-East Kimberley (S)	2,036	88.1%	83.6%	70.6%
Western Australia	Yalgoo (S)	<200	93.6%	85.9%	74.6%
Western Australia	Yilgarn (S)	<200	88.0%	88.0%	85.7%
Western Australia	York (S)	<200	80.0%	77.3%	51.7%

State and Local Government Area (LGA) are derived from AIR based on Medicare address for numerator and AIR Population by LGA as denominator.

** = Suppressed to protect privacy. **Shading** denotes LGAs with large 'very remote' and 'remote' areas where geo-coding addresses is difficult, often leading to artificially low counts

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people received two doses and people with only one dose.

People received two doses. Total people with two doses of any vaccine type.

People eligible received three doses. Total people received three doses by the number of individuals eligible in the region.

AIR Population. A distinct count of persons recorded on the Australia Immunisation Register.

Local Government Area (LGA). Local Government Areas are an ABS approximation of gazetted local government boundaries as defined by each State and Territory Local Government Department. Local Government Areas cover incorporated areas of Australia. Incorporated areas are legally designated parts of a State or Territory over which incorporated local governing bodies have responsibility. The major areas of Australia not administered by incorporated bodies are the northern parts of South Australia, and all of the Australian Capital Territory and the Other Territories. These regions are identified as 'Unincorporated' in the ASGS Local Government Areas structure.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 20 Sep. 2022 including individuals aged 16 and over.

AIR population is sourced from the Australian Immunisation Register as at 11:59pm 20 Sep. 2022 including individuals aged 16 and over.