



Australian Government
Department of Health and Aged Care

SA3 - Geographic Vaccination Rates

08 August 2022

Data as at:
07 Aug 2022

Australian Capital Territory

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Australian Capital Territory	Belconnen	>95%	>95%	79.2%
Australian Capital Territory	Canberra East	67.7%	66.1%	73.8%
Australian Capital Territory	Gungahlin	>95%	>95%	75.7%
Australian Capital Territory	North Canberra	89.5%	87.4%	83.5%
Australian Capital Territory	South Canberra	>95%	>95%	84.9%
Australian Capital Territory	Tuggeranong	>95%	>95%	78.1%
Australian Capital Territory	Weston Creek	>95%	>95%	83.4%
Australian Capital Territory	Woden Valley	>95%	>95%	83.5%
Australian Capital Territory	Molonglo	>95%	>95%	77.7%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

New South Wales

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
New South Wales	Albury	>95%	>95%	72.5%
New South Wales	Armidale	94.7%	93.1%	74.7%
New South Wales	Auburn	>95%	92.9%	57.4%
New South Wales	Bankstown	>95%	93.6%	57.7%
New South Wales	Bathurst	>95%	>95%	71.1%
New South Wales	Baulkham Hills	>95%	>95%	77.1%
New South Wales	Blacktown	>95%	>95%	64.1%
New South Wales	Blacktown - North	>95%	>95%	69.5%
New South Wales	Blue Mountains	>95%	>95%	78.3%
New South Wales	Botany	>95%	>95%	65.2%
New South Wales	Bourke - Cobar - Coonamble	>95%	94.6%	63.1%
New South Wales	Bringelly - Green Valley	>95%	>95%	54.2%
New South Wales	Broken Hill and Far West	>95%	>95%	69.7%
New South Wales	Camden	>95%	>95%	64.7%
New South Wales	Campbelltown (NSW)	>95%	>95%	62.9%
New South Wales	Canada Bay	88.1%	86.8%	74.7%
New South Wales	Canterbury	94.4%	92.0%	58.0%
New South Wales	Carlingford	>95%	>95%	71.7%
New South Wales	Chatswood - Lane Cove	94.1%	92.6%	80.7%
New South Wales	Clarence Valley	>95%	>95%	68.4%
New South Wales	Coffs Harbour	>95%	>95%	66.8%
New South Wales	Cronulla - Miranda - Caringbah	>95%	>95%	73.5%
New South Wales	Dapto - Port Kembla	>95%	>95%	66.3%
New South Wales	Dubbo	>95%	>95%	67.6%
New South Wales	Dural - Wisemans Ferry	>95%	>95%	72.7%
New South Wales	Eastern Suburbs - North	88.9%	87.5%	76.5%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

New South Wales (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
New South Wales	Eastern Suburbs - South	83.2%	81.1%	73.8%
New South Wales	Fairfield	>95%	>95%	57.4%
New South Wales	Gosford	>95%	>95%	71.9%
New South Wales	Goulburn - Mulwaree	>95%	>95%	72.7%
New South Wales	Great Lakes	>95%	>95%	72.9%
New South Wales	Griffith - Murrumbidgee (West)	>95%	>95%	64.4%
New South Wales	Hawkesbury	94.6%	94.0%	66.4%
New South Wales	Hornsby	>95%	>95%	79.7%
New South Wales	Hurstville	93.3%	91.5%	67.3%
New South Wales	Inverell - Tenterfield	>95%	>95%	68.3%
New South Wales	Kempsey - Nambucca	>95%	>95%	67.1%
New South Wales	Kiama - Shellharbour	>95%	>95%	68.7%
New South Wales	Kogarah - Rockdale	88.0%	85.7%	62.6%
New South Wales	Ku-ring-gai	>95%	>95%	83.6%
New South Wales	Lachlan Valley	>95%	>95%	70.8%
New South Wales	Lake Macquarie - East	>95%	>95%	72.9%
New South Wales	Lake Macquarie - West	>95%	>95%	68.4%
New South Wales	Leichhardt	89.1%	88.1%	83.7%
New South Wales	Lithgow - Mudgee	>95%	>95%	69.1%
New South Wales	Liverpool	>95%	93.5%	58.1%
New South Wales	Lower Hunter	>95%	>95%	63.4%
New South Wales	Lower Murray	>95%	>95%	68.0%
New South Wales	Maitland	>95%	>95%	66.8%
New South Wales	Manly	95.0%	93.9%	79.3%
New South Wales	Marrickville - Sydenham - Petersham	81.9%	80.7%	77.3%
New South Wales	Merrylands - Guildford	94.9%	92.3%	52.6%
New South Wales	Moree - Narrabri	94.2%	92.6%	63.6%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

New South Wales (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
New South Wales	Mount Druitt	>95%	>95%	59.3%
New South Wales	Newcastle	>95%	94.5%	72.8%
New South Wales	North Sydney - Mosman	89.1%	87.7%	83.0%
New South Wales	Orange	>95%	>95%	72.2%
New South Wales	Parramatta	>95%	94.8%	68.1%
New South Wales	Pennant Hills - Epping	>95%	>95%	79.8%
New South Wales	Penrith	>95%	>95%	64.2%
New South Wales	Pittwater	>95%	>95%	76.0%
New South Wales	Port Macquarie	>95%	>95%	73.2%
New South Wales	Port Stephens	>95%	>95%	71.6%
New South Wales	Queanbeyan	>95%	>95%	75.3%
New South Wales	Richmond - Windsor	>95%	>95%	65.1%
New South Wales	Richmond Valley - Coastal	>95%	94.1%	66.4%
New South Wales	Richmond Valley - Hinterland	>95%	>95%	63.8%
New South Wales	Rouse Hill - McGraths Hill	>95%	>95%	69.6%
New South Wales	Ryde - Hunters Hill	92.7%	91.1%	75.1%
New South Wales	Shoalhaven	>95%	>95%	73.0%
New South Wales	Snowy Mountains	>95%	>95%	72.3%
New South Wales	South Coast	>95%	>95%	75.4%
New South Wales	Southern Highlands	>95%	>95%	76.2%
New South Wales	St Marys	>95%	>95%	60.4%
New South Wales	Strathfield - Burwood - Ashfield	90.3%	88.0%	70.5%
New South Wales	Sutherland - Menai - Heathcote	>95%	>95%	76.0%
New South Wales	Sydney Inner City	76.6%	74.2%	73.4%
New South Wales	Tamworth - Gunnedah	>95%	>95%	67.8%
New South Wales	Taree - Gloucester	>95%	>95%	70.3%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

New South Wales (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
New South Wales	Tumut - Tumbarumba	>95%	>95%	69.7%
New South Wales	Tweed Valley	93.2%	91.8%	65.9%
New South Wales	Upper Hunter	>95%	>95%	65.4%
New South Wales	Upper Murray exc. Albury	>95%	>95%	74.8%
New South Wales	Wagga Wagga	>95%	>95%	71.8%
New South Wales	Warringah	>95%	>95%	75.3%
New South Wales	Wollondilly	>95%	>95%	63.1%
New South Wales	Wollongong	92.2%	90.9%	72.7%
New South Wales	Wyong	>95%	>95%	66.3%
New South Wales	Young - Yass	>95%	>95%	75.0%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Northern Territory

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Northern Territory	Alice Springs	90.9%	87.9%	77.1%
Northern Territory	Barkly	69.9%	66.2%	66.8%
Northern Territory	Daly - Tiwi - West Arnhem	53.1%	50.8%	74.9%
Northern Territory	Darwin City	>95%	>95%	82.9%
Northern Territory	Darwin Suburbs	>95%	>95%	82.2%
Northern Territory	East Arnhem	76.9%	73.3%	73.2%
Northern Territory	Katherine	76.8%	74.2%	72.1%
Northern Territory	Litchfield	68.4%	67.2%	75.0%
Northern Territory	Palmerston	>95%	>95%	78.8%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Queensland

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Queensland	Bald Hills - Everton Park	>95%	94.9%	73.7%
Queensland	Beaudesert	89.5%	88.0%	62.0%
Queensland	Beenleigh	94.5%	92.7%	55.3%
Queensland	Biloela	90.1%	88.3%	55.2%
Queensland	Bowen Basin - North	85.9%	83.9%	49.9%
Queensland	Bribie - Beachmere	>95%	>95%	75.0%
Queensland	Brisbane Inner	90.5%	88.1%	69.0%
Queensland	Brisbane Inner - East	89.3%	88.3%	74.0%
Queensland	Brisbane Inner - North	86.0%	84.7%	73.7%
Queensland	Brisbane Inner - West	89.6%	88.5%	77.3%
Queensland	Broadbeach - Burleigh	94.9%	93.2%	60.4%
Queensland	Browns Plains	>95%	>95%	52.8%
Queensland	Buderim	91.9%	90.8%	67.0%
Queensland	Bundaberg	>95%	>95%	65.6%
Queensland	Burnett	93.9%	92.1%	64.6%
Queensland	Caboolture	>95%	>95%	59.7%
Queensland	Caboolture Hinterland	83.0%	81.5%	60.0%
Queensland	Cairns - North	94.4%	93.1%	66.3%
Queensland	Cairns - South	>95%	>95%	61.5%
Queensland	Caloundra	>95%	>95%	67.0%
Queensland	Capalaba	>95%	>95%	67.7%
Queensland	Carindale	93.3%	92.3%	73.7%
Queensland	Centenary	>95%	>95%	75.5%
Queensland	Central Highlands (Qld)	87.9%	85.6%	49.3%
Queensland	Charters Towers - Ayr - Ingham	95.0%	93.3%	63.4%
Queensland	Chermside	94.3%	93.2%	72.8%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Queensland (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Queensland	Cleveland - Stradbroke	>95%	>95%	68.3%
Queensland	Coolangatta	92.4%	90.9%	59.9%
Queensland	Darling Downs - East	>95%	>95%	64.1%
Queensland	Darling Downs (West) - Maranoa	>95%	93.9%	64.9%
Queensland	Far North	67.7%	64.3%	58.9%
Queensland	Forest Lake - Oxley	92.5%	90.7%	64.7%
Queensland	Gladstone	>95%	93.9%	56.3%
Queensland	Gold Coast - North	91.7%	90.0%	65.4%
Queensland	Gold Coast Hinterland	87.2%	85.9%	62.7%
Queensland	Granite Belt	>95%	>95%	62.9%
Queensland	Gympie - Cooloola	91.4%	89.8%	63.6%
Queensland	Hervey Bay	>95%	>95%	69.3%
Queensland	Holland Park - Yeronga	88.1%	86.7%	72.7%
Queensland	Innisfail - Cassowary Coast	93.5%	90.9%	61.1%
Queensland	Ipswich Hinterland	92.1%	90.7%	62.9%
Queensland	Ipswich Inner	>95%	>95%	63.7%
Queensland	Jimboomba	94.0%	92.5%	53.8%
Queensland	Kenmore - Brookfield - Moggill	>95%	>95%	78.4%
Queensland	Loganlea - Carbrook	92.5%	90.9%	57.6%
Queensland	Mackay	>95%	>95%	56.2%
Queensland	Maroochy	>95%	94.1%	65.9%
Queensland	Maryborough	>95%	>95%	66.9%
Queensland	Mt Gravatt	94.3%	92.6%	67.3%
Queensland	Mudgeeraba - Tallebudgera	91.2%	89.8%	57.7%
Queensland	Nambour	>95%	>95%	63.1%
Queensland	Narangba - Burpengary	>95%	>95%	62.0%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Queensland (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Queensland	Nathan	88.7%	87.4%	71.6%
Queensland	Nerang	88.0%	86.5%	56.9%
Queensland	Noosa	>95%	>95%	67.5%
Queensland	Noosa Hinterland	87.9%	86.5%	65.4%
Queensland	North Lakes	91.9%	90.5%	62.2%
Queensland	Nundah	92.9%	91.4%	71.0%
Queensland	Ormeau - Oxenford	92.6%	91.0%	54.8%
Queensland	Outback - North	91.0%	87.3%	54.3%
Queensland	Outback - South	>95%	93.9%	72.3%
Queensland	Port Douglas - Daintree	92.8%	90.8%	62.8%
Queensland	Redcliffe	>95%	>95%	69.7%
Queensland	Robina	87.3%	85.8%	59.3%
Queensland	Rockhampton	94.9%	93.3%	61.0%
Queensland	Rocklea - Acacia Ridge	>95%	>95%	62.1%
Queensland	Sandgate	>95%	94.2%	69.4%
Queensland	Sherwood - Indooroopilly	84.6%	83.0%	77.2%
Queensland	Southport	92.3%	90.3%	58.8%
Queensland	Springfield - Redbank	>95%	94.0%	56.9%
Queensland	Springwood - Kingston	>95%	94.4%	56.9%
Queensland	Strathpine	>95%	>95%	64.3%
Queensland	Sunnybank	>95%	93.7%	62.8%
Queensland	Sunshine Coast Hinterland	>95%	94.0%	64.0%
Queensland	Surfers Paradise	88.9%	87.0%	60.4%
Queensland	Tablelands (East) - Kuranda	>95%	>95%	64.0%
Queensland	The Gap - Enoggera	>95%	94.2%	76.9%
Queensland	The Hills District	>95%	>95%	72.3%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Queensland (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Queensland	Toowoomba	>95%	>95%	66.0%
Queensland	Townsville	93.4%	91.9%	64.8%
Queensland	Whitsunday	87.5%	86.0%	55.3%
Queensland	Wynnum - Manly	>95%	94.9%	70.4%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

South Australia

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
South Australia	Adelaide City	>95%	94.6%	77.0%
South Australia	Adelaide Hills	>95%	>95%	78.7%
South Australia	Barossa	93.2%	91.9%	76.7%
South Australia	Burnside	>95%	>95%	83.6%
South Australia	Campbelltown (SA)	>95%	>95%	74.8%
South Australia	Charles Sturt	94.2%	92.3%	73.1%
South Australia	Eyre Peninsula and South West	93.1%	90.4%	73.3%
South Australia	Fleurieu - Kangaroo Island	>95%	94.9%	80.7%
South Australia	Gawler - Two Wells	>95%	>95%	72.2%
South Australia	Holdfast Bay	>95%	>95%	81.9%
South Australia	Limestone Coast	>95%	94.7%	73.3%
South Australia	Lower North	92.1%	90.6%	78.5%
South Australia	Marion	>95%	94.1%	78.1%
South Australia	Mid North	>95%	94.1%	77.6%
South Australia	Mitcham	>95%	>95%	83.0%
South Australia	Murray and Mallee	91.7%	89.4%	73.5%
South Australia	Norwood - Payneham - St Peters	>95%	93.2%	79.7%
South Australia	Onkaparinga	>95%	93.8%	74.8%
South Australia	Outback - North and East	81.9%	78.9%	68.4%
South Australia	Playford	>95%	92.3%	65.2%
South Australia	Port Adelaide - East	>95%	94.2%	71.3%
South Australia	Port Adelaide - West	>95%	93.9%	73.1%
South Australia	Prospect - Walkerville	>95%	>95%	78.9%
South Australia	Salisbury	>95%	93.1%	69.2%
South Australia	Tea Tree Gully	>95%	>95%	75.9%
South Australia	Unley	>95%	93.8%	83.3%
South Australia	West Torrens	93.4%	91.1%	75.5%
South Australia	Yorke Peninsula	>95%	>95%	80.4%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Tasmania

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Tasmania	Brighton	>95%	>95%	67.3%
Tasmania	Burnie - Ulverstone	>95%	>95%	70.8%
Tasmania	Central Highlands (Tas.)	91.3%	89.5%	69.0%
Tasmania	Devonport	>95%	>95%	69.5%
Tasmania	Hobart - North East	>95%	>95%	78.4%
Tasmania	Hobart - North West	>95%	>95%	72.0%
Tasmania	Hobart - South and West	>95%	>95%	78.6%
Tasmania	Hobart Inner	>95%	>95%	80.7%
Tasmania	Huon - Bruny Island	>95%	>95%	75.3%
Tasmania	Launceston	>95%	>95%	73.6%
Tasmania	Meander Valley - West Tamar	>95%	>95%	73.2%
Tasmania	North East	>95%	>95%	72.9%
Tasmania	Sorell - Dodges Ferry	>95%	>95%	72.6%
Tasmania	South East Coast	>95%	>95%	79.5%
Tasmania	West Coast	92.0%	89.9%	66.3%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Victoria

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Victoria	Ballarat	>95%	>95%	79.8%
Victoria	Banyule	>95%	94.3%	79.8%
Victoria	Barwon - West	>95%	>95%	75.1%
Victoria	Baw Baw	>95%	>95%	72.9%
Victoria	Bayside	>95%	>95%	82.3%
Victoria	Bendigo	>95%	>95%	78.4%
Victoria	Boroondara	92.3%	91.0%	83.3%
Victoria	Brimbank	94.5%	92.5%	66.9%
Victoria	Brunswick - Coburg	80.6%	79.5%	79.0%
Victoria	Campaspe	>95%	>95%	74.4%
Victoria	Cardinia	>95%	>95%	67.8%
Victoria	Casey - North	>95%	95.0%	67.4%
Victoria	Casey - South	>95%	>95%	65.2%
Victoria	Colac - Corangamite	>95%	>95%	75.6%
Victoria	Creswick - Daylesford - Ballan	>95%	>95%	77.3%
Victoria	Dandenong	>95%	93.7%	68.0%
Victoria	Darebin - North	83.2%	81.7%	71.8%
Victoria	Darebin - South	82.5%	81.7%	81.9%
Victoria	Essendon	86.7%	85.7%	78.3%
Victoria	Frankston	94.8%	93.8%	71.9%
Victoria	Geelong	>95%	>95%	76.6%
Victoria	Gippsland - East	>95%	>95%	76.5%
Victoria	Gippsland - South West	>95%	>95%	76.0%
Victoria	Glen Eira	91.2%	89.8%	78.7%
Victoria	Glenelg - Southern Grampians	>95%	>95%	76.8%
Victoria	Grampians	>95%	>95%	78.0%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Victoria (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Victoria	Heathcote - Castlemaine - Kyneton	>95%	>95%	81.5%
Victoria	Hobsons Bay	92.1%	91.0%	75.9%
Victoria	Keilor	94.1%	93.1%	73.7%
Victoria	Kingston	93.4%	92.5%	78.1%
Victoria	Knox	>95%	>95%	75.8%
Victoria	Latrobe Valley	>95%	>95%	69.9%
Victoria	Loddon - Elmore	94.9%	94.1%	75.4%
Victoria	Macedon Ranges	>95%	>95%	77.3%
Victoria	Manningham - East	>95%	>95%	78.1%
Victoria	Manningham - West	>95%	>95%	75.7%
Victoria	Maribyrnong	85.1%	83.7%	76.4%
Victoria	Maroondah	>95%	94.2%	77.9%
Victoria	Maryborough - Pyrenees	>95%	>95%	78.8%
Victoria	Melbourne City	78.0%	74.2%	73.5%
Victoria	Melton - Bacchus Marsh	>95%	>95%	65.5%
Victoria	Mildura	>95%	>95%	68.0%
Victoria	Moira	>95%	>95%	73.2%
Victoria	Monash	92.3%	90.1%	75.6%
Victoria	Moreland - North	89.5%	87.6%	68.2%
Victoria	Mornington Peninsula	>95%	>95%	76.6%
Victoria	Murray River - Swan Hill	>95%	>95%	71.4%
Victoria	Nillumbik - Kinglake	>95%	>95%	77.9%
Victoria	Port Phillip	81.3%	80.0%	77.6%
Victoria	Shepparton	>95%	>95%	70.5%
Victoria	Stonnington - East	90.3%	89.0%	83.6%
Victoria	Stonnington - West	78.7%	77.4%	79.7%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Victoria (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Victoria	Sunbury	>95%	>95%	73.1%
Victoria	Surf Coast - Bellarine Peninsula	>95%	>95%	81.3%
Victoria	Tullamarine - Broadmeadows	>95%	>95%	55.2%
Victoria	Upper Goulburn Valley	>95%	>95%	75.3%
Victoria	Wangaratta - Benalla	>95%	>95%	76.5%
Victoria	Warrnambool	>95%	>95%	78.4%
Victoria	Wellington	>95%	>95%	72.4%
Victoria	Whitehorse - East	>95%	>95%	79.9%
Victoria	Whitehorse - West	92.1%	90.3%	78.1%
Victoria	Whittlesea - Wallan	>95%	94.0%	64.5%
Victoria	Wodonga - Alpine	>95%	>95%	75.9%
Victoria	Wyndham	>95%	>95%	67.1%
Victoria	Yarra	78.0%	77.0%	82.4%
Victoria	Yarra Ranges	>95%	>95%	73.3%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Western Australia

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Western Australia	Albany	>95%	>95%	82.0%
Western Australia	Armadale	>95%	>95%	80.8%
Western Australia	Augusta - Margaret River - Busselton	>95%	>95%	81.8%
Western Australia	Bayswater - Bassendean	>95%	>95%	84.0%
Western Australia	Belmont - Victoria Park	93.9%	92.2%	83.4%
Western Australia	Bunbury	>95%	>95%	82.8%
Western Australia	Canning	>95%	>95%	84.2%
Western Australia	Cockburn	>95%	>95%	82.7%
Western Australia	Cottesloe - Claremont	>95%	>95%	90.5%
Western Australia	East Pilbara	68.6%	66.4%	79.4%
Western Australia	Esperance	>95%	>95%	82.5%
Western Australia	Fremantle	>95%	>95%	86.3%
Western Australia	Gascoyne	90.2%	87.6%	77.8%
Western Australia	Goldfields	92.9%	90.6%	79.7%
Western Australia	Gosnells	>95%	>95%	80.5%
Western Australia	Joondalup	>95%	>95%	85.4%
Western Australia	Kalamunda	>95%	>95%	84.0%
Western Australia	Kimberley	87.7%	83.7%	74.8%
Western Australia	Kwinana	>95%	>95%	79.4%
Western Australia	Mandurah	>95%	>95%	83.5%
Western Australia	Manjimup	>95%	>95%	83.2%
Western Australia	Melville	>95%	>95%	88.3%
Western Australia	Mid West	>95%	>95%	81.2%
Western Australia	Mundaring	>95%	>95%	83.0%
Western Australia	Perth City	>95%	>95%	86.9%
Western Australia	Rockingham	>95%	>95%	82.0%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Western Australia (Continued)

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Western Australia	Serpentine - Jarrahdale	93.1%	92.0%	79.1%
Western Australia	South Perth	92.5%	91.2%	88.0%
Western Australia	Stirling	>95%	>95%	83.8%
Western Australia	Swan	>95%	>95%	80.0%
Western Australia	Wanneroo	>95%	>95%	79.8%
Western Australia	West Pilbara	63.7%	62.2%	80.7%
Western Australia	Wheat Belt - North	>95%	>95%	81.6%
Western Australia	Wheat Belt - South	>95%	>95%	82.5%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Data as at:
07 Aug 2022

Other Territories

State	Statistical Area 3	% People aged 16 and over with at least one dose	% People aged 16 and over received two doses	% People eligible aged 16 and over received three doses
Other Territories	Christmas Island	58.4%	56.9%	>95%
Other Territories	Norfolk Island	>95%	>95%	85.4%

State and Statistical Area 3 are derived from AIR based on Medicare address for numerator and ABS 2020 ERP for SA3 as denominator.

Metadata

People with at least one dose. The count of all people who have received at least one dose of an eligible vaccine. People with at least one dose encompasses people received two doses and people with only one dose.

People received two doses. Total people with two doses of any vaccine type.

People eligible received three doses. Total people received three doses by the number of individuals eligible in the region.

Estimated Resident Population (ERP). The official measure of the population of Australia, based on their usual residence. It refers to all people, regardless of nationality, citizenship or legal status, who usually live in Australia, with the exception of foreign diplomatic personnel and their families. The ERP includes usual residents who are overseas for less than 12 months and excludes overseas visitors who are in Australia for less than 12 months.

Statistical Area Level 3 (SA3). Geographic boundaries established as part of the Australian Statistical Geography Standard (ASGS). SA3s are required to have large populations of between 20,000 and 100,000 people and are based around labour markets. SA3s are aggregations of whole Statistical Area Level 2 (SA2) boundaries and fit within whole state and territory boundaries. SA3s with less than 500 people aged 16 and over have been excluded.

Update Information:

Vaccine data is sourced from the Australian Immunisation Register as at 11:59pm 07 Aug 2022.

SA3 population is sourced from the Australian Bureau of Statistics Estimated Resident Population 2020 including individuals aged 16 and over.